



**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING \***

**1.1. Product identifier**

Product name : LAFITA PARFUM CARD NOTRE DAME  
Product code : LF1V224, LF1V424  
UFI : E830-00TK-W00X-U6MN

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : SU21 Consumer product. PC3 Air care products for indoor rooms (instant action). Airfreshener.

**1.3. Details of the supplier of the safety data sheet**

Supplier : Dovox B.V.  
Leemansweg 40  
6827 BX Arnhem, The Netherlands  
Telephone : +31-30-7116 824  
E-mail : info@dovox.nl  
Website : www.dovox.nl

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824

(During office hours only)

**SECTION 2 HAZARDS IDENTIFICATION \***


**2.1. Classification of the substance or mixture**

CLP classification (1272/2008/EC) : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 2.  
Human health hazards : Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.  
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.  
Environmental hazards : Toxic to aquatic life with long lasting effects.

**2.2. Label elements**

Label elements ((EU) 1272/2008):

Hazard pictograms :




Signal word : Warning

H- and P-phrases : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves.  
P302+P352 IF ON SKIN: Wash with plenty of water/soap.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P273 Avoid release to the environment.

P391 Collect spillage.  
P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

- H317 May cause an allergic skin reaction.
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P280 Wear protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of water/soap.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Linalyl acetate ; d-Limonene ; Linalool ; [3R-(3 $\alpha$ ,3 $\alpha$  $\beta$ ,6 $\alpha$ ,7 $\beta$ ,8 $\alpha$ )]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene ; 3,7-Dimethylnona-1,6-dien-3-ol ; 1,3,4,6,7,8a-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalin-8(5H)-one ; 4-tert-Butylcyclohexyl acetate ; Alpha-methyl-1,3-benzodioxole-5-propionaldehyde ; Cedryl methyl ketone ; Citronellol ; alpha-Hexylcinnamaldehyde ; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers) ; (-)-Pin-2(10)-ene ; (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one ; Cis-hex-3-en-1-yl methyl carbonate ; 2,2,6-Trimethyl- $\alpha$ -propylcyclohexanepropanol ; 3,7-Dimethyloctan-3-ol ; (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one .

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

| Substance name                                                   | Concentration (w/w) (%) | CAS nr.     | EC number | Remark | REACH nr.        |
|------------------------------------------------------------------|-------------------------|-------------|-----------|--------|------------------|
| Linalyl acetate                                                  | 5 - < 10                | 115-95-7    | 204-116-4 |        | 01-2119454789-19 |
| d-Limonene                                                       | 5 - < 10                | 5989-27-5   | 227-813-5 |        | 01-2119529223-47 |
| Linalool                                                         | 1 - < 5                 | 78-70-6     | 201-134-4 |        | 01-2119474016-42 |
| Undecan-4-olide                                                  | 1 - < 5                 | 104-67-6    | 203-225-4 |        | 01-2119959333-34 |
| 1-[(2-tert-butyl)cyclohexyloxy]-2-butanol                        | 1 - < 5                 | 139504-68-0 | 412-300-2 |        | 01-0000015959-52 |
| (2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol | 1 - < 5                 | 106185-75-5 | 701-122-3 |        | 01-2119529224-45 |
| Benzyl acetate                                                   | 1 - < 5                 | 140-11-4    | 205-399-7 |        | 01-2119638272-42 |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                                                                 |              |            |           |  |                  |
|---------------------------------------------------------------------------------------------------------------------------------|--------------|------------|-----------|--|------------------|
| [3R-(3 $\alpha$ ,3 $\beta$ ,6 $\alpha$ ,7 $\beta$ ,8 $\alpha$ )]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene | 1 - < 5      | 67874-81-1 | 267-510-5 |  | 01-2120228335-61 |
| 3,7-Dimethylnona-1,6-dien-3-ol                                                                                                  | 1 - < 5      | 10339-55-6 | 233-732-6 |  | 01-2119969272-32 |
| Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)                                                         | 1 - < 5      | 63500-71-0 | 405-040-6 |  | 01-2119455547-30 |
| 2,6-Dimethylheptan-2-ol                                                                                                         | 1 - < 5      | 13254-34-7 | 236-244-1 |  | 01-2120275178-48 |
| 1,3,4,6,7,8a-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalin-8(5H)-one                                                  | 1 - < 5      | 23787-90-8 | 245-890-3 |  | 01-2120136162-69 |
| 3-Methyl-5-phenylpentanol                                                                                                       | 1 - < 5      | 55066-48-3 | 259-461-3 |  | 01-2119969446-23 |
| 2-Phenylethanol                                                                                                                 | 1 - < 5      | 60-12-8    | 200-456-2 |  | 01-2119963921-31 |
| 4-tert-Butylcyclohexyl acetate                                                                                                  | 1 - < 5      | 32210-23-4 | 250-954-9 |  | 01-2119976286-24 |
| Cis-2-tert-butylcyclohexyl acetate                                                                                              | 1 - < 5      | 20298-69-5 | 243-718-1 |  | 01-2119970713-33 |
| Alpha-methyl-1,3-benzodioxole-5-propionaldehyde                                                                                 | 1 - < 3      | 1205-17-0  | 214-881-6 |  | 01-2120740119-58 |
| Cedryl methyl ketone                                                                                                            | 1 - < 2,5    | 32388-55-9 | 251-020-3 |  | 01-2119969651-28 |
| Citronellol                                                                                                                     | 1 - < 5      | 106-22-9   | 203-375-0 |  | 01-2119453995-23 |
| alpha-Hexylcinnamaldehyde                                                                                                       | 1 - < 2,5    | 101-86-0   | 202-983-3 |  | 01-2119533092-50 |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers)                                              | 1 - < 2,5    | -----      | 915-730-3 |  | 01-2119489989-04 |
| (-)-Pin-2(10)-ene                                                                                                               | 0,1 - < 1    | 18172-67-3 | 242-060-2 |  | 01-2119519230-54 |
| Allyl (3-methylbutoxy)acetate                                                                                                   | 0,1 - < 1    | 67634-00-8 | 266-803-5 |  | 01-2120795456-39 |
| Allyl hexanoate                                                                                                                 | 0,1 - < 1    | 123-68-2   | 204-642-4 |  | 01-2119983573-26 |
| Allyl (cyclohexyloxy)acetate                                                                                                    | 0,1 - < 1    | 68901-15-5 | 272-657-3 |  | 01-2120770514-54 |
| (Z)-3-hexenyl salicylate                                                                                                        | 0,1 - < 1    | 65405-77-8 | 265-745-8 |  | 01-2119987320-37 |
| (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one                                                                                        | 0,1 - < 1    | 81786-73-4 | 279-822-9 |  | 01-2119980043-42 |
| Cis-hex-3-en-1-yl methyl carbonate                                                                                              | 0,1 - < 1    | 67633-96-9 | 266-797-4 |  | 01-2120735800-60 |
| 2,2,6-Trimethyl- $\alpha$ -propylcyclohexane-propanol                                                                           | 0,1 - < 1    | -----      | 942-425-2 |  | 01-2120085416-52 |
| 3,7-Dimethyloctan-3-ol                                                                                                          | 0,1 - < 1    | 78-69-3    | 201-133-9 |  | 01-2119454788-21 |
| (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one                                                                    | 0,01 - < 0,1 | 23726-93-4 | 245-844-2 |  | 01-2120105798-49 |

| Substance name                                                                                                                  | Hazard Class                                                                                | H-phrases                          | Pictograms                 |                                  |
|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------------------|----------------------------|----------------------------------|
| Linalyl acetate                                                                                                                 | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2                                                  | H315; H317; H319                   | GHS07                      |                                  |
| d-Limonene                                                                                                                      | Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 3 | H226; H304; H315; H317; H400; H412 | GHS02; GHS07; GHS08; GHS09 | M (acute) = 1                    |
| Linalool                                                                                                                        | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2                                                  | H315; H317; H319                   | GHS07                      |                                  |
| Undecan-4-olide                                                                                                                 | Aquatic Chronic 3                                                                           | H412                               |                            |                                  |
| 1-[(2-tert-butyl)cyclohexyloxy]-2-butanol                                                                                       | Eye Irrit. 2; Aquatic Chronic 2                                                             | H319; H411                         | GHS07; GHS09               |                                  |
| (2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol                                                                | Eye Irrit. 2; Aquatic Chronic 2                                                             | H319; H411                         | GHS07; GHS09               |                                  |
| Benzyl acetate                                                                                                                  | Aquatic Chronic 3                                                                           | H412                               |                            |                                  |
| [3R-(3 $\alpha$ ,3 $\beta$ ,6 $\alpha$ ,7 $\beta$ ,8 $\alpha$ )]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene | Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1                                           | H317; H400; H410                   | GHS07; GHS09               | M (acute) = 1<br>M (chronic) = 1 |
| 3,7-Dimethylnona-1,6-dien-3-ol                                                                                                  | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2                                                  | H315; H317; H319                   | GHS07                      |                                  |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                    |                                                                                             |                                    |                            |                                  |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------------------|----------------------------|----------------------------------|
| Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)            | Eye Irrit. 2                                                                                | H319                               | GHS07                      |                                  |
| 2,6-Dimethylheptan-2-ol                                                            | Skin Irrit. 2; Eye Irrit. 2                                                                 | H315; H319                         | GHS07                      |                                  |
| 1,3,4,6,7,8a-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalin-8(5H)-one     | Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 2                                             | H315; H317; H411                   | GHS07; GHS09               |                                  |
| 3-Methyl-5-phenylpentanol                                                          | Acute Tox. 4; STOT RE 2                                                                     | H302; H373                         | GHS07; GHS08               |                                  |
| 2-Phenylethanol                                                                    | Acute Tox. 4; Eye Irrit. 2                                                                  | H302; H319                         | GHS07                      |                                  |
| 4-tert-Butylcyclohexyl acetate                                                     | Skin Sens. 1B                                                                               | H317                               | GHS07                      |                                  |
| Cis-2-tert-butylcyclohexyl acetate                                                 | Aquatic Chronic 2                                                                           | H411                               | GHS09                      |                                  |
| Alpha-methyl-1,3-benzodioxole-5-propionaldehyde                                    | Skin Sens. 1B; Repr. 2; Aquatic Chronic 2                                                   | H317; H361fd; H411                 | GHS07; GHS08; GHS09        |                                  |
| Cedryl methyl ketone                                                               | Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1                                           | H317; H400; H410                   | GHS07; GHS09               | M (acute) = 1<br>M (chronic) = 1 |
| Citronellol                                                                        | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2                                                  | H315; H317; H319                   | GHS07                      |                                  |
| alpha-Hexylcinnamaldehyde                                                          | Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 2                                           | H317; H400; H411                   | GHS07; GHS09               | M (acute) = 1                    |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers) | Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 1                                             | H315; H317; H410                   | GHS07; GHS09               |                                  |
| (-)-Pin-2(10)-ene                                                                  | Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1 | H226; H304; H315; H317; H400; H410 | GHS02; GHS07; GHS08; GHS09 | M (acute) = 1<br>M (chronic) = 1 |
| Allyl (3-methylbutoxy)acetate                                                      | Acute Tox. 4; Acute Tox. 2; Aquatic Acute 1; Aquatic Chronic 1                              | H302; H330; H400; H410             | GHS06; GHS09               | M (acute) = 1<br>M (chronic) = 1 |
| Allyl hexanoate                                                                    | Acute Tox. 3; Acute Tox. 3; Aquatic Acute 1; Aquatic Chronic 3                              | H301; H311; H331; H400; H412       | GHS06; GHS09               | M (acute) = 1                    |
| Allyl (cyclohexyloxy)acetate                                                       | Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 1                                            | H302; H400; H410                   | GHS07; GHS09               | M (acute) = 1<br>M (chronic) = 1 |
| (Z)-3-hexenyl salicylate                                                           | Aquatic Acute 1                                                                             | H400                               | GHS09                      | M (acute) = 1                    |
| (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one                                           | Skin Sens. 1B; Aquatic Chronic 2                                                            | H317; H411                         | GHS07; GHS09               |                                  |
| Cis-hex-3-en-1-yl methyl carbonate                                                 | Skin Irrit. 2; Skin Sens. 1B                                                                | H315; H317                         | GHS07                      |                                  |
| 2,2,6-Trimethyl-α-propylcyclohexanepropanol                                        | Skin Sens. 1B                                                                               | H317                               | GHS07                      |                                  |
| 3,7-Dimethyloctan-3-ol                                                             | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2                                                  | H315; H317; H319                   | GHS07                      |                                  |
| (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one                       | Skin Irrit. 2; Skin Sens. 1A; Aquatic Chronic 2                                             | H315; H317; H411                   | GHS07; GHS09               |                                  |

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES

Product name  
Revision

: Lafita Parfum Card Notre Dame  
: 2024-08-30  
Replaces issue dated

: 2022-09-30

Page 4/24  
INFO CARE SDS



#### 4.1. Description of first aid measures

##### First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

- Note to physicians : None known.

### SECTION 5 FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

##### Extinguishing media

- Suitable : Carbondioxide (CO<sub>2</sub>). Foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.

#### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

#### 5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

#### 6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.



### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.  
Recommended packaging : Keep only in the original container.  
Non recommended packaging : None known.

### 7.3. Specific end use(s)

Use : Use only as directed.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

| Chemical name  | Country | TWA 8 hour (mg/m <sup>3</sup> ) | STEL 15 min (mg/m <sup>3</sup> ) | Comments | Source      |
|----------------|---------|---------------------------------|----------------------------------|----------|-------------|
| d-Limonene     |         | 28                              | 80                               |          | MAC: DE, CH |
| Benzyl acetate |         | 5                               | -                                |          | MAC: LT     |
| Oxydipropanol  |         | 67                              | -                                |          | MAC: DE     |

Derived no-effect level (DNEL) for workers:

| Chemical name                             | Route of exposure | DNEL, short-term |                 | DNEL, long-term     |                         |
|-------------------------------------------|-------------------|------------------|-----------------|---------------------|-------------------------|
|                                           |                   | Local effect     | Systemic effect | Local effect        | Systemic effect         |
| Linalyl acetate                           | Dermal            | 0,2362 mg/kg bw  |                 | 0,2362 mg/kg bw/day | 2,5 mg/kg bw/day        |
| d-Limonene                                | Inhalation        |                  |                 |                     | 2,75 mg/m <sup>3</sup>  |
|                                           | Inhalation        |                  |                 |                     | 66,7 mg/m <sup>3</sup>  |
|                                           | Dermal            |                  |                 |                     | 9,5 mg/kg bw/day        |
| Linalool                                  | Inhalation        |                  |                 |                     | 24,58 mg/m <sup>3</sup> |
|                                           | Dermal            | 3 mg/kg bw       |                 | 3 mg/kg bw/day      | 3,5 mg/kg bw/day        |
| Undecan-4-olide                           | Inhalation        |                  |                 |                     | 19 mg/m <sup>3</sup>    |
|                                           | Dermal            |                  |                 |                     | 5,38 mg/kg bw/day       |
| 1-[(2-tert-butyl)cyclohexyloxy]-2-butanol | Inhalation        |                  |                 |                     | 17,6 mg/m <sup>3</sup>  |
|                                           | Dermal            |                  |                 |                     | 5 mg/kg bw/day          |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                                                                   |            |                |               |                    |                    |
|-----------------------------------------------------------------------------------------------------------------------------------|------------|----------------|---------------|--------------------|--------------------|
| (2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol                                                                  | Inhalation |                |               |                    | 21 mg/m3           |
| Benzyl acetate                                                                                                                    | Dermal     |                |               |                    | 6 mg/kg bw/day     |
|                                                                                                                                   | Inhalation |                |               |                    | 9 mg/m3            |
| [3R-(3 $\alpha$ ,3a $\beta$ ,6 $\alpha$ ,7 $\beta$ ,8a $\alpha$ )]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene | Dermal     |                |               |                    | 2.5 mg/kg bw/day   |
|                                                                                                                                   | Inhalation |                |               |                    | 16.1 mg/m3         |
| 3,7-Dimethylnona-1,6-dien-3-ol                                                                                                    | Dermal     |                |               | 2.03 mg/kg bw/day  | 4.5 mg/kg bw/day   |
|                                                                                                                                   | Inhalation |                | 18 mg/m3      |                    | 3 mg/m3            |
| 2,6-Dimethylheptan-2-ol                                                                                                           | Dermal     | 1,6 mg/kg bw   | 5,5 mg/kg bw  | 1,6 mg/kg bw/day   | 2,7 mg/kg bw/day   |
|                                                                                                                                   | Inhalation |                | 16,08 mg/m3   | 10,05 mg/m3        | 4,02 mg/m3         |
| 3-Methyl-5-phenylpentanol                                                                                                         | Dermal     |                | 2,28 mg/kg bw | 2,85 mg/kg bw/day  | 1,14 mg/kg bw/day  |
|                                                                                                                                   | Inhalation |                | 5,3 mg/m3     |                    | 0,88 mg/m3         |
| 2-Phenylethanol                                                                                                                   | Dermal     |                | 3 mg/kg bw    | 0,13 mg/kg bw/day  | 0,5 mg/kg bw/day   |
|                                                                                                                                   | Inhalation |                |               |                    | 59,9 mg/m3         |
| Alpha-methyl-1,3-benzodioxole-5-propionaldehyde                                                                                   | Dermal     |                |               |                    | 21,2 mg/kg bw/day  |
|                                                                                                                                   | Inhalation |                |               |                    | 1,2 mg/m3          |
| Cedryl methyl ketone                                                                                                              | Dermal     |                |               | 0,01 mg/kg bw/day  | 0,17 mg/kg bw/day  |
|                                                                                                                                   | Inhalation |                |               |                    | 1,17 mg/m3         |
| Citronellol                                                                                                                       | Dermal     |                |               |                    | 0,333 mg/kg bw/day |
|                                                                                                                                   | Inhalation | 10 mg/m3       |               | 10 mg/m3           | 161,6 mg/m3        |
| alpha-Hexylcinnamaldehyde                                                                                                         | Dermal     | 2,950 mg/kg bw |               |                    | 327,4 mg/kg bw/day |
|                                                                                                                                   | Inhalation | 6,28 mg/m3     |               |                    | 0,078 mg/m3        |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers)                                                | Dermal     | 0,525 mg/kg bw |               | 0,525 mg/kg bw/day | 18,2 mg/kg bw/day  |
|                                                                                                                                   | Inhalation |                |               |                    | 30 mg/m3           |
| (-)-Pin-2(10)-ene                                                                                                                 | Dermal     |                |               | 0,648 mg/kg bw/day | 28,7 mg/kg bw/day  |
|                                                                                                                                   | Inhalation |                |               |                    | 5,69 mg/m3         |
| Allyl (3-methylbutoxy)acetate                                                                                                     | Dermal     |                |               | 0,054 mg/kg bw/day | 0,8 mg/kg bw/day   |
|                                                                                                                                   | Inhalation |                |               |                    | 1,4 mg/kg bw/day   |
| Allyl hexanoate                                                                                                                   | Dermal     |                |               |                    | 4,93 mg/m3         |
|                                                                                                                                   | Inhalation |                |               |                    | 15 mg/m3           |
| Allyl (cyclohexyloxy)acetate                                                                                                      | Dermal     |                |               |                    | 4,3 mg/kg bw/day   |
|                                                                                                                                   | Inhalation |                |               |                    | 3,16 mg/m3         |
| (Z)-3-hexenyl salicylate                                                                                                          | Dermal     |                |               |                    | 0,448 mg/kg bw/day |
|                                                                                                                                   | Inhalation |                |               |                    | 1,59 mg/m3         |
| 3,7-Dimethyloctan-3-ol                                                                                                            | Dermal     |                |               |                    | 0,9 mg/kg bw/day   |
|                                                                                                                                   | Inhalation |                |               |                    | 11,14 mg/m3        |
| (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one                                                                      | Dermal     |                |               | 0,190 mg/kg bw/day | 3,16 mg/kg bw/day  |
|                                                                                                                                   | Inhalation |                |               |                    | 2,71 mg/m3         |
| Oxydipropanol                                                                                                                     | Dermal     |                |               |                    | 0,77 mg/kg bw/day  |
|                                                                                                                                   | Inhalation |                |               |                    | 84 mg/kg bw/day    |
|                                                                                                                                   |            |                |               |                    | 238 mg/m3          |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Derived no-effect level (DNEL) for consumers:

| Chemical name                                                                                                                     | Route of exposure | DNEL, short-term |                 | DNEL, long-term     |                    |
|-----------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------|-----------------|---------------------|--------------------|
|                                                                                                                                   |                   | Local effect     | Systemic effect | Local effect        | Systemic effect    |
| Linalyl acetate                                                                                                                   | Dermal            | 0,2362 mg/kg bw  |                 | 0,2362 mg/kg bw/day | 1,25 mg/kg bw/day  |
| d-Limonene                                                                                                                        | Inhalation        |                  |                 |                     | 0,68 mg/m3         |
|                                                                                                                                   | Oral              |                  |                 |                     | 0,2 mg/kg bw/day   |
|                                                                                                                                   | Inhalation        |                  |                 |                     | 16,6 mg/m3         |
|                                                                                                                                   | Dermal            |                  |                 |                     | 4,8 mg/kg bw/day   |
| Linalool                                                                                                                          | Oral              |                  |                 |                     | 4,8 mg/kg bw/day   |
|                                                                                                                                   | Dermal            | 1.5 mg/kg bw     |                 | 1.5 mg/kg bw/day    | 1.25 mg/kg bw/day  |
| Undecan-4-olide                                                                                                                   | Inhalation        |                  |                 |                     | 4.33 mg/m3         |
|                                                                                                                                   | Oral              |                  |                 |                     | 2.49 mg/kg bw/day  |
|                                                                                                                                   | Inhalation        |                  |                 |                     | 4,68 mg/m3         |
|                                                                                                                                   | Dermal            |                  |                 |                     | 2,7 mg/kg bw/day   |
| 1-[(2-tert-butyl)cyclohexyloxy]-2-butanol                                                                                         | Oral              |                  |                 |                     | 2,7 mg/kg bw/day   |
|                                                                                                                                   | Inhalation        |                  |                 |                     | 4,35 mg/m3         |
| (2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol                                                                  | Dermal            |                  |                 |                     | 2,5 mg/kg bw/day   |
|                                                                                                                                   | Oral              |                  |                 |                     | 2,5 mg/kg bw/day   |
| Benzyl acetate                                                                                                                    | Inhalation        |                  |                 |                     | 5,2 mg/m3          |
|                                                                                                                                   | Dermal            |                  |                 |                     | 3 mg/kg bw/day     |
|                                                                                                                                   | Oral              |                  |                 |                     | 3 mg/kg bw/day     |
|                                                                                                                                   | Inhalation        |                  |                 |                     | 2.2 mg/m3          |
| [3R-(3 $\alpha$ ,3a $\beta$ ,6 $\alpha$ ,7 $\beta$ ,8a $\alpha$ )]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene | Dermal            |                  |                 |                     | 1.3 mg/kg bw/day   |
|                                                                                                                                   | Oral              |                  | 6,25 mg/kg bw   |                     | 1.3 mg/kg bw/day   |
|                                                                                                                                   | Inhalation        |                  |                 |                     | 4.7 mg/m3          |
|                                                                                                                                   | Dermal            |                  |                 | 1.22 mg/kg bw/day   | 2.7 mg/kg bw/day   |
| 3,7-Dimethylnona-1,6-dien-3-ol                                                                                                    | Oral              |                  |                 |                     | 2.7 mg/kg bw/day   |
|                                                                                                                                   | Inhalation        |                  | 4,4 mg/m3       |                     | 0,74 mg/m3         |
|                                                                                                                                   | Dermal            | 1,6 mg/kg bw     | 2,7 mg/kg bw    | 1,6 mg/kg bw/day    | 1,4 mg/kg bw/day   |
| 2,6-Dimethylheptan-2-ol                                                                                                           | Oral              |                  | 1,3 mg/kg bw    |                     | 0,2 mg/kg bw/day   |
|                                                                                                                                   | Inhalation        |                  | 3,97 mg/m3      | 2,48 mg/m3          | 0,99 mg/m3         |
|                                                                                                                                   | Dermal            |                  |                 |                     | 0,57 mg/kg bw/day  |
| 3-Methyl-5-phenylpentanol                                                                                                         | Oral              |                  |                 |                     | 0,57 mg/kg bw/day  |
|                                                                                                                                   | Oral              |                  | 0,375 mg/kg bw  |                     | 0,06 mg/kg bw/day  |
|                                                                                                                                   | Inhalation        |                  | 1,3 mg/m3       |                     | 0,21 mg/m3         |
| 2-Phenylethanol                                                                                                                   | Dermal            | 0,39 mg/kg bw    | 1,5 mg/kg bw    | 0,065 mg/kg bw/day  | 0,25 mg/kg bw/day  |
|                                                                                                                                   | Inhalation        |                  |                 |                     | 17,7 mg/m3         |
|                                                                                                                                   | Dermal            |                  |                 |                     | 12,7 mg/kg bw/day  |
|                                                                                                                                   | Oral              |                  | 5,1 mg/kg bw    |                     | 5,1 mg/kg bw/day   |
| Alpha-methyl-1,3-benzodioxole-5-propionaldehyde                                                                                   | Inhalation        |                  |                 |                     | 0,29 mg/m3         |
|                                                                                                                                   | Dermal            |                  |                 | 0,005 mg/kg bw/day  | 0,083 mg/kg bw/day |
| Cedryl methyl ketone                                                                                                              | Oral              |                  |                 |                     | 0,17 mg/kg bw/day  |
|                                                                                                                                   | Inhalation        |                  |                 |                     | 0,29 mg/m3         |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                  |            |                 |  |                     |                    |
|----------------------------------------------------------------------------------|------------|-----------------|--|---------------------|--------------------|
| Citronellol                                                                      | Dermal     |                 |  |                     | 0,167 mg/kg bw/day |
|                                                                                  | Oral       |                 |  |                     | 0,167 mg/kg bw/day |
|                                                                                  | Inhalation | 10 mg/m3        |  | 10 mg/m3            | 47,8 mg/m3         |
|                                                                                  | Dermal     | 2,950 mg/kg bw  |  |                     | 196,4 mg/kg bw/day |
| alpha-Hexylcinnamaldehyde                                                        | Oral       |                 |  |                     | 13,8 mg/kg bw/day  |
|                                                                                  | Inhalation | 4,71 mg/m3      |  |                     | 0,019 mg/m3        |
|                                                                                  | Dermal     | 0,0787 mg/kg bw |  | 0,0787 mg/kg bw/day | 9,11 mg/kg bw/day  |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers) | Oral       |                 |  |                     | 0,056 mg/kg bw/day |
|                                                                                  | Inhalation |                 |  |                     | 9 mg/m3            |
|                                                                                  | Dermal     |                 |  | 0,38 mg/kg bw/day   | 17,2 mg/kg bw/day  |
| (-)-Pin-2(10)-ene                                                                | Oral       |                 |  |                     | 3 mg/kg bw/day     |
|                                                                                  | Inhalation |                 |  |                     | 1 mg/m3            |
|                                                                                  | Dermal     |                 |  | 0,027 mg/kg bw/day  | 0,3 mg/kg bw/day   |
| Allyl (3-methylbutoxy)acetate                                                    | Oral       |                 |  |                     | 0,3 mg/kg bw/day   |
|                                                                                  | Oral       |                 |  |                     | 0,5 mg/kg bw/day   |
|                                                                                  | Dermal     |                 |  |                     | 0,87 mg/kg bw/day  |
| Allyl hexanoate                                                                  | Oral       |                 |  |                     | 2,1 mg/kg bw/day   |
|                                                                                  | Inhalation |                 |  |                     | 3,7 mg/m3          |
|                                                                                  | Dermal     |                 |  |                     | 2,1 mg/kg bw/day   |
| Allyl (cyclohexyloxy)acetate                                                     | Inhalation |                 |  |                     | 0,557 mg/m3        |
|                                                                                  | Dermal     |                 |  |                     | 0,16 mg/kg bw/day  |
|                                                                                  | Oral       |                 |  |                     | 0,16 mg/kg bw/day  |
| (Z)-3-hexenyl salicylate                                                         | Inhalation |                 |  |                     | 0,39 mg/m3         |
|                                                                                  | Dermal     |                 |  |                     | 0,45 mg/kg bw/day  |
|                                                                                  | Oral       |                 |  |                     | 0,23 mg/kg bw/day  |
| 3,7-Dimethyloctan-3-ol                                                           | Inhalation |                 |  |                     | 2,75 mg/m3         |
|                                                                                  | Dermal     |                 |  | 0,190 mg/kg bw/day  | 1,58 mg/kg bw/day  |
|                                                                                  | Oral       |                 |  |                     | 1,58 mg/kg bw/day  |
| (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one                     | Inhalation |                 |  |                     | 0,67 mg/m3         |
|                                                                                  | Dermal     |                 |  |                     | 0,38 mg/kg bw/day  |
|                                                                                  | Oral       |                 |  |                     | 0,38 mg/kg bw/day  |
| Oxydipropanol                                                                    | Dermal     |                 |  |                     | 51 mg/kg bw/day    |
|                                                                                  | Inhalation |                 |  |                     | 70 mg/m3           |
|                                                                                  | Oral       |                 |  |                     | 24 mg/kg bw/day    |

Predicted no-effect concentration (PNEC):

| Chemical name   | Route of exposure  | Fresh water | Marine water |                |
|-----------------|--------------------|-------------|--------------|----------------|
| Linalyl acetate | Water              | 0,011 mg/l  | 0,001 mg/l   |                |
|                 | Sediment           | 0,609 mg/kg | 0,061 mg/kg  |                |
|                 | Intermittent water |             |              | 0,11 mg/l      |
|                 | STP                |             |              | 1 mg/l         |
|                 | Soil               |             |              | 0,115 mg/kg    |
| d-Limonene      | Water              | 0.014 mg/l  | 0.0014 mg/l  |                |
|                 | Sediment           | 3.85 mg/kg  | 0.385 mg/kg  |                |
|                 | STP                |             |              | 1.8 mg/l       |
|                 | Soil               |             |              | 0.763 mg/kg    |
|                 | Oral               |             |              | 133 mg/kg food |
| Linalool        | Water              | 0,2 mg/l    | 0,02 mg/l    |                |
|                 | Sediment           | 2,22 mg/kg  | 0,222 mg/kg  |                |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                                                                   |                    |              |               |                  |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------|---------------|------------------|
| Undecan-4-olide                                                                                                                   | Intermittent water |              |               | 2 mg/l           |
|                                                                                                                                   | STP                |              |               | 10 mg/l          |
|                                                                                                                                   | Soil               |              |               | 0,327 mg/kg      |
|                                                                                                                                   | Oral               |              |               | 7,8 mg/kg food   |
|                                                                                                                                   | Water              | 0,0058 mg/l  | 0,00058 mg/l  |                  |
| 1-[(2-tert-butyl)cyclohexyloxy]-2-butanol                                                                                         | Sediment           | 5.341 mg/kg  | 0.534 mg/kg   |                  |
|                                                                                                                                   | Intermittent water |              |               | 0,058 mg/l       |
|                                                                                                                                   | STP                |              |               | 80 mg/l          |
|                                                                                                                                   | Soil               |              |               | 1.019 mg/kg      |
|                                                                                                                                   | Oral               |              |               | 66,7 mg/kg food  |
| (2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol                                                                  | Water              | 0,022 mg/l   | 0,002 mg/l    |                  |
|                                                                                                                                   | Sediment           | 0,218 mg/kg  | 0,022 mg/kg   |                  |
|                                                                                                                                   | Intermittent water |              |               | 0,041 mg/l       |
|                                                                                                                                   | STP                |              |               | 1 mg/l           |
|                                                                                                                                   | Soil               |              |               | 2 mg/kg          |
| Benzyl acetate                                                                                                                    | Oral               |              |               | 4,67 mg/kg food  |
|                                                                                                                                   | Water              | 0,0088 mg/l  | 0,00088 mg/l  |                  |
|                                                                                                                                   | Sediment           | 1,05 mg/kg   | 0,105 mg/kg   |                  |
|                                                                                                                                   | STP                |              |               | 1 mg/l           |
|                                                                                                                                   | Soil               |              |               | 0,206 mg/kg      |
| [3R-(3 $\alpha$ ,3a $\beta$ ,6 $\alpha$ ,7 $\beta$ ,8a $\alpha$ )]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene | Oral               |              |               | 20 mg/kg food    |
|                                                                                                                                   | Water              | 0.018 mg/l   | 0.002 mg/l    |                  |
|                                                                                                                                   | Sediment           | 0.526 mg/kg  | 0.053 mg/kg   |                  |
|                                                                                                                                   | Intermittent water |              |               | 0,04 mg/l        |
|                                                                                                                                   | STP                |              |               | 8,55 mg/l        |
| 3,7-Dimethylnona-1,6-dien-3-ol                                                                                                    | Soil               |              |               | 0.094 mg/kg      |
|                                                                                                                                   | Water              | 0.00043 mg/l | 0.000043 mg/l |                  |
|                                                                                                                                   | Sediment           | 1.29 mg/kg   | 0.129 mg/kg   |                  |
|                                                                                                                                   | STP                |              |               | 100 mg/l         |
|                                                                                                                                   | Soil               |              |               | 0.257 mg/kg      |
| 3-Methyl-5-phenylpentanol                                                                                                         | Water              | 0,023 mg/l   | 0,0023 mg/l   |                  |
|                                                                                                                                   | Sediment           | 0,223 mg/kg  | 0,0223 mg/kg  |                  |
|                                                                                                                                   | Intermittent water |              |               | 0,23 mg/l        |
|                                                                                                                                   | STP                |              |               | 10 mg/l          |
|                                                                                                                                   | Soil               |              |               | 0,031 mg/kg      |
| 2-Phenylethanol                                                                                                                   | Oral               |              |               | 8,53 mg/kg food  |
|                                                                                                                                   | Water              | 0,013 mg/l   | 0,001 mg/l    |                  |
|                                                                                                                                   | Sediment           | 1,034 mg/kg  | 0,103 mg/kg   |                  |
|                                                                                                                                   | STP                |              |               | 10 mg/l          |
|                                                                                                                                   | Soil               |              |               | 0,199 mg/kg      |
| 4-tert-Butylcyclohexyl acetate                                                                                                    | Oral               |              |               | 10 mg/kg food    |
|                                                                                                                                   | Water              | 0,215 mg/l   | 0,0215 mg/l   |                  |
|                                                                                                                                   | Sediment           | 1,454 mg/kg  | 0,1454 mg/kg  |                  |
|                                                                                                                                   | Intermittent water |              |               | 2,15 mg/l        |
|                                                                                                                                   | STP                |              |               | 10 mg/l          |
| Cis-2-tert-butylcyclohexyl acetate                                                                                                | Soil               |              |               | 0,164 mg/kg      |
|                                                                                                                                   | Water              | 0,0053 mg/l  | 0,00053 mg/l  |                  |
|                                                                                                                                   | Sediment           | 2,01 mg/kg   | 0,21 mg/kg    |                  |
|                                                                                                                                   | Intermittent water |              |               | 0,053 mg/l       |
|                                                                                                                                   | STP                |              |               | 12,2 mg/l        |
|                                                                                                                                   | Soil               |              |               | 0,42 mg/kg       |
|                                                                                                                                   | Oral               |              |               | 66,76 mg/kg food |
|                                                                                                                                   | Water              | 0,011 mg/l   | 0,0011 mg/l   |                  |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                    |                    |               |                |                  |
|------------------------------------------------------------------------------------|--------------------|---------------|----------------|------------------|
| Alpha-methyl-1,3-benzodioxole-5-propionaldehyde                                    | Sediment           | 1,5 mg/kg     | 0,15 mg/kg     |                  |
|                                                                                    | Intermittent water |               |                | 0,017 mg/l       |
|                                                                                    | STP                |               |                | 10 mg/l          |
|                                                                                    | Soil               |               |                | 0,293 mg/kg      |
| Cedryl methyl ketone                                                               | Water              | 0,005 mg/l    | 0,001 mg/l     |                  |
|                                                                                    | Sediment           | 0,057 mg/kg   | 0,006 mg/kg    |                  |
|                                                                                    | STP                |               |                | 10 mg/l          |
|                                                                                    | Soil               |               |                | 0,008 mg/kg      |
| Citronellol                                                                        | Water              | 0.00174 mg/l  | 0.00017 mg/l   |                  |
|                                                                                    | Sediment           | 24.4 mg/kg    | 2.44 mg/kg     |                  |
|                                                                                    | STP                |               |                | 10 mg/l          |
|                                                                                    | Soil               |               |                | 4.87 mg/kg       |
| alpha-Hexylcinnamaldehyde                                                          | Water              | 0.002 mg/l    | 0 mg/l         |                  |
|                                                                                    | Sediment           | 0.026 mg/kg   | 0.003 mg/kg    |                  |
|                                                                                    | Intermittent water |               |                | 0,024 mg/l       |
|                                                                                    | STP                |               |                | 580 mg/l         |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers) | Soil               |               |                | 0.004 mg/kg      |
|                                                                                    | Water              | 0.001 mg/l    |                |                  |
|                                                                                    | Sediment           | 3.2 mg/kg     | 0.064 mg/kg    |                  |
|                                                                                    | Intermittent water |               |                | 0,03 mg/l        |
| (-)-Pin-2(10)-ene                                                                  | STP                |               |                | 10 mg/l          |
|                                                                                    | Soil               |               |                | 0.398 mg/kg      |
|                                                                                    | Oral               |               |                | 6.6 mg/kg food   |
|                                                                                    | Water              | 0.025 mg/l    | 0.0025 mg/l    |                  |
| Allyl (3-methylbutoxy)acetate                                                      | Sediment           | 3,73 mg/kg    | 0,75 mg/kg     |                  |
|                                                                                    | Intermittent water |               |                | 0,0013 mg/l      |
|                                                                                    | STP                |               |                | 10 mg/l          |
|                                                                                    | Soil               |               |                | 2.7 mg/kg        |
| Allyl hexanoate                                                                    | Oral               |               |                | 26.7 mg/kg food  |
|                                                                                    | Water              | 0,001 mg/l    | 0,0001 mg/l    |                  |
|                                                                                    | Sediment           | 0,337 mg/kg   | 0,034 mg/kg    |                  |
|                                                                                    | STP                |               |                | 3,26 mg/l        |
| Allyl (cyclohexyloxy)acetate                                                       | Soil               |               |                | 0,067 mg/kg      |
|                                                                                    | Oral               |               |                | 13,1 mg/kg food  |
|                                                                                    | Water              | 0.00077 mg/l  | 0.00008 mg/l   |                  |
|                                                                                    | Sediment           | 0.0089 mg/kg  | 0.0009 mg/kg   |                  |
| (Z)-3-hexenyl salicylate                                                           | STP                |               |                | 0.0089 mg/l      |
|                                                                                    | Soil               |               |                | 0.0013 mg/kg     |
|                                                                                    | Water              | 0,000117 mg/l | 0,000011 mg/l  |                  |
|                                                                                    | Sediment           | 0,00446 mg/kg | 0,000446 mg/kg |                  |
|                                                                                    | Intermittent water |               |                | 0,00117 mg/l     |
|                                                                                    | STP                |               |                | 10 mg/l          |
|                                                                                    | Soil               |               |                | 0,000825 mg/kg   |
|                                                                                    | Oral               |               |                | 47,56 mg/kg food |
|                                                                                    | Water              | 0,00205 mg/l  | 0,000205 mg/l  |                  |
|                                                                                    | Sediment           | 0,0387 mg/kg  | 0,00387 mg/kg  |                  |
|                                                                                    | STP                |               |                | 0,3 mg/l         |
|                                                                                    | Soil               |               |                | 0,375 mg/kg      |
|                                                                                    | Water              | 0,00061 mg/l  | 0,000061 mg/l  |                  |
|                                                                                    | Sediment           | 0,11 mg/kg    | 0,011 mg/kg    |                  |
|                                                                                    | Intermittent water |               |                | 0,0061 mg/l      |
|                                                                                    | STP                |               |                | 10 mg/l          |
|                                                                                    | Soil               |               |                | 0.022 mg/kg      |
|                                                                                    | Oral               |               |                | 40 mg/kg food    |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                              |                    |              |               |                 |
|--------------------------------------------------------------|--------------------|--------------|---------------|-----------------|
| 3,7-Dimethyloctan-3-ol                                       | Water              | 0.009 mg/l   | 0.001 mg/l    |                 |
|                                                              | Sediment           | 0.082 mg/kg  | 0.008 mg/kg   |                 |
|                                                              | Intermittent water |              |               | 0,089 mg/l      |
|                                                              | STP                |              |               | 450 mg/l        |
|                                                              | Soil               |              |               | 0.011 mg/kg     |
| (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one | Water              | 0,00109 mg/l | 0,0011 mg/l   |                 |
|                                                              | Sediment           | 0,087 mg/kg  | 0,00867 mg/kg |                 |
|                                                              | STP                |              |               | 3,2 mg/l        |
|                                                              | Soil               |              |               | 0,017 mg/kg     |
|                                                              | Oral               |              |               | 6,67 mg/kg food |
| Oxydipropanol                                                | Water              | 0,1 mg/l     | 0,01 mg/l     |                 |
|                                                              | Sediment           | 0,238 mg/kg  | 0,0238 mg/kg  |                 |
|                                                              | Intermittent water |              |               | 1 mg/l          |
|                                                              | STP                |              |               | 1000 mg/l       |
|                                                              | Soil               |              |               | 0,0253 mg/kg    |
|                                                              | Oral               |              |               | 313 mg/kg food  |

## 8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: not known.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: not known.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

\*

### 9.1. Information on basic physical and chemical properties

|                                         |                   |                                          |
|-----------------------------------------|-------------------|------------------------------------------|
| Physical state                          | : Liquid.         | Impregnated material.                    |
| Colour                                  | : Light yellow.   |                                          |
| Odour                                   | : Perfumed.       |                                          |
| Odour threshold                         | : Not known.      |                                          |
| pH                                      | : Not applicable. | Waterfree product.                       |
| Solubility in water                     | : Not soluble.    |                                          |
| Partition coefficient (n-octanol/water) | : Not known.      | Not measured. Not relevant for mixtures. |
| Flash point                             | : 94 °C           |                                          |
| Flammability (solid, gas)               | : Not applicable. | Liquid. See flashpoint.                  |



Auto ignition temperature : > 220 °C  
Boiling point/boiling range : > 100 °C  
Melting point/melting range : < 0 °C  
Explosive properties : Not explosive.  
Explosion limits (% in air) : Not known. Lower explosion limit in air (%): 0,7 ( Linalyl acetate )  
Upper explosion limit in air (%): 11,9 ( 2-Phenylethanol )  
Does not contain oxidizing substances.  
Oxidising properties : Not applicable.  
Decomposition temperature : Not applicable.  
Viscosity (20°C) : Not applicable.  
Viscosity (40°C) : Not relevant. The product contains < 10% substances having an aspiration hazard.  
Vapour pressure (20°C) : Not known.  
Relative vapour density : Not known (air = 1)  
Relative density (20°C) : 0,911 g/ml  
Particle characteristics : Not applicable. Liquid.

## 9.2. Other information

Other information : Not relevant.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

#### Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 51 %. ATE: > 5 mg/l. Not classified - based on available data, the classification criteria are not met.  
Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.  
Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.  
Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                      |                                                                                                                                                                                                    |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mutagenicity         | : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.                                                                        |
| Skin contact         |                                                                                                                                                                                                    |
| Acute toxicity       | : Calculated LD50: > 4543 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. |
| Corrosion/irritation | : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.                                                                                                                   |
| Sensitisation        | : May cause sensitisation by skin contact. May produce an allergic reaction.                                                                                                                       |
| Mutagenicity         | : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.                                                                        |
| Eye contact          |                                                                                                                                                                                                    |
| Corrosion/irritation | : Irritant.                                                                                                                                                                                        |
| Ingestion            |                                                                                                                                                                                                    |
| Acute toxicity       | : Calculated LD50: > 3599 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. |
| Aspiration           | : Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.                                                    |
| Corrosion/irritation | : May cause a feeling of sickness, vomiting and diarrhoea.                                                                                                                                         |
| Carcinogenicity      | : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.                                                                     |
| Mutagenicity         | : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.                                                                        |
| Reprotoxicity        | : Development: Not classified - Based on available data, the classification criteria are not met.<br>Fertility: Not classified - based on available data, the classification criteria are not met. |

## Toxicological information:

| Chemical name   | Property                                                         |                   | Method   | Test animal            |
|-----------------|------------------------------------------------------------------|-------------------|----------|------------------------|
| Linalyl acetate | Outdoor cleaners (excludes stone, concrete and similar surfaces) | 1000 mg/kg bw/d   | OECD 414 | Rat                    |
|                 | LD50 (oral)                                                      | 13934 mg/kg bw    | -----    | Rat                    |
|                 | LC50 (inhalation)                                                | > 2740 mg/m3      | -----    | Mouse                  |
|                 | Skin irritation                                                  | Non-irritant      | -----    | Human                  |
|                 | Skin irritation                                                  | Irritant          | OECD 404 | Rabbit                 |
|                 | Eye irritation                                                   | Irritant          | OECD 405 | Rabbit                 |
|                 | NOAEL (oral) - estimate                                          | 160 mg/kg bw/d    | OECD 407 | Rat                    |
|                 | NOAEL (dermal)                                                   | 250 mg/kg bw/d    | OECD 411 | Rat                    |
|                 | Mutagenicity                                                     | Not mutagenic     | OECD 471 | Salmonella typhimurium |
|                 | Genotoxicity - in vitro                                          | Not genotoxic     | OECD 476 | Mouse                  |
|                 | Genotoxicity - in vivo                                           | Not genotoxic     | OECD 474 | Mouse                  |
|                 | NOAEL (development, oral)                                        | > 1000 mg/kg bw/d | OECD 414 | Rat                    |
|                 | LC50 (inhalation) - estimate                                     | > 5000 mg/m3      | -----    | Rat                    |
|                 | Skin sensitisation                                               | Sensitizing.      | OECD 406 | Guinea pig             |
|                 | Genotoxicity - in vivo                                           | > 2000 mg/kg bw/d |          | Rat                    |
| d-Limonene      | NOEL (carcinogenicity, oral)                                     | > 300 mg/kg bw/d  | OECD 451 | Rat                    |
|                 | Eye irritation                                                   | Non-irritant      | OECD 405 | Rabbit                 |
|                 | Mutagenicity                                                     | Negative          | OECD 471 |                        |
|                 | NOAEL (development, oral)                                        | 600 mg/kg bw/d    |          | Rat                    |
|                 | Skin irritation                                                  | Irritant          | -----    | -----                  |
|                 | LD50 (dermal)                                                    | > 2000 mg/kg bw   | -----    | Rabbit                 |
|                 |                                                                  |                   |          |                        |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                       |                              |                   |             |                        |
|---------------------------------------------------------------------------------------|------------------------------|-------------------|-------------|------------------------|
| Linalool                                                                              | LD50 (oral)                  | > 2000 mg/kg bw   | OECD 423    | Rat                    |
|                                                                                       | Genotoxicity - in vitro      | Not genotoxic     |             |                        |
|                                                                                       | NOAEL (oral)                 | 150 mg/kg bw/d    |             | Rat                    |
|                                                                                       | NOAEL (development, oral)    | 365 mg/kg bw/d    | -----       | Rat                    |
|                                                                                       | Eye irritation               | Non-irritant      | OECD 405    | Rabbit                 |
|                                                                                       | Skin sensitisation           | 12650 ug/cm2      | OECD 429    | Mouse                  |
|                                                                                       | Mutagenicity                 | Negative          | OECD 471    | Salmonella typhimurium |
|                                                                                       | NOAEL (fertility, oral)      | 500 mg/kg bw/d    |             | Rat                    |
|                                                                                       | Skin irritation              | Irritant          | OECD 404    | Rabbit                 |
|                                                                                       | NOAEL (dermal)               | 250 mg/kg bw/d    | OECD 411    | Rat                    |
|                                                                                       | Genotoxicity - in vivo       | Not genotoxic     | OECD 475    | Mouse                  |
|                                                                                       | LD50 (dermal)                | 5610 mg/kg bw     | -----       | Rabbit                 |
|                                                                                       | Skin irritation              | Mildly irritant   | -----       | Human                  |
|                                                                                       | LD50 (oral)                  | 2790 mg/kg bw     | -----       | Rat                    |
| 1-[(2-tert-butyl)cyclohexyloxy]-2-butanol                                             | NOAEL (oral)                 | 117 mg/kg bw/d    | -----       | Rat                    |
|                                                                                       | LD50 (dermal)                | > 2000 mg/kg bw   | OECD 402    | Rat                    |
|                                                                                       | LD50 (oral)                  | > 2000 mg/kg bw   | OECD 401    | Rat                    |
|                                                                                       | NOAEL (oral)                 | 140 mg/kg bw/d    | OECD 407    | Rat                    |
|                                                                                       | Mutagenicity                 | Negative          | OECD 471    | Salmonella typhimurium |
|                                                                                       | Genotoxicity - in vitro      | Not genotoxic     | OECD 473    | Chinese Hamster        |
|                                                                                       | Genotoxicity - in vivo       | Not genotoxic     | OECD 474    | Mouse                  |
|                                                                                       | Skin irritation              | Slightly irritant | OECD 404    | Rabbit                 |
|                                                                                       | Eye irritation               | Irritant          | OECD 405    | Rabbit                 |
|                                                                                       | NOAEL (fertility, oral)      | 500 mg/kg bw/d    | OECD 405    | Rat                    |
|                                                                                       | Skin sensitisation           | Not sensitizing   |             | Guinea pig             |
|                                                                                       | Skin sensitisation           | Not sensitizing   | OECD 406    | Guinea pig             |
|                                                                                       | Genotoxicity - in vitro      | Not genotoxic     | OECD 476    |                        |
|                                                                                       | Mutagenicity                 | Negative          | OECD 471    | Salmonella typhimurium |
| (2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol                      | NOAEL (fertility, oral)      | > 300 mg/kg bw/d  | OECD 422    | Rat                    |
|                                                                                       | LD50 (oral)                  | > 2000 mg/kg bw   | OECD 401    | Rat                    |
|                                                                                       | LD50 (dermal)                | > 2000 mg/kg bw   |             | Rabbit                 |
|                                                                                       | Skin irritation              | Slightly irritant | OECD 404    | Rabbit                 |
|                                                                                       | Eye irritation               | Irritant          | OECD 405    | Rabbit                 |
|                                                                                       | NOAEL (oral)                 | 981 mg/kg bw/d    | OECD 408    | Rat                    |
|                                                                                       | LD50 (oral)                  | > 5000 mg/kg bw   | OECD 401    | Rat                    |
|                                                                                       | LD50 (dermal)                | > 5000 mg/kg bw   | OECD 402    | Rabbit                 |
|                                                                                       | LC50 (inhalation) - estimate | > 13000 mg/m3     | Read across |                        |
|                                                                                       | LD50 (oral)                  | 5000 mg/kg bw     | -----       | Rat                    |
|                                                                                       | LD50 (dermal)                | > 5000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                       | NOAEL (oral) - estimate      | 117 mg/kg bw/d    | Read across | Rat                    |
|                                                                                       | NOAEL (dermal) - estimate    | 250 mg/kg bw/d    | Read across | Rat                    |
|                                                                                       | Mutagenicity                 | Not mutagenic     | OECD 471    | Salmonella typhimurium |
| [3R-(3α,3aβ,6α,7β,8α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene | Skin irritation              | Irritant          | -----       | Rabbit                 |
|                                                                                       | Eye irritation               | Irritant          | -----       | Rabbit                 |
|                                                                                       | LD50 (oral)                  | > 5000 mg/kg bw   | -----       | Rat                    |
|                                                                                       | LD50 (dermal)                | > 2000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                       | Eye irritation               | Irritant          | -----       | Rabbit                 |
|                                                                                       | Skin irritation              | Non-irritant      | -----       | Rabbit                 |
| 3,7-Dimethylnona-1,6-dien-3-ol                                                        | LD50 (oral)                  | > 5000 mg/kg bw   | -----       | Rat                    |
|                                                                                       | LD50 (dermal)                | > 5000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                       | NOAEL (oral) - estimate      | 117 mg/kg bw/d    | Read across | Rat                    |
|                                                                                       | NOAEL (dermal) - estimate    | 250 mg/kg bw/d    | Read across | Rat                    |
|                                                                                       | Mutagenicity                 | Not mutagenic     | OECD 471    | Salmonella typhimurium |
|                                                                                       | Skin irritation              | Irritant          | -----       | Rabbit                 |
|                                                                                       | Eye irritation               | Irritant          | -----       | Rabbit                 |
|                                                                                       | LD50 (oral)                  | > 5000 mg/kg bw   | -----       | Rat                    |
|                                                                                       | LD50 (dermal)                | > 2000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                       | Eye irritation               | Irritant          | -----       | Rabbit                 |
|                                                                                       | Skin irritation              | Non-irritant      | -----       | Rabbit                 |
| Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)               | LD50 (oral)                  | > 5000 mg/kg bw   | -----       | Rat                    |
|                                                                                       | LD50 (dermal)                | > 2000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                       | Eye irritation               | Irritant          | -----       | Rabbit                 |
|                                                                                       | Skin irritation              | Non-irritant      | -----       | Rabbit                 |
|                                                                                       | LD50 (oral)                  | > 5000 mg/kg bw   | -----       | Rat                    |
|                                                                                       | LD50 (dermal)                | > 2000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                       | Eye irritation               | Irritant          | -----       | Rabbit                 |
|                                                                                       | Skin irritation              | Non-irritant      | -----       | Rabbit                 |
|                                                                                       | LD50 (oral)                  | > 5000 mg/kg bw   | -----       | Rat                    |
|                                                                                       | LD50 (dermal)                | > 2000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                       | Eye irritation               | Irritant          | -----       | Rabbit                 |
|                                                                                       | Skin irritation              | Non-irritant      | -----       | Rabbit                 |
|                                                                                       | LD50 (oral)                  | > 5000 mg/kg bw   | -----       | Rat                    |
|                                                                                       | LD50 (dermal)                | > 2000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                       | Eye irritation               | Irritant          | -----       | Rabbit                 |
|                                                                                       | Skin irritation              | Non-irritant      | -----       | Rabbit                 |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                |                                        |                   |             |                        |
|--------------------------------------------------------------------------------|----------------------------------------|-------------------|-------------|------------------------|
| 2,6-Dimethylheptan-2-ol                                                        | Skin irritation                        | Non-irritant      | Patch test  | Human                  |
|                                                                                | LD50 (oral)                            | 6800 mg/kg bw     | -----       | Rat                    |
|                                                                                | LD50 (dermal)                          | > 5000 mg/kg bw   |             | Rabbit                 |
|                                                                                | Skin irritation                        | Severely irritant | -----       | Rabbit                 |
|                                                                                | Eye irritation                         | Severely irritant | -----       | Rabbit                 |
|                                                                                | NOAEL (oral)                           | 228 mg/kg bw/d    | OECD 422    | Rat                    |
|                                                                                | NOAEL (development, oral)              | 684 mg/kg bw/d    | OECD 422    | Rat                    |
|                                                                                | NOAEL (fertility, oral)                | 684 mg/kg bw/d    | OECD 422    | Rat                    |
| 1,3,4,6,7,8a-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalin-8(5H)-one | Mutagenicity                           | Negative          | OECD 471    | Salmonella typhimurium |
|                                                                                | Skin irritation                        | Irritant          |             |                        |
|                                                                                | LD50 (oral)                            | > 2000 mg/kg bw   | OECD 420    | Rat                    |
| 2-Phenylethanol                                                                | LD50 (oral)                            | 1609 mg/kg bw     | -----       | Rat                    |
|                                                                                | NOAEL (dermal)                         | 510 mg/kg bw/d    | OECD 411    | Rat                    |
|                                                                                | Genotoxicity - in vitro                | Not genotoxic     | OECD 476    |                        |
|                                                                                | NOAEL (development, oral)              | 4,3 mg/kg bw/d    |             | Rat                    |
|                                                                                | Eye irritation                         | Irritant          | -----       | Rabbit                 |
|                                                                                | Skin irritation                        | Slightly irritant | -----       | Rabbit                 |
|                                                                                | LD50 (dermal)                          | 2535 mg/kg bw     | OECD 402    | Rabbit                 |
|                                                                                | Skin sensitisation - estimate          | Not sensitizing   |             |                        |
|                                                                                | LC50 (inhalation)                      | > 4630 mg/m3      |             | Rat                    |
|                                                                                | NOAEL (developmental toxicity, dermal) | 140 mg/kg bw/d    |             | Rat                    |
|                                                                                | Mutagenicity                           | Negative          | OECD 471    | Salmonella typhimurium |
|                                                                                | LC50 (inhalation) - estimate           | > 5000 mg/m3      |             | Rat                    |
| 4-tert-Butylcyclohexyl acetate                                                 | LD50 (oral)                            | 5000 mg/kg bw     | -----       | Rat                    |
|                                                                                | LD50 (dermal)                          | > 5000 mg/kg bw   |             | Rabbit                 |
|                                                                                | Eye irritation                         | Non-irritant      |             | Rabbit                 |
|                                                                                | Skin irritation                        | Non-irritant      |             | Rabbit                 |
|                                                                                | NOAEL (oral) - estimate                | 710 mg/kg bw/d    | Read across |                        |
|                                                                                | Skin sensitisation                     | 4100 ug/cm2       | OECD 429    | -----                  |
| Alpha-methyl-1,3-benzodioxole-5-propionaldehyde                                | NOAEL (dermal)                         | > 300 mg/kg bw/d  | -----       | Rat                    |
|                                                                                | NOAEL (development, oral)              | > 500 mg/kg bw/d  |             | Rat                    |
|                                                                                | Skin irritation                        | Non-irritant      |             |                        |
|                                                                                | LD50 (oral)                            | 3600 mg/kg bw     | -----       | Rat                    |
|                                                                                | LD50 (dermal)                          | > 2000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                | Skin irritation                        | Non-irritant      |             |                        |
| Cedryl methyl ketone                                                           | NOAEL (fertility, oral)                | 100 mg/kg bw/d    | OECD 422    | Rat                    |
|                                                                                | NOAEL (fertility, oral)                | 50 mg/kg bw/d     | -----       | Rat                    |
|                                                                                | NOAEL (development, oral)              | 100 mg/kg bw/d    | -----       | Rat                    |
|                                                                                | NOAEL (oral)                           | 80 mg/kg bw/d     | OECD 408    | Rat                    |
|                                                                                | NOAEL (dermal)                         | 300 mg/kg bw/d    | OECD 411    | Rat                    |
|                                                                                | LD50 (dermal)                          | > 2000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                | LD50 (oral)                            | 5000 mg/kg bw     | -----       | Rat                    |
|                                                                                | Genotoxicity - in vitro                | Not genotoxic     | OECD 473    | -----                  |
| Citronellol                                                                    | Mutagenicity                           | Negative          | OECD 471    | Salmonella typhimurium |
|                                                                                | Genotoxicity - in vitro                | Not genotoxic     |             |                        |
|                                                                                | Skin sensitisation                     | 10875 ug/cm2      | OECD 429    | Mouse                  |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                    |                                        |                     |             |                        |
|------------------------------------------------------------------------------------|----------------------------------------|---------------------|-------------|------------------------|
| alpha-Hexylcinnamaldehyde                                                          | Mutagenicity                           | Not mutagenic       | OECD 471    | Salmonella typhimurium |
|                                                                                    | NOAEL (oral)                           | > 50 mg/kg bw/d     |             | Rat                    |
|                                                                                    | Skin irritation                        | Moderately irritant |             | Rabbit                 |
|                                                                                    | LD50 (oral)                            | 3450 mg/kg bw       | -----       | Rat                    |
|                                                                                    | LD50 (dermal)                          | 2650 mg/kg bw       |             | Rabbit                 |
|                                                                                    | NOAEL (fertility, dermal)              | 300 mg/kg bw/d      | OECD 421    | Rat                    |
|                                                                                    | NOAEL (developmental toxicity, dermal) | > 300 mg/kg bw/d    | OECD 421    | Rat                    |
|                                                                                    | Skin irritation                        | Moderately irritant | Patch test  | Human                  |
|                                                                                    | Eye irritation                         | Moderately irritant |             | Rabbit                 |
|                                                                                    | NOAEL (development, oral)              | 100 mg/kg bw/d      | OECD 421    | Rat                    |
|                                                                                    | Genotoxicity - in vivo                 | Not genotoxic       | OECD 474    |                        |
|                                                                                    | Genotoxicity - in vitro                | Not genotoxic       | OECD 476    |                        |
|                                                                                    | Mutagenicity                           | Negative            | OECD 471    | Salmonella typhimurium |
|                                                                                    | Eye irritation                         | Non-irritant        |             | Rabbit                 |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers) | NOAEL (oral) - estimate                | 30 mg/kg bw/d       | Read across | Rat                    |
|                                                                                    | LD50 (dermal)                          | > 3000 mg/kg bw     | OECD 402    | Rabbit                 |
|                                                                                    | LC50 (inhalation)                      | > 5000 mg/m3        | OECD 403    | Rat                    |
|                                                                                    | LD50 (oral)                            | > 2450 mg/kg bw     | OECD 401    | Rat                    |
|                                                                                    | Skin sensitisation                     | 2372 ug/cm2         | OECD 429    | Mouse                  |
|                                                                                    | Skin irritation                        | Moderately irritant | OECD 404    | Rabbit                 |
|                                                                                    | NOAEL (dermal)                         | 25 mg/kg bw/d       |             | Rat                    |
|                                                                                    | LD50 (oral)                            | > 5000 mg/kg bw     | OECD 401    | Rat                    |
|                                                                                    | LD50 (dermal)                          | > 5000 mg/kg bw     | OECD 402    | Rat                    |
|                                                                                    | Skin sensitisation                     | Sensitizing.        | OECD 429    | Mouse                  |
|                                                                                    | Skin irritation                        | Irritant            | -----       | -----                  |
|                                                                                    | Eye irritation - estimate              | Non-irritant        | QSAR        | -----                  |
|                                                                                    | NOAEL (oral)                           | 120 mg/kg bw/d      | OECD 408    | Rat                    |
|                                                                                    | Mutagenicity                           | Negative            | OECD 471    | Salmonella typhimurium |
| (-)-Pin-2(10)-ene                                                                  | NOAEL (development, oral)              | 480 mg/kg bw/d      | OECD 414    | Rat                    |
|                                                                                    | Genotoxicity - in vitro                | Not genotoxic       | OECD 473    |                        |
|                                                                                    | Genotoxicity - in vivo                 | Not genotoxic       | OECD 474    | Mouse                  |
|                                                                                    | NOAEL (fertility, oral)                | > 300 mg/kg bw/d    |             | Rat                    |
|                                                                                    | LD50 (oral) - estimate                 | > 2000 mg/kg bw     | Read across | Rat                    |
|                                                                                    | LD50 (dermal) - estimate               | > 5000 mg/kg bw     | Read across | Rabbit                 |
|                                                                                    | Mutagenicity - estimate                | Not mutagenic       | Read across | Salmonella typhimurium |
|                                                                                    | LD50 (oral) - estimate                 | > 5000 mg/kg bw     | Read across | Rat                    |
|                                                                                    | Skin sensitisation - estimate          | Sensitizing.        | Read across | Mouse                  |
|                                                                                    | Mutagenicity - estimate                | Not mutagenic       | Read across | Salmonella typhimurium |
|                                                                                    | NOAEL (oral) - estimate                | 42 mg/kg bw/d       | Read across | Rat                    |
|                                                                                    | NOAEL (fertility) - estimate           | 120 mg/kg.d         | Read across | Rat                    |
|                                                                                    | NOAEL (development) - estimate         | 120 mg/kg.d         | Read across | Rat                    |
|                                                                                    | LD50 (oral)                            | > 2000 mg/kg bw     | -----       | Rat                    |
| Cis-hex-3-en-1-yl methyl carbonate                                                 | LD50 (dermal)                          | > 2000 mg/kg bw     | -----       | Rabbit                 |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                              |                                |                     |             |                        |
|--------------------------------------------------------------|--------------------------------|---------------------|-------------|------------------------|
| 2,2,6-Trimethyl- $\alpha$ -propylcyclohexanepropanol         | LD50 (oral)                    | > 5000 mg/kg bw     | OECD 401    | Rat                    |
|                                                              | LD50 (dermal)                  | > 2000 mg/kg bw     | OECD 402    | Rabbit                 |
|                                                              | Skin irritation - estimate     | Non-irritant        | Read across |                        |
|                                                              | Eye irritation                 | Moderately irritant |             | Rabbit                 |
|                                                              | Mutagenicity                   | Negative            | OECD 471    | Salmonella typhimurium |
| 3,7-Dimethyloctan-3-ol                                       | LD50 (oral)                    | 8270 mg/kg bw       |             | Rat                    |
|                                                              | LD50 (dermal)                  | > 5000 mg/kg bw     |             | Rabbit                 |
|                                                              | Mutagenicity                   | Negative            | OECD 471    | Salmonella typhimurium |
|                                                              | Genotoxicity - in vitro        | Not genotoxic       | OECD 473    |                        |
|                                                              | NOAEL (oral)                   | 316 mg/kg bw/d      | OECD 408    | Rat                    |
|                                                              | NOAEL (dermal) - estimate      | 250 mg/kg bw/d      | Read across | Rat                    |
|                                                              | NOAEL (fertility) - estimate   | 365 mg/kg.d         | Read across | Rat                    |
|                                                              | NOAEL (development, oral)      | 1000 mg/kg bw/d     | OECD 414    | Rat                    |
|                                                              | Skin irritation                | Irritant            |             | Rabbit                 |
|                                                              | Eye irritation                 | Non-irritant        |             | Rabbit                 |
| (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one | LC50 (inhalation) - estimate   | > 5000 mg/m3        |             | Rat                    |
|                                                              | Skin sensitisation             | Sensitizing.        | OECD 429    | Mouse                  |
|                                                              | LD50 (dermal) - estimate       | > 2150 mg/kg bw     | Read across | Rat                    |
|                                                              | LD50 (oral)                    | > 2000 mg/kg bw     | -----       | Rat                    |
|                                                              | Skin irritation                | Irritant            | -----       | -----                  |
|                                                              | Eye irritation - estimate      | Non-irritant        | Read across | Rabbit                 |
|                                                              | Skin sensitisation             | 305 ug/cm2          | OECD 429    | Mouse                  |
|                                                              | NOAEL (oral) - estimate        | 30 mg/kg bw/d       | Read across | Rat                    |
|                                                              | NOAEL (development) - estimate | 400 mg/kg.d         | Read across | Rat                    |
|                                                              | Mutagenicity                   | Negative            | OECD 471    | Salmonella typhimurium |
|                                                              | Genotoxicity - in vitro        | Not genotoxic       | OECD 476    | -----                  |

## 11.2. Information on other hazards

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other information : Not applicable.

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 2 mg/l. Calculated EC50 (waterflea): 2 mg/l.  
Contains 0 % of components with unknown hazards to the aquatic environment.

### 12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.



#### 12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

#### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7. Other adverse effects

Other adverse effects : Not applicable.

#### Ecological information:

| Chemical name                                                                                                                   | Property                            |             | Method     | Test animal                    |
|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------|------------|--------------------------------|
| 1-[(2-tert-butyl)cyclohexyloxy]-2-butanol                                                                                       | NOEC (fish)                         | 0,22 mg/l.d | OECD 210   | Pimephales promelas            |
|                                                                                                                                 | Ultimate aerobic biodegradation (%) | 3 %         | OECD 301 C |                                |
|                                                                                                                                 | IC50 (algae)                        | 5,6 mg/l    | OECD 201   | Selenastrum capricornutum      |
|                                                                                                                                 | EC50 (waterflea)                    | 5,9 mg/l    | OECD 202   | Daphnia magna                  |
|                                                                                                                                 | LC50 (fish)                         | 4,1 mg/l    | OECD 203   | Oncorhynchus mykiss            |
|                                                                                                                                 | NOEC (waterflea) - chronic          | 1,4 mg/l.d  | OECD 202   | Daphnia magna                  |
|                                                                                                                                 | Log P(ow)                           | 4,05        |            |                                |
| (2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol                                                                | IC50 (algae)                        | 2,5 mg/l    |            | Pseudokirchnerella subcapitata |
|                                                                                                                                 | LC50 (fish)                         | 1,1 mg/l    | -----      | Lepomis macrochirus            |
|                                                                                                                                 | Ultimate aerobic biodegradation (%) | 5 %         | OECD 301 D |                                |
|                                                                                                                                 | EC50 (waterflea)                    | 1,34 mg/l   | OECD 202   | Daphnia magna                  |
|                                                                                                                                 | Log P(ow)                           | 4,44        |            |                                |
| [3R-(3 $\alpha$ ,3 $\beta$ ,6 $\alpha$ ,7 $\beta$ ,8 $\alpha$ )]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene | LC50 (fish)                         | 0,43 mg/l   | OECD 203   | Cyprinus carpio                |
|                                                                                                                                 | EC50 (waterflea)                    | 0,48 mg/l   | OECD 202   | Daphnia magna                  |
|                                                                                                                                 | IC50 (algae)                        | > 1,8 mg/l  | OECD 201   | Pseudokirchnerella subcapitata |
|                                                                                                                                 | Ultimate aerobic biodegradation (%) | 60 %        | OECD 301 D | -----                          |
|                                                                                                                                 | EC50 (waterflea)                    | 5,3 mg/l    | OECD 202   | Daphnia magna                  |
| 1,3,4,6,7,8a-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalin-8(5H)-one                                                  | IC50 (algae)                        | 7,5 mg/l    | OECD 201   | Pseudokirchnerella subcapitata |
|                                                                                                                                 | Ultimate aerobic biodegradation (%) | 5,2 %       | OECD 301 B |                                |
|                                                                                                                                 | Primary aerobic biodegradation (%)  | 1 %         | OECD 301 B |                                |
|                                                                                                                                 | Log P(ow)                           | 4,5         |            |                                |
|                                                                                                                                 | LC50 (fish)                         | 5,6 mg/l    |            | Brachydanio rerio              |
| Cis-2-tert-butylcyclohexyl acetate                                                                                              | EC50 (waterflea)                    | 17 mg/l     |            | Daphnia magna                  |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                  |                                     |              |            |                                |
|----------------------------------------------------------------------------------|-------------------------------------|--------------|------------|--------------------------------|
| Alpha-methyl-1,3-benzodioxole-5-propionaldehyde                                  | IC50 (algae)                        | 4,2 mg/l     | OECD 201   | Desmodesmus subspicatus        |
|                                                                                  | NOEC (algae)                        | 0,57 mg/l    | OECD 201   | Desmodesmus subspicatus        |
|                                                                                  | Ultimate aerobic biodegradation (%) | 43 %         | OECD 301 F |                                |
|                                                                                  | Log P(ow)                           | 4,7          |            |                                |
|                                                                                  | EC50 (waterflea)                    | 8,3 mg/l     | OECD 202   | Daphnia magna                  |
|                                                                                  | LC50 (fish)                         | > 4,6 mg/l   | OECD 203   | Oncorhynchus mykiss            |
| Cedryl methyl ketone                                                             | IC50 (algae)                        | 28 mg/l      | OECD 201   | Pseudokirchnerella subcapitata |
|                                                                                  | Log P(ow)                           | 2,4          |            |                                |
|                                                                                  | IC50 (algae)                        | 2,80 mg/l    | OECD 201   | Algae                          |
|                                                                                  | EC50 (waterflea)                    | 0,86 mg/l    | OECD 202   | Daphnia magna                  |
|                                                                                  | LC50 (fish)                         | 2,3 mg/l     | OECD 203   | Pimephales promelas            |
|                                                                                  | NOEC (waterflea) - chronic          | 0,087 mg/l.d | OECD 211   | Daphnia magna                  |
| alpha-Hexylcinnamaldehyde                                                        | Log P(ow)                           | 5,6          |            |                                |
|                                                                                  | NOEC (fish)                         | 0,93 mg/l    | OECD 203   | Pimephales promelas            |
|                                                                                  | LC50 (fish)                         | 1,7 mg/l     | OECD 203   | Pimephales promelas            |
|                                                                                  | Ultimate aerobic biodegradation (%) | 97 %         | OECD 301 F |                                |
|                                                                                  | IC50 (algae)                        | > 0,32 mg/l  | OECD 201   | Desmodesmus subspicatus        |
|                                                                                  | Log P(ow)                           | 5,3          |            |                                |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers) | Ultimate aerobic biodegradation (%) | 0 %          | OECD 301 C |                                |
|                                                                                  | LC50 (fish)                         | 1,3 mg/l     | OECD 203   | Lepomis macrochirus            |
|                                                                                  | NOEC (fish)                         | 2,2 mg/l     | OECD 203   | Lepomis macrochirus            |
|                                                                                  | NOEC (fish)                         | 0,16 mg/l.d  | OECD 210   | Brachydanio rerio              |
|                                                                                  | EC50 (waterflea)                    | 1,38 mg/l    | OECD 202   | Daphnia magna                  |
|                                                                                  | NOEC (waterflea) - chronic          | 0,028 mg/l.d | OECD 211   | Daphnia magna                  |
| (-)-Pin-2(10)-ene                                                                | IC50 (algae)                        | > 2,6 mg/l   | OECD 201   | Desmodesmus subspicatus        |
|                                                                                  | Log P(ow)                           | 5,23         |            |                                |
|                                                                                  | BCF                                 | 391          |            |                                |
|                                                                                  | EC50 (waterflea) - estimate         | > 0,1 mg/l   |            |                                |
|                                                                                  | LC50 (fish) - estimate              | > 0,1 mg/l   |            |                                |
|                                                                                  | Log P(ow)                           | 4,35         |            |                                |
| Allyl (3-methylbutoxy)acetate                                                    | IC50 (algae) - estimate             | 2,06 mg/l    | -----      | -----                          |
|                                                                                  | LC50 (fish) - estimate              | 0,77 mg/l    | -----      | -----                          |
|                                                                                  | EC50 (waterflea) - estimate         | 5,09 mg/l    | -----      | -----                          |
|                                                                                  | Ultimate aerobic biodegradation (%) | > 60 %       | OECD 301 B |                                |
|                                                                                  | Log P(ow)                           | 2,72         |            |                                |
|                                                                                  | EC50 (waterflea)                    | 11,3 mg/l    | OECD 202   | Daphnia magna                  |
| Allyl (cyclohexyloxy)acetate                                                     | NOEC (waterflea) - chronic          | 3,2 mg/l.d   | OECD 202   | Daphnia magna                  |
|                                                                                  | Ultimate aerobic biodegradation (%) | 24 %         | OECD 301 D |                                |
|                                                                                  | IC50 (algae)                        | 69,2 mg/l    | OECD 201   | Pseudokirchnerella subcapitata |
|                                                                                  |                                     |              |            |                                |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|  |                          |                    |          |                   |
|--|--------------------------|--------------------|----------|-------------------|
|  | LC50 (fish)<br>Log P(ow) | 0,205 mg/l<br>2,64 | OECD 203 | Brachydanio rerio |
|--|--------------------------|--------------------|----------|-------------------|

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION

### 14.1. UN number or ID number

UN nr. : UN 3082


### 14.2. UN proper shipping name

- Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( d-Limonene ; [3R-(3 $\alpha$ ,3 $\alpha$  $\beta$ ,6 $\alpha$ ,7 $\beta$ ,8 $\alpha$ )]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene )
- Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( d-Limonene ; [3R-(3 $\alpha$ ,3 $\alpha$  $\beta$ ,6 $\alpha$ ,7 $\beta$ ,8 $\alpha$ )]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene )

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

- Class : 9
- Classification code : M6
- Packaging group : III
- Danger label : 9 + the "environmentally hazardous substance" mark.
- Tunnel restriction code : (-)



- Other information : Not intended for carriage by tank-vessels on inland waterways. This product is not regulated as a dangerous good when transported in sizes of <= 5 L or <= 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (Special provisions 375).

IMDG (sea)

- Class : 9
- Packaging group : III
- EmS (fire / spill) : F - A / S - F
- Marine pollutant : Yes
- Other information : This product is not regulated as a dangerous good when transported in sizes of <= 5 L or <= 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (IMDG code 37-14, 2.10.2.7).



IATA (air)  
Class : 9  
ERG code : 9L

#### 14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

#### 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

### SECTION 15 REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

#### 15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

### SECTION 16 OTHER INFORMATION

#### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

|           |                                                                                                            |
|-----------|------------------------------------------------------------------------------------------------------------|
| ADR       | : European Agreement concerning the International Carriage of Dangerous Goods by Road                      |
| ATE       | : Acute Toxicity Estimate                                                                                  |
| CLP       | : Classification, Labeling & Packaging                                                                     |
| CMR       | : Carcinogenic, Mutagenic or toxic for Reproduction                                                        |
| EEC       | : European Economic Community                                                                              |
| GHS       | : Globally Harmonized System of Classification and Labelling of Chemicals                                  |
| IATA      | : International Air Transport Association                                                                  |
| IBC code  | : The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk. |
| IMDG      | : International Maritime Dangerous Goods Code                                                              |
| LD50/LC50 | : Lethal Dose/Concentration for 50% of a population                                                        |
| MAC       | : Maximum Allowable Concentration                                                                          |
| MARPOL    | : International Convention for the Prevention of Pollution From Ships                                      |
| NO(A)EL   | : No Observed (Adverse) Effect Level                                                                       |
| OECD      | : Organisation for Economic Co-operation and Development                                                   |
| PBT       | : Persistent, Bioaccumulative and Toxic                                                                    |
| PC        | : Chemical product category                                                                                |
| PT        | : Product type                                                                                             |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|          |                                                                                |
|----------|--------------------------------------------------------------------------------|
| REACH    | : Registration, Evaluation, Authorisation and Restriction of Chemicals         |
| RID      | : Regulations concerning the International Carriage of Dangerous Goods by Rail |
| STP      | : Sewage Treatment Plant                                                       |
| SU       | : Sector of Use                                                                |
| TWA/STEL | : Time-Weighted Average/Short Term Exposure Limit                              |
| UN       | : United Nations                                                               |
| UFI      | : Unique formula identifier                                                    |
| VOC      | : Volatile Organic Compounds                                                   |
| vPvB     | : Very Persistent and Very Bioaccumulative                                     |

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

|                    |                       |
|--------------------|-----------------------|
| Skin Irrit. 2      | : Calculation method. |
| Eye Irrit. 2       | : Calculation method. |
| Skin Sens. 1/1A/1B | : Calculation method. |
| Aquatic Chronic 2  | : Calculation method. |

Full text of hazard classes mentioned in section 3:

|                    |                                                                   |
|--------------------|-------------------------------------------------------------------|
| Flam. Liq. 3       | : Flammable liquid, category 3.                                   |
| Acute Tox. 2       | : Acute toxicity, Hazard Category 2.                              |
| Acute Tox. 3       | : Acute toxicity, category 3.                                     |
| Acute Tox. 4       | : Acute toxicity, category 4.                                     |
| Skin Irrit. 2      | : Skin irritation, category 2.                                    |
| Eye Irrit. 2       | : Eye irritation, category 2.                                     |
| Skin Sens. 1/1A/1B | : Skin sensitization, category 1/1A/1B.                           |
| Repr. 2            | : Reproductive toxicity, category 2.                              |
| STOT RE 2          | : Specific target organ toxicity — repeated exposure, category 2. |
| Asp. Tox. 1        | : Aspiration hazard, category 1.                                  |
| Aquatic Chronic 1  | : Hazardous to the aquatic environment — Chronic category 1.      |
| Aquatic Chronic 2  | : Hazardous to the aquatic environment — Chronic category 2.      |
| Aquatic Chronic 3  | : Hazardous to the aquatic environment — Chronic category 3.      |
| Aquatic Acute 1    | : Hazardous to the aquatic environment — Acute category 1.        |

Full text of H-phrases mentioned in section 3:

|      |                                                                    |
|------|--------------------------------------------------------------------|
| H226 | Flammable liquid and vapour.                                       |
| H301 | Toxic if swallowed.                                                |
| H302 | Harmful if swallowed.                                              |
| H311 | Toxic in contact with skin.                                        |
| H330 | Fatal if inhaled.                                                  |
| H331 | Toxic if inhaled.                                                  |
| H304 | May be fatal if swallowed and enters airways.                      |
| H315 | Causes skin irritation.                                            |
| H317 | May cause an allergic skin reaction.                               |
| H319 | Causes serious eye irritation.                                     |
| H361 | Suspected of damaging fertility or the unborn child.               |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.                                        |
| H410 | Very toxic to aquatic life with long lasting effects.              |
| H411 | Toxic to aquatic life with long lasting effects.                   |
| H412 | Harmful to aquatic life with long lasting effects.                 |

Advice on any training appropriate for workers: none.

|                         |                                   |
|-------------------------|-----------------------------------|
| Country / Language code | : EC / EN                         |
| Number format           | : ", " used as decimal separator. |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

---

End of safety data sheet.