



SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : LIMPRO PARFUM CARD WOODY & FLORAL
Product code : LIM-016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
Computerweg 3
3542 DP UTRECHT, The Netherlands
Telephone : +31-30-7116 824
Fax : +31-30-3100 141
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

National Poisons Information Service +44 344 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 1.

Human health hazards : Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.


Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.

Environmental hazards : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases	:	H315	Causes skin irritation.
		H319	Causes serious eye irritation.
		H317	May cause an allergic skin reaction.
		H410	Very toxic to aquatic life with long lasting effects.
		P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.

P280 hands	Wear protective gloves and eye protection.
eyes	
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P273	Avoid release to the environment.
P391	Collect spillage.
P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases	:	H317	May cause an allergic skin reaction.
	:	P101	If medical advice is needed, have product container or label at hand.
	:	P102	Keep out of reach of children.
	:	P280 gloves	Wear protective gloves.
	:	P302+P352	IF ON SKIN: Wash with plenty of water/soap.
	:	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	:	P362+P364	Take off contaminated clothing and wash it before reuse.
	:	P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphtyl)ethan-1-one ; Benzyl salicylate ; Linalool ; Linalyl acetate ; (Ethoxymethoxy)cyclododecane ; Piperonal ; 1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one ; Methyl 2,4-dihydroxy-3,6-dimethylbenzoate ; 3,7-Dimethyloctan-3-ol ; Coumarin ; Citronellol ; d-Limonene ; Isoeugenol ; (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	0,01 - < 0,1	23726-93-4	245-844-2		01-2120105798-49
Isoeugenol	0,01 - < 0,1	97-54-1	202-590-7		
d-Limonene	0,25 - < 1	5989-27-5	227-813-5		01-2119529223-47
Citronellol	0,1 - < 1	106-22-9	203-375-0		01-2119453995-23
Benzyl acetate	0,1 - < 1	140-11-4	205-399-7		
p-Cresol	0,1 - < 1	106-44-5	203-398-6		
Coumarin	0,1 - < 1	91-64-5	202-086-7		01-2119949300-45
Bornan-2-one	0,1 - < 1	76-22-2	200-945-0		
(Z)-3-hexenyl salicylate	0,25 - < 1	65405-77-8	265-745-8		01-2119987320-37
3,7-Dimethyloctan-3-ol	0,1 - < 1	78-69-3	201-133-9		01-2119454788-21



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

[3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	0,25 - < 1	469-61-4	207-418-4		
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	0,1 - < 1	4707-47-5	225-193-0		
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	0,1 - < 1	33704-61-9	251-649-3		01-2119977131-40
Oxydipropanol	1 - < 5	25265-71-8	246-770-3	MAC	
3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	2,5 - < 5	67801-20-1	267-140-4		01-2119940039-39
3,7-Dimethylnona-1,6-dien-3-ol	1 - < 5	10339-55-6	233-732-6		01-2119969272-32
Piperonal	1 - < 5	120-57-0	204-409-7		01-2119983608-21
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	2,5 - < 5	34902-57-3	422-320-3		01-0000016883-62
(Ethoxymethoxy)cyclododecane	2,5 - < 5	58567-11-6	261-332-1		01-2119971571-34
Vanillin	1 - < 5	121-33-5	204-465-2		01-2119516040-60
(2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	2,5 - < 5	106185-75-5	701-122-3		01-2119529224-45
Linalyl acetate	1 - < 5	115-95-7	204-116-4		01-2119454789-19
Linalool	1 - < 5	78-70-6	201-134-4		01-2119474016-42
Benzyl salicylate	5 - < 10	118-58-1	204-262-9		01-2119969442-31
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	5 - < 10	127-51-5	204-846-3		01-2120138569-45
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	5 - < 10	1222-05-5	214-946-9		01-2119488227-29
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	10 - < 25	54464-57-2	259-174-3		01-2119489989-04

Substance name	Hazard Class	H-phrases	Pictograms	
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	Skin Irrit. 2; Skin Sens. 1A; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
Isoeugenol	Acute Tox. 4; Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1A; STOT SE 3	H312; H302; H332; H319; H315; H317; H335	GHS07	H317 : C >= 0.01 %
d-Limonene	Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1	H226; H304; H315; H317; H400; H410	GHS02; GHS07; GHS08; GHS09	M (acute) = 1
Citronellol	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H319; H317; H315	GHS07	
Benzyl acetate	Aquatic Chronic 3	H412	----	
p-Cresol	Acute Tox. 3; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Aquatic Chronic 3	H301; H311; H314; H318; H412	GHS05; GHS06	M (chronic) = 1
Coumarin	Acute Tox. 4; Skin Sens. 1B; Aquatic Chronic 3	H302; H317; H412	GHS07	
Bornan-2-one	Flam. Sol. 2; Acute Tox. 4; STOT SE 2; Aquatic Chronic 2	H228; H302; H332; H371; H411	GHS02; GHS07; GHS08; GHS09	
(Z)-3-hexenyl salicylate	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

3,7-Dimethyloctan-3-ol	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
[3R-(3α,3aβ,7β,8aα)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1	H304; H400; H410	GHS08; GHS09	M (acute) = 10 M (chronic) = 10
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	Skin Sens. 1B	H317	GHS07	
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2; Aquatic Chronic 2	H315; H317; H319; H411	GHS07; GHS09	
Oxydipropanol	-----	-----	-----	
3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	Aquatic Chronic 2	H411	GHS09	
3,7-Dimethylnona-1,6-dien-3-ol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
Piperonal	Skin Sens. 1	H317	GHS07	
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one (Ethoxymethoxy)cyclododecane	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1
Vanillin	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
(2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Eye Irrit. 2	H319	GHS07	
Linalyl acetate	Eye Irrit. 2; Aquatic Chronic 2	H319; H411	GHS07; GHS09	
Linalool	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
Benzyl salicylate	Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	Skin Sens. 1; Eye Irrit. 2; Aquatic Chronic 3	H317; H319; H412	GHS07; GHS09	
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Aquatic Chronic 2	H411	GHS09	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (chronic) = 1
	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 1	H315; H317; H410	GHS07; GHS09	M (chronic) = 1

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.



Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
Eye contact : Irritant. May cause redness and pain.
Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO₂). Foam. Dry chemical. Water fog.
Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.
Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
d-Limonene	GB	28	80	-	MAC: DE, CH
Benzyl acetate		5	-		MAC: LT
p-Cresol		22	-		MAC: SL, DK, FI
Bornan-2-one		13	19		MAC BG, BE, EL, NO, etc
Bornan-2-one		12	-		
Oxydipropanol		67	-		MAC: DE

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	Dermal				0,77 mg/kg bw/day
	Inhalation				2,71 mg/m ³
d-Limonene	Inhalation				33,3 mg/m ³
Citronellol	Dermal				45,8 mg/kg bw/day
	Inhalation				161,6 mg/m ³
Benzyl acetate	Dermal		12,5 mg/kg bw		6,25 mg/kg bw/day
	Inhalation		43,8 mg/m ³		21,9 mg/m ³
p-Cresol	Dermal		1 mg/kg bw		0,5 mg/kg bw/day
	Inhalation		233 mg/m ³		3,5 mg/m ³
Coumarin	Dermal				0,79 mg/kg bw/day
	Inhalation				6,78 mg/m ³
Bornan-2-one	Dermal				10 mg/kg bw/day
	Inhalation				17,632 mg/m ³
(Z)-3-hexenyl salicylate	Dermal				0,9 mg/kg bw/day
	Inhalation				1,59 mg/m ³
3,7-Dimethyloctan-3-ol	Dermal				2,5 mg/kg bw/day
	Inhalation				2,75 mg/m ³
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	Dermal			2,5 mg/kg bw/day	
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Dermal			5,510 mg/kg bw/day	0,42 mg/kg bw/day
	Inhalation				1,47 mg/m ³



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Oxydipropanol	Dermal				84 mg/kg bw/day
	Inhalation				238 mg/m3
3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	Dermal				6,67 mg/kg bw/day
	Inhalation				92,75 mg/m3
3,7-Dimethylnona-1,6-dien-3-ol	Dermal	16 mg/kg bw	5,5 mg/kg bw	16 mg/kg bw/day	2,7 mg/kg bw/day
	Inhalation		18 mg/m3		3 mg/m3
Piperonal	Dermal				0,5 mg/kg bw/day
	Inhalation				3,5 mg/m3
(Ethoxymethoxy)cyclododecane	Dermal				3,3 mg/kg bw/day
	Inhalation				23,5 mg/m3
(2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Dermal				6 mg/kg bw/day
	Inhalation				21 mg/m3
Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	2,5 mg/kg bw/day
	Inhalation				2,75 mg/m3
Linalool	Dermal		5 mg/kg bw		2,5 mg/kg bw/day
	Inhalation		16,5 mg/m3		2,8 mg/m3
Benzyl salicylate	Dermal				0,9 mg/kg bw/day
	Inhalation				3,17 mg/m3
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Dermal				28,85 mg/kg bw/day
	Inhalation				5,29 mg/m3
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Dermal	0,1011 mg/kg bw			1,73 mg/kg bw/day
	Inhalation				1,76 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	Dermal				0,38 mg/kg bw/day
	Inhalation				0,67 mg/m3
d-Limonene	Oral				0,38 mg/kg bw/day
	Inhalation				8,33 mg/m3
Citronellol	Oral				4,76 mg/kg bw/day
	Dermal				27,5 mg/kg bw/day
	Inhalation				47,8 mg/m3
Benzyl acetate	Oral				13,75 mg/kg bw/day
	Dermal		6,25 mg/kg bw		3,125 mg/kg bw/day
	Inhalation		11 mg/m3		5,5 mg/m3
p-Cresol	Oral		6,25 mg/kg bw		3,125 mg/kg bw/day
	Dermal		0,5 mg/kg bw		0,25 mg/kg bw/day
	Inhalation		150 mg/m3		0,75 mg/m3
Coumarin	Oral		0,5 mg/kg bw		0,25 mg/kg bw/day
	Dermal				0,39 mg/kg bw/day
	Inhalation				1,69 mg/m3
Bornan-2-one	Oral				0,39 mg/kg bw/day
	Dermal				5 mg/kg bw/day
	Inhalation				4,348 mg/m3
	Oral				5 mg/kg bw/day
(Z)-3-hexenyl salicylate	Dermal				0,45 mg/kg bw/day
	Inhalation				0,39 mg/m3
	Oral				0,23 mg/kg bw/day



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

3,7-Dimethyloctan-3-ol	Dermal				1,25 mg/kg bw/day
	Inhalation				0,68 mg/m3
	Oral				0,2 mg/kg bw/day
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	Dermal			1,25 mg/kg bw/day	
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Dermal			3,241 mg/kg bw/day	0,25 mg/kg bw/day
	Inhalation				0,44 mg/m3
	Oral				0,25 mg/kg bw/day
Oxydipropanol	Dermal				51 mg/kg bw/day
	Inhalation				70 mg/m3
	Oral				24 mg/kg bw/day
3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	Dermal				3,33 mg/kg bw/day
	Inhalation				23,15 mg/m3
	Oral				3,33 mg/kg bw/day
3,7-Dimethylnona-1,6-dien-3-ol	Dermal	16 mg/kg bw	2,7 mg/kg bw	16 mg/kg bw/day	1,4 mg/kg bw/day
	Inhalation		4,4 mg/m3		0,74 mg/m3
	Oral		1,3 mg/kg bw		0,2 mg/kg bw/day
Piperonal	Dermal				0,25 mg/kg bw/day
	Inhalation				0,87 mg/m3
	Oral				0,25 mg/kg bw/day
(Ethoxymethoxy)cyclododecane	Dermal				1,67 mg/kg bw/day
	Inhalation				5,8 mg/m3
	Oral				1,67 mg/kg bw/day
(2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Dermal				3 mg/kg bw/day
	Inhalation				5,2 mg/m3
	Oral				3 mg/kg bw/day
Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation				0,68 mg/m3
	Oral				0,2 mg/kg bw/day
Linalool	Dermal		2,5 mg/kg bw	15 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation		4,1 mg/m3		0,7 mg/m3
	Oral		1,2 mg/kg bw		0,2 mg/kg bw/day
Benzyl salicylate	Dermal				0,45 mg/kg bw/day
	Inhalation				0,78 mg/m3
	Oral				0,45 mg/kg bw/day
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Dermal				14,43 mg/kg bw/day
	Inhalation				1,3 mg/m3
	Oral				0,75 mg/kg bw/day
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Dermal	0,0506 mg/kg bw			0,86 mg/kg bw/day
	Inhalation				0,43 mg/m3
	Oral				0,25 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	Water	0,00109 mg/l	0,0011 mg/l	
	Sediment	0,087 mg/kg	0,00867 mg/kg	
	STP			3,2 mg/l
	Soil			0,017 mg/kg
	Oral			6,67 mg/kg food



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

d-Limonene	Water	0,0054 mg/l	0,0005 mg/l	
	Sediment	1,32 mg/kg	0,13 mg/kg	
	STP			1,8 mg/l
	Soil			0,262 mg/kg
	Oral			3,33 mg/kg food
Citronellol	Water	0,0024 mg/l	0,00024 mg/l	
	Sediment	0,0256 mg/kg	0,00256 mg/kg	
	Intermittent water			0,024 mg/l
	STP			580 mg/l
	Soil			0,00371 mg/kg
Benzyl acetate	Water	0,004 mg/l	0,0004 mg/l	
	Sediment	0,114 mg/kg	0,0114 mg/kg	
	Intermittent water			0,04 mg/l
	STP			8,55 mg/l
	Soil			0,0205 mg/kg
p-Cresol	Water	0,1 mg/l	0,01 mg/l	
	Sediment	0,85 mg/kg	0,085 mg/kg	
	Intermittent water			0,044 mg/l
	STP			1,65 mg/l
	Soil			0,111 mg/kg
Coumarin	Water	0,019 mg/l	0,0019 mg/l	
	Sediment	0,15 mg/kg	0,015 mg/kg	
	Intermittent water			0,0142 mg/l
	STP			6,4 mg/l
	Soil			0,018 mg/kg
Bornan-2-one	Oral			30,7 mg/kg food
	Water	0,00171 mg/l	0,000171 mg/l	
	Sediment	0,139 mg/kg	0,017 mg/kg	
	STP			1 mg/l
	Soil			0,013 mg/kg
(Z)-3-hexenyl salicylate	Water	0,00061 mg/l	0,000061 mg/l	
	Sediment	0,11 mg/kg	0,011 mg/kg	
	Intermittent water			0,0061 mg/l
	STP			10 mg/l
	Soil			0,0217 mg/kg
3,7-Dimethyloctan-3-ol	Oral			40 mg/kg food
	Water	0,0089 mg/l	0,00089 mg/l	
	Sediment	0,0821 mg/kg	0,00821 mg/kg	
	Intermittent water			0,089 mg/l
	STP			450 mg/l
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	Soil			0,0112 mg/kg
	Water	0,0033 mg/l	0,00033 mg/l	
	Sediment	0,089 mg/kg	0,0089 mg/kg	
	STP			10 mg/l
	Soil			0,016 mg/kg
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Water	0,004 mg/l	0 mg/l	
	Sediment	0,0991 mg/kg	0,00991 mg/kg	
	STP			10 mg/l
	Soil			0,0174 mg/kg
	Oral			1,11 mg/kg food
Oxydipropanol	Water	0,1 mg/l	0,01 mg/l	
	Sediment	0,238 mg/kg	0,0238 mg/kg	
	Intermittent water			1 mg/l
	STP			1000 mg/l



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

3-methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	Soil			0,0253 mg/kg
	Oral			313 mg/kg food
	Water	0,0019 mg/l	0,00019 mg/l	
	Sediment	0,067 mg/kg	0,0067 mg/kg	
3,7-Dimethylnona-1,6-dien-3-ol	Intermittent water			0,019 mg/l
	STP			1 mg/l
	Soil			0,0534 mg/kg
	Oral			33,3 mg/kg food
Piperonal	Water	0,023 mg/l	0,0023 mg/l	
	Sediment	0,223 mg/kg	0,0223 mg/kg	
	Intermittent water			0,23 mg/l
	STP			10 mg/l
(Ethoxymethoxy)cyclododecane	Soil			0,031 mg/kg
	Oral			8,53 mg/kg food
	Water	0,0025 mg/l	0,00025 mg/l	
	Sediment	0,0119 mg/kg	0,0012 mg/kg	
Vanillin	Intermittent water			0,025 mg/l
	STP			10 mg/l
	Soil			0,00084 mg/kg
	Water	0,0016 mg/l	0,00016 mg/l	
(2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Sediment	2,35 mg/kg	0,235 mg/kg	
	Intermittent water			0,016 mg/l
	STP			100 mg/l
	Soil			0,468 mg/kg
Linalyl acetate	Oral			33,3 mg/kg food
	Water	0,118 mg/l	0,0118 mg/l	
	Sediment	58,22 mg/kg	5,822 mg/kg	
	STP			10 mg/l
Linalool	Soil			11,54 mg/kg
	Water	0,0088 mg/l	0,00088 mg/l	
	Sediment	1,05 mg/kg	0,105 mg/kg	
	STP			1 mg/l
Benzyl salicylate	Soil			0,206 mg/kg
	Oral			20 mg/kg food
	Water	0,011 mg/l	0,001 mg/l	
	Sediment	0,609 mg/kg	0,061 mg/kg	
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Intermittent water			0,11 mg/l
	STP			10 mg/l
	Soil			0,115 mg/kg
	Water	0,2 mg/l	0,02 mg/l	
	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
	STP			10 mg/l
	Soil			0,327 mg/kg
	Oral			7,8 mg/kg food
	Water	0,00103 mg/l	0,00010 mg/l	
	Sediment	0,583 mg/kg	0,0583 mg/kg	
	Intermittent water			0,01030 mg/l
	STP			10 mg/l
	Soil			0,116 mg/kg
	Oral			80 mg/kg food
	Water	0,0044 mg/l	0,0004 mg/l	
	Sediment	2 mg/kg	0,394 mg/kg	



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

	Intermittent water STP Soil Oral			0,047 mg/l 1 mg/l 0,31 mg/kg 3,3 mg/kg food
--	---	--	--	--

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.
Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

:



Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: not known.
Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. $\pm 0,5$ mm. Indication of permeation breakthrough time: not known.
Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not known.	Not measured. Not relevant for mixtures.
Flash point	: > 100 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 200 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: < 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,7 (Linalyl acetate) Upper explosion limit in air (%): 5,2 (Linalool)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not applicable.	
Vapour pressure (20°C)	: Not known.	
Vapour density (20°C)	: > 1	(air = 1)
Relative density (20°C)	: 1 g/ml	
Evaporation rate	: Not known.	(n-butyl acetate = 1)



9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 80 %. ATE: > 5 mg/l. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Calculated LD50: > 3743 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

- Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	NOAEL (development) - estimate	400 mg/kg.d	Read across	Rat
	NOAEL (oral) - estimate	30 mg/kg bw/d	Read across	Rat
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	Eye irritation - estimate	Non-irritant	Read across	Rabbit
	Skin irritation	Irritant	-----	-----
	LD50 (dermal) - estimate	> 2150 mg/kg bw	Read across	Rat
	LD50 (oral)	> 2000 mg/kg bw	-----	Rat
	LD50 (dermal) - estimate	1912 mg/kg bw	-----	-----
	LC50 (inhalation) - estimate	1500 mg/m3	-----	-----
	LD50 (oral)	1560 mg/kg bw	-----	Rat
Isoeugenol	Mutagenicity	Negative	-----	Salmonella typhimurium
	NOEL (carcinogenicity, oral)	Not carcinogenic	-----	Rat
	Skin irritation	Severely irritant	-----	Rabbit
	Skin irritation	Moderately irritant	-----	Human
	Skin sensitisation	498 ug/cm2	OECD 429	Mouse
	NOAEL (oral)	150 mg/kg bw/d	-----	Rat
	Genotoxicity - in vitro	Not genotoxic	-----	-----
	LD50 (oral)	4400 mg/kg bw	-----	Rat
	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
	Skin irritation	Irritant	-----	-----
d-Limonene	NOAEL (development, oral)	600 mg/kg bw/d	-----	Rat
	Skin sensitisation	10075 ug/cm2	OECD 429	Mouse
	Mutagenicity	Negative	OECD 471	-----
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOEL (carcinogenicity, oral)	> 300 mg/kg bw/d	OECD 451	Rat
	Genotoxicity - in vivo	> 2000 mg/kg bw/d	-----	Rat
	Genotoxicity - in vitro	Not genotoxic	-----	-----
	Skin sensitisation	10875 ug/cm2	OECD 429	Mouse
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	NOAEL (oral)	> 50 mg/kg bw/d	-----	Rat
Citronellol	Skin irritation	Moderately irritant	-----	Rabbit
	LD50 (oral)	3450 mg/kg bw	-----	Rat
	LD50 (dermal)	2650 mg/kg bw	-----	Rabbit
	NOAEL (fertility, dermal)	300 mg/kg bw/d	OECD 421	Rat



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Coumarin	NOAEL (developmental toxicity, dermal)	> 300 mg/kg bw/d	OECD 421	Rat
	Skin irritation	Moderately irritant	Patch test	Human
	Eye irritation	Moderately irritant		Rabbit
	Skin sensitisation	> 12500 ug/cm2	OECD 429	Mouse
	NOAEL (development, oral)	> 115 mg/kg bw/d		Mouse
	Eye irritation	Non-irritant		Rabbit
	LD50 (oral)	680 mg/kg bw	-----	Rat
	NOAEL (oral)	> 138,3 mg/kg bw/d		Mouse
	Skin irritation	Non-irritant		Rabbit
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vivo	> 105 mg/kg bw/d	OECD 474	Mouse
	NOEL (carcinogenicity) - estimate	Not carcinogenic		
	LC50 (inhalation) - estimate	> 5000 mg/m3		Rat
3,7-Dimethyloctan-3-ol	Eye irritation	Non-irritant		Rabbit
	Skin irritation	Irritant		Rabbit
	NOAEL (development, oral)	1000 mg/kg bw/d	OECD 414	Rat
	NOAEL (fertility) - estimate	365 mg/kg.d	Read across	Rat
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat
	NOAEL (oral) - estimate	200 mg/kg bw/d	Read across	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	LD50 (oral)	8270 mg/kg bw		Rat
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin irritation	Non-irritant		
	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	LD50 (oral)	> 2325 mg/kg bw	OECD 401	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin irritation	Irritant		Human
	Eye irritation	Irritant	-----	-----
	NOAEL (oral)	10 mg/kg bw/d	OECD 408	Rat
	NOAEL (development, oral)	115 mg/kg bw/d	OECD 421	Rat
	NOAEL (fertility, oral)	115 mg/kg bw/d	OECD 421	Rat
	LD50 (oral)	5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	NOAEL (oral) - estimate	117 mg/kg bw/d	Read across	Rat
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Genotoxicity - estimate	Not genotoxic	Read across	
	LD50 (oral)	> 2325 mg/kg bw	OECD 401	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin irritation	Irritant		Human
	Eye irritation	Irritant	-----	-----
	NOAEL (oral)	10 mg/kg bw/d	OECD 408	Rat
	NOAEL (development, oral)	115 mg/kg bw/d	OECD 421	Rat
	NOAEL (fertility, oral)	115 mg/kg bw/d	OECD 421	Rat
	LD50 (oral)	5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	NOAEL (oral) - estimate	117 mg/kg bw/d	Read across	Rat
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	Genotoxicity - estimate	Not genotoxic	Read across	
3,7-Dimethylnona-1,6-dien-3-ol	LD50 (oral)	> 2325 mg/kg bw	OECD 401	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin irritation	Irritant		Human
	Eye irritation	Irritant	-----	-----
	NOAEL (oral)	10 mg/kg bw/d	OECD 408	Rat
	NOAEL (development, oral)	115 mg/kg bw/d	OECD 421	Rat
	NOAEL (fertility, oral)	115 mg/kg bw/d	OECD 421	Rat
	LD50 (oral)	5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	NOAEL (oral) - estimate	117 mg/kg bw/d	Read across	Rat
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	Genotoxicity - estimate	Not genotoxic	Read across	
	LD50 (oral)	> 2325 mg/kg bw	OECD 401	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Piperonal	Skin irritation	Irritant	----	Rabbit
	Eye irritation	Irritant	----	Rabbit
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rat
	LD50 (oral)	2700 mg/kg bw	OECD 401	Rat
	NOAEL (oral)	500 mg/kg bw/d	OECD 408	Rat
	NOEL (carcinogenicity, oral)	250 mg/kg bw/d	OECD 453	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 473	Chinese Hamster
	Genotoxicity - in vivo	Not genotoxic	OECD 478	Mouse
	Skin irritation	Slightly irritant	----	Guinea pig
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	250 mg/kg bw/d	OECD 478	Rat
	Skin sensitisation	Sensitizing.		Guinea pig
	NOAEL (development, oral)	250 mg/kg bw/d	OECD 421	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
(Ethoxymethoxy)cyclododecane	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rabbit
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOAEL (oral)	1000 mg/kg bw/d	OECD 422	Rat
	NOAEL (development, oral)	1000 mg/kg bw/d	OECD 422	Rat
	NOAEL (fertility, oral)	1000 mg/kg bw/d	OECD 422	Rat
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	LD50 (oral)	> 3500 mg/kg bw	----	Rat
	LD50 (dermal)	> 5010 mg/kg bw		Rabbit
	Skin sensitisation	Sensitizing.		Guinea pig
	Skin irritation	Non-irritant	----	Rabbit
Vanillin	Eye irritation	Slightly irritant	----	Rabbit
	NOEL (carcinogenicity, oral)	Not carcinogenic	----	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOEL (oral)	2500 mg/kg bw/d		Rat
	NOAEL (development, oral)	> 500 mg/kg bw/d	----	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	NOAEL (oral)	> 650 mg/kg bw/d	OECD 408	Rat
	LD50 (oral)	> 2000 mg/kg bw	OECD 401	Rat
	Eye irritation	Irritant	OECD 405	Rabbit
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	NOAEL (fertility, oral)	> 300 mg/kg bw/d	OECD 422	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
(2E)-2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	NOAEL (oral)	981 mg/kg bw/d	OECD 408	Rat
	LD50 (dermal)	> 2000 mg/kg bw		Rabbit
	LC50 (inhalation) - estimate	> 5000 mg/m3	----	Rat
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	Eye irritation	Irritant	OECD 405	Rabbit
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	NOAEL (fertility, oral)	> 300 mg/kg bw/d	OECD 422	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	NOAEL (oral)	981 mg/kg bw/d	OECD 408	Rat
	LD50 (dermal)	> 2000 mg/kg bw		Rabbit
Linalyl acetate	LC50 (inhalation) - estimate	> 5000 mg/m3	----	Rat
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse

Linalool	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	NOAEL (oral)	160 mg/kg bw/d	OECD 407	Rat
	Eye irritation	Irritant	OECD 405	Rabbit
	Skin irritation	Irritant	OECD 404	Rabbit
	Skin irritation	Non-irritant	-----	Human
	LC50 (inhalation)	> 2740 mg/m3	-----	Mouse
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	LD50 (oral)	13934 mg/kg bw	-----	Rat
		1000 mg/kg bw/d	OECD 414	Rat
	NOAEL (development, oral)	365 mg/kg bw/d	-----	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin sensitisation	12650 ug/cm2	OECD 429	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
Benzyl salicylate	NOAEL (fertility, oral)	500 mg/kg bw/d		Rat
	Skin irritation	Irritant	OECD 404	Rabbit
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	LD50 (dermal)	5610 mg/kg bw	-----	Rabbit
	Skin irritation	Mildly irritant	-----	Human
	LD50 (oral)	2790 mg/kg bw	-----	Rat
	NOAEL (oral)	117 mg/kg bw/d	-----	Rat
	LD50 (oral)	2227 mg/kg bw	-----	Rat
	Skin sensitisation	725 ug/cm2	OECD 429	Mouse
	Skin irritation	Non-irritant	-----	Rabbit
	NOAEL (oral) - estimate	> 360 mg/kg bw/d	Read across	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility) - estimate	180 mg/kg.d	Read across	Rat
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	NOAEL (development) - estimate	> 360 mg/kg.d	Read across	Rat
	Eye irritation	Moderately irritant	-----	Rabbit
	Skin irritation	Non-irritant	-----	Rabbit
	Skin sensitisation	6825 ug/cm2	OECD 429	Mouse
	LD50 (oral)	> 5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rat
	Mutagenicity	Not mutagenic	OECD 471	-----
	NOAEL (development, oral)	480 mg/kg bw/d	OECD 414	Rat

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Very toxic to aquatic organisms. Calculated LC50 (fish): 2 mg/l. Calculated EC50 (waterflea): < 1 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
d-Limonene	LC50 (fish)	0,720 mg/l	OECD 203	Pimephales promelas
	EC50 (waterflea)	0,36 mg/l	OECD 202	Daphnia magna
	Ultimate aerobic biodegradation (%)	> 92 %		
	NOEC (waterflea) - chronic	0,15 mg/l.d		Daphnia magna
	Log P(ow)	4,38		
(Z)-3-hexenyl salicylate	EC50 (waterflea)	3,7 mg/l	OECD 202	Daphnia magna
	IC50 (algae)	0,61 mg/l	OECD 201	Desmodesmus subspicatus
	Ultimate aerobic biodegradation (%)	89 %	OECD 301 F	
	LC50 (fish) - estimate	1,13 mg/l		Brachydanio rerio
	Log P(ow)	4,57		
[3R-(3 α ,3a β ,7 β ,8a α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	LC50 (fish) - estimate	0,055 mg/l	-----	-----
	EC50 (waterflea) - estimate	> 0,01 mg/l		
	Log P(ow)	6,38		
	LC50 (fish)	2,0 mg/l	OECD 203	Oncorhynchus mykiss
	EC50 (waterflea)	0,48 mg/l	OECD 202	Daphnia magna
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	NOEC (fish)	0,52 mg/l	OECD 203	Oncorhynchus mykiss
	Log P(ow)	5,02		
	LC50 (fish)	1,36 mg/l	OECD 204	Lepomis macrochirus
	EC50 (waterflea)	0,47 mg/l	-----	-----
	IC50 (algae)	> 0,85 mg/l	OECD 201	Pseudokirchnerella subcapitata
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Ultimate aerobic biodegradation (%)	2 %	OECD 301 B	
	NOEC (waterflea) - chronic	0,111 mg/l.d	OECD 202	Daphnia magna
	NOEC (fish)	0,068 mg/l.d	OECD 210	Pimephales promelas
	Log P(ow)	5,9		
	BCF	1584		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LC50 (fish)	1,3 mg/l	OECD 203	-----
	EC50 (waterflea)	1,38 mg/l	OECD 202	-----



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

	LC50 (alga)	> 2,6 mg/l	OECD 201	----
	Log P(ow)	5,23		
	BCF	600		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose into the environment, in drains or in water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : UN 3082


14.2. UN proper shipping name

- Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)
- Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

- Class : 9
- Classification code : M6
- Packaging group : III
- Danger label : 9 + the "environmentally hazardous substance" mark.
- Tunnel restriction code : C/D



- Other information : Not intended for carriage by tank-vessels on inland waterways. This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (Special provisions 375).

IMDG (sea)

- Class : 9
- Packaging group : III
- EmS (fire / spill) : F - A / S - F
- Marine pollutant : Yes



Other information : This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (IMDG code 37-14, 2.10.2.7).

IATA (air)
Class : 9

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2	: Calculation method.
Eye Irrit. 2	: Calculation method.
Skin Sens. 1/1A/1B	: Calculation method.
Aquatic Chronic 1	: Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3	: Flammable liquid, category 3.
Flam. Sol. 1	: Flammable solid, category 1.
Acute Tox. 3	: Acute toxicity, category 3.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Corr. 1A/B/C	: Skin corrosive, category 1A/B/C.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
STOT SE 2	: Specific target organ toxicity after single exposure, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

H412

Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.