



SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : LIMPRO PARFUM CARD BABY SWEET
Product code : LIM-019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
Computerweg 3
3542 DP UTRECHT, The Netherlands
Telephone : +31-30-7116 824
Fax : +31-30-3100 141
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

National Poisons Information Service +44 344 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 2.

Human health hazards : Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.

Environmental hazards : Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :




Signal word : Warning

H- and P-phrases	:	H315	Causes skin irritation.
		H319	Causes serious eye irritation.
		H317	May cause an allergic skin reaction.
		H411	Toxic to aquatic life with long lasting effects.
		P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.

P280 hands	Wear protective gloves and eye protection.
eyes	
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P273	Avoid release to the environment.
P391	Collect spillage.
P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases	:	H317	May cause an allergic skin reaction.
	:	P101	If medical advice is needed, have product container or label at hand.
	:	P102	Keep out of reach of children.
	:	P280 gloves	Wear protective gloves.
	:	P302+P352	IF ON SKIN: Wash with plenty of water/soap.
	:	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	:	P362+P364	Take off contaminated clothing and wash it before reuse.
	:	P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

- : Contains: Piperonal ; Cis-4-(isopropyl)cyclohexanemethanol ; Hexyl salicylate ; 3-p-Cumenyl-2-methylpropionaldehyde .
- : Contains 8 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Terpineol	10 - < 20	8000-41-7	232-268-1		01-2119553062-49
Piperonal	5 - < 10	120-57-0	204-409-7		01-2119983608-21
Cis-4-(isopropyl)cyclohexanemethanol	5 - < 10	13828-37-0	237-539-8		
2-Phenylethanol	5 - < 10	60-12-8	200-456-2		01-2119963921-31
3,7-Dimethylnona-1,6-dien-3-ol	1 - < 5	10339-55-6	233-732-6		01-2119969272-32
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	2,5 - < 5	79-77-6	201-224-3		01-2119449921-34
Benzyl acetate	1 - < 5	140-11-4	205-399-7		01-2119638272-42
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	2,5 - < 5	-----	911-280-7		01-2119969444-27
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	0,25 - < 1	34902-57-3	422-320-3		01-0000016883-62



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

1-Methoxy-4-methylbenzene	0,1 - < 1	104-93-8	203-253-7		01-2119513371-52
Hexyl salicylate	0,25 - < 1	6259-76-3	228-408-6		01-2119638275-36
3-p-Cumenyl-2-methylpropionaldehyde	0,1 - < 1	103-95-7	203-161-7		01-2119970582-32
Diethyl phthalate	0,1 - < 1	84-66-2	201-550-6	MAC	

Substance name	Hazard Class	H-phrases	Pictograms	
Terpineol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
Piperonal	Skin Sens. 1	H317	GHS07	
Cis-4-(isopropyl)cyclohexanemethanol	Skin Sens. 1B	H317	GHS07	
2-Phenylethanol	Acute Tox. 4; Eye Irrit. 2	H302; H319	GHS07	
3,7-Dimethylnona-1,6-dien-3-ol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Aquatic Chronic 2	H411	GHS09	
Benzyl acetate	Aquatic Chronic 3	H412	----	
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 1	H302; H400; H410	GHS07; GHS09	
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1
1-Methoxy-4-methylbenzene	Acute Tox. 4; Skin Irrit. 2; Repr. 2	H302; H315; H361d	GHS07; GHS08	
Hexyl salicylate	Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1	H315; H317; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1
3-p-Cumenyl-2-methylpropionaldehyde	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 3	H315; H317; H412	GHS07	
Diethyl phthalate	----	----	----	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

- Note to physicians : None known.



SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO₂). Foam. Dry chemical. Water fog.
Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

- Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

- Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

3,7-Dimethylnona-1,6-dien-3-ol	Inhalation				17,7 mg/m3
	Oral		5,1 mg/kg bw		5,1 mg/kg bw/day
	Dermal	16 mg/kg bw	2,7 mg/kg bw	16 mg/kg bw/day	1,4 mg/kg bw/day
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Inhalation		4,4 mg/m3		0,74 mg/m3
	Oral		1,3 mg/kg bw		0,2 mg/kg bw/day
	Dermal				3,6 mg/kg bw/day
Benzyl acetate	Inhalation				6,24 mg/m3
	Oral				1,8 mg/kg bw/day
	Dermal		6,25 mg/kg bw		3,125 mg/kg bw/day
	Inhalation		11 mg/m3		5,5 mg/m3
	Oral		6,25 mg/kg bw		3,125 mg/kg bw/day
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	Dermal				0,45 mg/kg bw/day
	Inhalation				0,78 mg/m3
	Oral				0,45 mg/kg bw/day
Hexyl salicylate	Dermal		1250 mg/kg bw		1250 mg/kg bw/day
	Inhalation		0,219 mg/m3		0,219 mg/m3
	Oral		0,0625 mg/kg bw		0,0625 mg/kg bw/day
3-p-Cumenyl-2-methylpropionaldehyde	Dermal				0,83 mg/kg bw/day
	Inhalation				1,45 mg/m3
	Oral				0,83 mg/kg bw/day
Diethyl phthalate	Dermal	0,0084 mg/kg bw	3,75 mg/kg bw	0,0042 mg/kg bw/day	0,75 mg/kg bw/day
	Inhalation	13 mg/m3	13 mg/m3	2,6 mg/m3	2,6 mg/m3
	Oral		3,75 mg/kg bw		0,75 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Terpineol	Water	0,062 mg/l	0,0062 mg/l	
	Sediment	0,442 mg/kg	0,044 mg/kg	
	STP			2,57 mg/l
	Soil			0,052 mg/kg
	Oral			16,6 mg/kg food
Piperonal	Water	0,0025 mg/l	0,00025 mg/l	
	Sediment	0,0119 mg/kg	0,0012 mg/kg	
	Intermittent water			0,025 mg/l
	STP			10 mg/l
	Soil			0,00084 mg/kg
2-Phenylethanol	Water	0,215 mg/l	0,0215 mg/l	
	Sediment	1,454 mg/kg	0,1454 mg/kg	
	Intermittent water			2,15 mg/l
	STP			10 mg/l
	Soil			0,164 mg/kg
3,7-Dimethylnona-1,6-dien-3-ol	Water	0,023 mg/l	0,0023 mg/l	
	Sediment	0,223 mg/kg	0,0223 mg/kg	
	Intermittent water			0,23 mg/l
	STP			10 mg/l
	Soil			0,031 mg/kg
	Oral			8,53 mg/kg food
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Water	0,07 mg/l	0,007 mg/l	
	Sediment	0,0616 mg/kg	0,00616 mg/kg	
	Intermittent water			0,7 mg/l
	STP			9 mg/l

Benzyl acetate	Soil			0,0156 mg/kg
	Water	0,004 mg/l	0,0004 mg/l	
	Sediment	0,114 mg/kg	0,0114 mg/kg	
	Intermittent water			0,04 mg/l
	STP			8,55 mg/l
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	Soil			0,0205 mg/kg
	Water	0,0007 mg/l	0,0001 mg/l	
	Sediment	0,389 mg/kg	0,039 mg/kg	
	Intermittent water			0,0077 mg/l
	STP			10 mg/l
1-Methoxy-4-methylbenzene Hexyl salicylate	Soil			1,786 mg/kg
	Oral			80 mg/kg food
	Intermittent water			0,27 mg/l
	Water	0,000357 mg/l	0,0001 mg/l	
	Sediment	0,272 mg/kg	0,0272 mg/kg	
3-p-Cumenyl-2-methylpropionaldehyde	Intermittent water			0,0036 mg/l
	STP			10 mg/l
	Soil			0,0542 mg/kg
	Water	0,00109 mg/l	0,00011 mg/l	
	Sediment	0,126 mg/kg	0,0126 mg/kg	
Diethyl phthalate	Intermittent water			0,01092 mg/l
	STP			1 mg/l
	Soil			0,0245 mg/kg
	Water	0,012 mg/l	0,0012 mg/l	
	Sediment	0,137 mg/kg	0,0137 mg/kg	
	Intermittent water			0,12 mg/l
	STP			2 mg/l
	Soil			0,137 mg/kg
	Oral			33 mg/kg food

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: not known.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. \pm 0,5 mm. Indication of permeation breakthrough time: not known.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.



SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not known.	Not measured. Not relevant for mixtures.
Flash point	: > 100 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 250 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: < 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 1,4 (2-Phenylethanol)
	:	Upper explosion limit in air (%): 11,9 (2-Phenylethanol)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not applicable.	
Viscosity (40°C)	: Not applicable.	
Vapour pressure (20°C)	: Not known.	
Vapour density (20°C)	: > 1	(air = 1)
Relative density (20°C)	: 0,9 g/ml	
Evaporation rate	: < 1	(n-butyl acetate = 1)

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products



Hazardous decomposition : Not known.
products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 60 %. ATE: > 5 mg/l. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Calculated LD50: > 3493 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not classified - Based on available data, the classification criteria are not met.
Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Terpineol	Skin irritation	Moderately irritant	-----	Rabbit
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	NOAEL (oral)	250 mg/kg bw/d	OECD 422	Rat
	LD50 (oral)	> 2000 mg/kg bw	OECD 401	Rat
	LC50 (inhalation) - estimate	> 5000 mg/m3		
	LC50 (inhalation)	> 4760 mg/m3	OECD 403	Rat
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	250 mg/kg bw/d	OECD 422	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Piperonal	NOAEL (development, oral)	> 250 mg/kg bw/d	OECD 422	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rat
	LD50 (oral)	2700 mg/kg bw	OECD 401	Rat
	NOAEL (oral)	500 mg/kg bw/d	OECD 408	Rat
	NOEL (carcinogenicity, oral)	250 mg/kg bw/d	OECD 453	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 473	Chinese Hamster
	Genotoxicity - in vivo	Not genotoxic	OECD 478	Mouse
	Skin irritation	Slightly irritant	-----	Guinea pig
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	250 mg/kg bw/d	OECD 478	Rat
	Skin sensitisation	Sensitizing.		Guinea pig
	NOAEL (development, oral)	250 mg/kg bw/d	OECD 421	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
Cis-4-(isopropyl)cyclohexanemethanol	LD50 (oral)	> 10000 mg/kg bw	-----	-----
2-Phenylethanol	LC50 (inhalation) - estimate	> 5000 mg/m3		Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (developmental toxicity, dermal)	140 mg/kg bw/d		Rat
	Skin sensitisation - estimate	Not sensitizing		
	LD50 (dermal)	2535 mg/kg bw	OECD 402	Rabbit
	LC50 (inhalation)	> 4630 mg/m3		Rat
	Skin irritation	Slightly irritant	-----	Rabbit
	Eye irritation	Irritant	-----	Rabbit
	NOAEL (development, oral)	4,3 mg/kg bw/d		Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (dermal)	510 mg/kg bw/d	OECD 411	Rat
	LD50 (oral)	1609 mg/kg bw	-----	Rat
	LD50 (oral)	5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
3,7-Dimethylnona-1,6-dien-3-ol	NOAEL (oral) - estimate	117 mg/kg bw/d	Read across	Rat
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	Genotoxicity - estimate	Not genotoxic	Read across	
	Skin irritation	Irritant	-----	Rabbit
	Eye irritation	Irritant	-----	Rabbit
	NOAEL (fertility) - estimate	Not reprotoxic	Read across	
	NOAEL (development) - estimate	Not teratogenic	Read across	
	Genotoxicity - in vivo	Not genotoxic	-----	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (oral) - estimate	50 mg/kg bw/d	Read across	
	Skin irritation	Moderately irritant	OECD 404	Rabbit
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
Hexyl salicylate	Eye irritation	Non-irritant	OECD 405	Rabbit



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

3-p-Cumenyl-2-methylpropionaldehyde	LD50 (oral)	> 5000 mg/kg bw	-----	Rat
	Skin sensitisation	5575 ug/cm2	OECD 429	Mouse
	NOAEL (oral)	300 mg/kg bw/d		Rabbit
	Skin irritation	Slightly irritant		Rabbit
	LD50 (oral)	3810 mg/kg bw	-----	Rat
	NOAEL (fertility, oral)	25 mg/kg bw/d	OECD 415	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - estimate	> 2000 mg/kg bw/d	Read across	Mouse
	Eye irritation	Non-irritant		Rabbit
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rat

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 11 mg/l. Calculated EC50 (waterflea): 9 mg/l.
Contains 8 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	LC50 (fish)	5,09 mg/l	-----	Pimephales promelas
	EC50 (waterflea)	1 mg/l		Daphnia magna
	IC50 (algae)	20,9 mg/l		Scenedesmus subspicatus
	Ultimate aerobic biodegradation (%)	80 %		
	EC0 (waterflea)	0,18 mg/l		Daphnia magna
	EC100 (waterflea)	3,2 mg/l		Daphnia magna
	Log P(ow)	4,0000		
	LC50 (fish)	1,34 mg/l		Brachydanio rerio
	EC50 (waterflea)	0,88 mg/l	OECD 202	Daphnia magna
	IC50 (algae)	0,49 mg/l	OECD 201	Pseudokirchnerella subcapitata
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	Ultimate aerobic biodegradation (%)	81,3 %	OECD 301 B	



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	NOEC (algae)	0,11 mg/l	OECD 201	Pseudokirchnerella subcapitata
	Log P(ow)	4,4		
	BCF	116		
	LC50 (fish)	2,0 mg/l	OECD 203	Oncorhynchus mykiss
Hexyl salicylate	EC50 (waterflea)	0,48 mg/l	OECD 202	Daphnia magna
	NOEC (fish)	0,52 mg/l	OECD 203	Oncorhynchus mykiss
	Log P(ow)	5,02		
	EC50 (waterflea)	0,357 mg/l	OECD 202	Daphnia magna
	LC50 (algae)	0,28 mg/l	OECD 201	Desmodesmus subspicatus
	Ultimate aerobic biodegradation (%)	91 %	OECD 301 F	
	LC50 (fish) - estimate	1,34 mg/l	-----	Brachydanio rerio
	Log P(ow)	5,5000		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose into the environment, in drains or in water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : UN 3082


14.2. UN proper shipping name

- Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one ; Reaction mass of 2-methylbutyl salicylate and pentyl salicylate)
- Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one ; Reaction mass of 2-methylbutyl salicylate and pentyl salicylate)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

- Class : 9
- Classification code : M6
- Packaging group : III
- Danger label : 9 + the "environmentally hazardous substance" mark.
- Tunnel restriction code : C/D



Other information : Not intended for carriage by tank-vessels on inland waterways. This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (Special provisions 375).

IMDG (sea)

Class : 9
 Packaging group : III
 EmS (fire / spill) : F - A / S - F
 Marine pollutant : Yes
 Other information : This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (IMDG code 37-14, 2.10.2.7).

IATA (air)

Class : 9

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2	: Calculation method.
Eye Irrit. 2	: Calculation method.
Skin Sens. 1/1A/1B	: Calculation method.
Aquatic Chronic 2	: Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

End of safety data sheet.