SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : ALEFIA REED DIFFUSER WOODY & CITRUS
Product code : ALE-057

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
Computerweg 3
3542 DP UTRECHT, The Netherlands
Telephone : +31-30-7116 824
Fax : +31-30-3100 141
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:
NL - Telephone : +31-30-7116 824 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):
National Poisons Information Service +44 344 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC) : Not classified as dangerous according to Regulation (EC) No 1272/2008.

Human health hazards : May produce an allergic reaction.
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/EC):
Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : EUH208 Contains ... May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208*.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:
Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : EUH208 Contains ... May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208*.

Additional labelling (for all packaging sizes)

: * Contains alpha-Hexylcinnamaldehyde ; 1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one ; 4-tert-Butylcyclohexyl acetate ; 1,3,4,6,7,8a-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalin-8(5H)-one ; Linalyl acetate ; Citronellol ; Linalool . May produce an allergic reaction.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
(2-Methoxymethylethoxy)propanol	50 - 75	34590-94-8	252-104-2	MAC	01-2119450011-60
Oxydipropanol	1 - < 5	25265-71-8	246-770-3	MAC	
2,6-Dimethyloct-7-en-2-ol	1 - < 5	18479-58-8	242-362-4		01-2119457274-37
alpha-Hexylcinnamaldehyde	0,1 - < 1	101-86-0	202-983-3		01-2119533092-50
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	0,1 - < 1	33704-61-9	251-649-3		01-2119977131-40
4-tert-Butylcyclohexyl acetate	0,1 - < 1	32210-23-4	250-954-9		01-2119976286-24
1,3,4,6,7,8a-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalin-8(5H)-one	0,1 - < 1	23787-90-8	245-890-3		01-2120136162-69
Linalyl acetate	0,1 - < 1	115-95-7	204-116-4		01-2119454789-19
Citronellol	0,1 - < 1	106-22-9	203-375-0		01-2119453995-23
Linalool	0,1 - < 1	78-70-6	201-134-4		01-2119474016-42

Substance name	Hazard Class	H-phrases	Pictograms	
(2-Methoxymethylethoxy)propanol	-----	-----	-----	
Oxydipropanol	-----	-----	-----	
2,6-Dimethyloct-7-en-2-ol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
alpha-Hexylcinnamaldehyde	Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 2	H317; H400; H411	GHS07; GHS09	M (acute) = 1
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2; Aquatic Chronic 2	H315; H317; H319; H411	GHS07; GHS09	
4-tert-Butylcyclohexyl acetate	Skin Sens. 1B	H317	GHS07	
1,3,4,6,7,8a-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalin-8(5H)-one	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
Linalyl acetate	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
Citronellol	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H319; H317; H315	GHS07	
Linalool	Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation	:	Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
Skin contact	:	Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
Eye contact	:	Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
Ingestion	:	Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation	:	No specific effects and/or symptoms are known.
Skin contact	:	May produce an allergic reaction. May cause dry skin.
Eye contact	:	May cause stinging of eyes and redness.
Ingestion	:	May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable	:	Carbondioxide (CO_2). Foam. Dry chemical. Water fog.
Not suitable	:	None known.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	None known.
Hazardous thermal decomposition products	:	Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : Steel (except stainless steel).

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments	Source
(2-Methoxymethylethoxy)propanol	GB	308	-	Skin	
(2-Methoxymethylethoxy)propanol	EC	308	-	Skin	
Oxydipropanol		67	-		MAC: DE

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
(2-Methoxymethylethoxy)propanol	Dermal				65 mg/kg bw/day
	Inhalation				310 mg/m3
Oxydipropanol	Dermal				84 mg/kg bw/day
	Inhalation				238 mg/m3
2,6-Dimethyloct-7-en-2-ol	Dermal				20,8 mg/kg bw/day
	Inhalation				73,5 mg/m3
alpha-Hexylcinnamaldehyde	Dermal	0,525 mg/kg bw		0,525 mg/kg bw/day	18,2 mg/kg bw/day
	Inhalation	6,28 mg/m3			0,078 mg/m3
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Dermal			5,510 mg/kg bw/day	0,42 mg/kg bw/day
	Inhalation				1,47 mg/m3

Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	2,5 mg/kg bw/day
	Inhalation				2,75 mg/m3
Citronellol	Dermal				45,8 mg/kg bw/day
	Inhalation				161,6 mg/m3
Linalool	Dermal		5 mg/kg bw		2,5 mg/kg bw/day
	Inhalation		16,5 mg/m3		2,8 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
(2-Methoxymethylethoxy)propanol	Dermal				15 mg/kg bw/day
	Inhalation				37,2 mg/m3
	Oral				1,67 mg/kg bw/day
Oxydipropanol	Dermal				51 mg/kg bw/day
	Inhalation				70 mg/m3
	Oral				24 mg/kg bw/day
2,6-Dimethyloct-7-en-2-ol	Dermal				12,5 mg/kg bw/day
	Inhalation				21,7 mg/m3
	Oral				12,5 mg/kg bw/day
alpha-Hexylcinnamaldehyde	Dermal	0,0787 mg/kg bw		0,0787 mg/kg bw/day	9,11 mg/kg bw/day
	Inhalation	4,71 mg/m3			0,019 mg/m3
	Oral				0,056 mg/kg bw/day
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Dermal			3,241 mg/kg bw/day	0,25 mg/kg bw/day
	Inhalation				0,44 mg/m3
	Oral				0,25 mg/kg bw/day
Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation				0,68 mg/m3
	Oral				0,2 mg/kg bw/day
Citronellol	Dermal				27,5 mg/kg bw/day
	Inhalation				47,8 mg/m3
	Oral				13,75 mg/kg bw/day
Linalool	Dermal		2,5 mg/kg bw	15 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation		4,1 mg/m3		0,7 mg/m3
	Oral		1,2 mg/kg bw		0,2 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
(2-Methoxymethylethoxy)propanol	Water	19 mg/l	1,9 mg/l	
	Sediment	70,2 mg/kg	7,02 mg/kg	
	Intermittent water			190 mg/l
	STP			4168 mg/l
	Soil			2,74 mg/kg
Oxydipropanol	Water	0,1 mg/l	0,01 mg/l	
	Sediment	0,238 mg/kg	0,0238 mg/kg	
	Intermittent water			1 mg/l
	STP			1000 mg/l
	Soil			0,0253 mg/kg
	Oral			313 mg/kg food
2,6-Dimethyloct-7-en-2-ol	Water	0,0278 mg/l	0,0027 mg/l	
	Sediment	0,594 mg/kg	0,0594 mg/kg	
	Intermittent water			0,278 mg/l

	STP			10 mg/l
	Soil			0,103 mg/kg
	Oral			111 mg/kg food
alpha-Hexylcinnamaldehyde	Water	0,03 mg/l	0,003 mg/l	
	Sediment	47,7 mg/kg	4,77 mg/kg	
	Intermittent water			0,03 mg/l
	STP			10 mg/l
	Soil			9,51 mg/kg
	Oral			6,6 mg/kg food
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Water	0,004 mg/l	0 mg/l	
	Sediment	0,0991 mg/kg	0,00991 mg/kg	
	STP			10 mg/l
	Soil			0,0174 mg/kg
	Oral			1,11 mg/kg food
4-tert-Butylcyclohexyl acetate	Water	0,0053 mg/l	0,00053 mg/l	
	Sediment	2,01 mg/kg	0,21 mg/kg	
	Intermittent water			0,053 mg/l
	STP			12,2 mg/l
	Soil			0,42 mg/kg
	Oral			66,76 mg/kg food
Linalyl acetate	Water	0,011 mg/l	0,001 mg/l	
	Sediment	0,609 mg/kg	0,061 mg/kg	
	Intermittent water			0,11 mg/l
	STP			10 mg/l
	Soil			0,115 mg/kg
Citronellol	Water	0,0024 mg/l	0,00024 mg/l	
	Sediment	0,0256 mg/kg	0,00256 mg/kg	
	Intermittent water			0,024 mg/l
	STP			580 mg/l
	Soil			0,00371 mg/kg
Linalool	Water	0,2 mg/l	0,02 mg/l	
	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
	STP			10 mg/l
	Soil			0,327 mg/kg
	Oral			7,8 mg/kg food

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.
Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:
The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: butyl. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: butyl. ± 0,7 mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	:	Liquid.	
Colour	:	Colourless.	
Odour	:	Perfumed.	
Odour threshold	:	Not known.	
pH	:	2 - 11,5	
Solubility in water	:	Dispersible.	
Partition coefficient (n-octanol/water)	:	Not known.	Not measured. Not relevant for mixtures.
Flash point	:	> 60 °C	
Flammability (solid, gas)	:	Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	:	> 207 °C	
Boiling point/boiling range	:	100 °C	
Melting point/melting range	:	< -20 °C	
Explosive properties	:	None known.	Does not contain explosives.
Explosion limits (% in air)	:	Not known.	Lower explosion limit in air (%): 1,1 ((2-Methoxymethylethoxy)propanol)
	:		Upper explosion limit in air (%): 14 ((2-Methoxymethylethoxy)propanol)
Oxidising properties	:	Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	:	Not known.	
Viscosity (20°C)	:	1 mm2/sec	(1 mm2/sec = 1cSt)
Viscosity (40°C)	:	Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	:	> 2300 Pa	
Vapour density (20°C)	:	> 1	(air = 1)
Relative density (20°C)	:	1 g/ml	
Evaporation rate	:	< 1	(n-butyl acetate = 1)

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 4,56 mg/l. Ingredients of unknown toxicity: 3 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

Ingestion

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
alpha-Hexylcinnamaldehyde	NOAEL (development, oral)	100 mg/kg bw/d	OECD 421	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Eye irritation	Non-irritant		Rabbit
	NOAEL (oral) - estimate	30 mg/kg bw/d	Read across	Rat
	LD50 (dermal)	> 3000 mg/kg bw	OECD 402	Rabbit
	LC50 (inhalation)	> 5000 mg/m3	OECD 403	Rat
	LD50 (oral)	> 2450 mg/kg bw	OECD 401	Rat

	Skin sensitisation	2372 ug/cm2	OECD 429	Mouse
	Skin irritation	Moderately irritant	OECD 404	Rabbit
	NOAEL (dermal)	25 mg/kg bw/d		Rat
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	LD50 (oral)	> 2325 mg/kg bw	OECD 401	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin irritation	Irritant		Human
	Eye irritation	Irritant	-----	-----
	NOAEL (oral)	10 mg/kg bw/d	OECD 408	Rat
	NOAEL (development, oral)	115 mg/kg bw/d	OECD 421	Rat
	NOAEL (fertility, oral)	115 mg/kg bw/d	OECD 421	Rat
4-tert-Butylcyclohexyl acetate	LD50 (oral)	5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Eye irritation	Non-irritant		Rabbit
	Skin irritation	Non-irritant		Rabbit
	NOAEL (oral) - estimate	710 mg/kg bw/d	Read across	
1,3,4,6,7,8a-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalin-8(5H)-one	Skin irritation	Irritant		
	LD50 (oral)	> 2000 mg/kg bw	OECD 420	Rat
Linalyl acetate	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	Rat
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	NOAEL (oral)	160 mg/kg bw/d	OECD 407	Rat
	Eye irritation	Irritant	OECD 405	Rabbit
	Skin irritation	Irritant	OECD 404	Rabbit
	Skin irritation	Non-irritant	-----	Human
	LC50 (inhalation)	> 2740 mg/m3	-----	Mouse
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	LD50 (oral)	13934 mg/kg bw	-----	Rat
		1000 mg/kg bw/d	OECD 414	Rat
Citronellol	Genotoxicity - in vitro	Not genotoxic		
	Skin sensitisation	10875 ug/cm2	OECD 429	Mouse
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	NOAEL (oral)	> 50 mg/kg bw/d		Rat
	Skin irritation	Moderately irritant		Rabbit
	LD50 (oral)	3450 mg/kg bw	-----	Rat
	LD50 (dermal)	2650 mg/kg bw		Rabbit
	NOAEL (fertility, dermal)	300 mg/kg bw/d	OECD 421	Rat
	NOAEL (developmental toxicity, dermal)	> 300 mg/kg bw/d	OECD 421	Rat
	Skin irritation	Moderately irritant	Patch test	Human
	Eye irritation	Moderately irritant		Rabbit
Linalool	NOAEL (development, oral)	365 mg/kg bw/d	-----	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin sensitisation	12650 ug/cm2	OECD 429	Mouse

	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility, oral)	500 mg/kg bw/d		Rat
	Skin irritation	Irritant	OECD 404	Rabbit
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	LD50 (dermal)	5610 mg/kg bw	-----	Rabbit
	Skin irritation	Mildly irritant	-----	Human
	LD50 (oral)	2790 mg/kg bw	-----	Rat
	NOAEL (oral)	117 mg/kg bw/d	-----	Rat

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 40 mg/l. Calculated EC50 (waterflea): 27 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability : No specific information known.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : Spilled product can penetrate into the ground and get into the surface water and ground water.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as chemical waste. Dispose waste to an official chemical waste depot.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)
Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)
Class : This product is not classified according to IMDG.
Marine pollutant : No

IATA (air)
Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE : Acute Toxicity Estimate
CLP : Classification, Labeling & Packaging
CMR : Carcinogenic, Mutagenic or toxic for Reproduction
EEC : European Economic Community
GHS : Globally Harmonized System of Classification and Labelling of Chemicals
IATA : International Air Transport Association
IBC code : International Bulk Chemical Code

IMDG	:	International Maritime Dangerous Goods Code
LD50/LC50	:	Lethal Dose/Concentration for 50% of a population
MAC	:	Maximum Allowable Concentration
MARPOL	:	International Convention for the Prevention of Pollution From Ships
NO(A)EL	:	No Observed (Adverse) Effect Level
OECD	:	Organisation for Economic Co-operation and Development
PBT	:	Persistent, Bioaccumulative and Toxic
PC	:	Chemical product category
PT	:	Product type
REACH	:	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	:	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	:	Sewage Treatment Plant
SU	:	Sector of Use
TWA/STEL	:	Time-Weighted Average/Short Term Exposure Limit
UN	:	United Nations
VOC	:	Volatile Organic Compounds
vPvB	:	Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Not classified	:	Based on test methods, experts judgement, bridging principles and calculation methods.

Full text of hazard classes mentioned in section 3:

Skin Irrit. 2	:	Skin irritation, category 2.
Eye Irrit. 2	:	Eye irritation, category 2.
Skin Sens. 1/1A/1B	:	Skin sensitization, category 1/1A/1B.
Aquatic Chronic 2	:	Hazardous to the aquatic environment — Chronic category 2.
Aquatic Acute 1	:	Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.