



SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : LIMPRO PERFUME CARD FLORAL & SWEET
Product code : LIM-013, LP1V013
UFI : V600-S0Y9-W003-0WNA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products for indoor rooms (continuous action). Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
Leemansweg 40
6827 BX Arnhem, The Netherlands
Telephone : +31-30-7116 824
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment —
(1272/2008/EC) Chronic category 2.
Human health hazards : May cause an allergic skin reaction. Causes serious eye irritation.
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.
Environmental hazards : Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :




Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of water/soap.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P273 Avoid release to the environment.
P391 Collect spillage.

P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

H317	May cause an allergic skin reaction.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: 3,7-Dimethylnona-1,6-dien-3-ol ; Benzyl salicylate ; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers) ; Alpha-methyl-1,3-benzodioxole-5-propionaldehyde ; Piperonal ; Citronellol ; Linalool ; Linalyl acetate ; (Ethoxymethoxy)cyclododecane ; 3-(p-Methoxyphenyl)-2-methylpropionaldehyde ; Methyl 2,4-dihydroxy-3,6-dimethylbenzoate ; [3R-(3 α ,3 α β ,6 α ,7 β ,8 α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene ; Geraniol ; d-Limonene ; Cinnamyl alcohol ; Geranyl acetate ; (E)-1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

*

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
2,6-Dimethyloct-7-en-2-ol	1 - < 5	18479-58-8	242-362-4		01-2119457274-37
3,7-Dimethylnona-1,6-dien-3-ol	1 - < 5	10339-55-6	233-732-6		01-2119969272-32
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	1 - < 5	63500-71-0	405-040-6		01-2119455547-30
Benzyl acetate	1 - < 5	140-11-4	205-399-7		01-2119638272-42
(Z)-3-hexenyl salicylate	1 - < 3	65405-77-8	265-745-8		01-2119987320-37
Benzyl salicylate	1 - < 5	118-58-1	204-262-9		01-2119969442-31
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers)	1 - < 2,5	-----	915-730-3		01-2119489989-04
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	1 - < 2,5	1205-17-0	214-881-6		01-2120740119-58
Piperonal	1 - < 3	120-57-0	204-409-7		01-2119983608-21



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Citronellol	1 - < 5	106-22-9	203-375-0		01-2119453995-23
Linalool	1 - < 5	78-70-6	201-134-4		01-2119474016-42
Linalyl acetate	0,1 - < 1	115-95-7	204-116-4		01-2119454789-19
(Ethoxymethoxy)cyclododecane	0,1 - < 1	58567-11-6	261-332-1		01-2119971571-34
3-(p-Methoxyphenyl)-2-methylpropionaldehyde	0,1 - < 1	5462-06-6	226-749-5		01-2120629103-67
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	0,1 - < 1	4707-47-5	225-193-0		01-2120762759-36
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	0,1 - < 1	34902-57-3	422-320-3		01-0000016883-62
[3R-(3 α ,3 α β ,6 α ,7 β ,8 α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	0,1 - < 1	67874-81-1	267-510-5		01-2120228335-61
Geraniol	0,1 - < 1	106-24-1	203-377-1		01-2119552430-49
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	0,25 - < 1	----	911-280-7		01-2119969444-27
d-Limonene	0,1 - < 1	5989-27-5	227-813-5		01-2119529223-47
Cinnamyl alcohol	0,1 - < 1	104-54-1	203-212-3		01-2119934496-29
Geranyl acetate	0,1 - < 1	105-87-3	203-341-5		01-2119973480-35
(E)-1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	0,01 - < 0,1	23726-93-4	245-844-2		01-2120105798-49

Substance name	Hazard Class	H-phrases	Pictograms	
2,6-Dimethyloct-7-en-2-ol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
3,7-Dimethylnona-1,6-dien-3-ol	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Eye Irrit. 2	H319	GHS07	
Benzyl acetate	Aquatic Chronic 3	H412		
(Z)-3-hexenyl salicylate	Repr. 2; Aquatic Acute 1	H361; H400	GHS08; GHS09	M (acute) = 1
Benzyl salicylate	Eye Irrit. 2; Aquatic Chronic 3; Skin Sens. 1B	H319; H412; H317	GHS07	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers)	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 1	H315; H317; H410	GHS07; GHS09	
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Skin Sens. 1B; Repr. 2; Aquatic Chronic 2	H317; H361fd; H411	GHS07; GHS08; GHS09	
Piperonal	Skin Sens. 1B; Repr. 2	H317; H361fd	GHS07; GHS08	
Citronellol	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
Linalool	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
Linalyl acetate	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
(Ethoxymethoxy)cyclododecane	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
3-(p-Methoxyphenyl)-2-methylpropionaldehyde	Skin Sens. 1B	H317	GHS07	
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	Skin Sens. 1B	H317	GHS07	
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

[3R-(3 α ,3 β ,6 α ,7 β ,8 α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene Geraniol	Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1 Skin Irrit. 2; Skin Sens. 1B; Eye Dam. 1	H317; H400; H410 H315; H317; H318	GHS07; GHS09 GHS05; GHS07	M (acute) = 1 M (chronic) = 1
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 1	H302; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1
d-Limonene	Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 3	H226; H304; H315; H317; H400; H412	GHS02; GHS07; GHS08; GHS09	M (acute) = 1
Cinnamyl alcohol	Acute Tox. 4; Skin Irrit. 2; Skin Sens. 1B	H302; H315; H317	GHS07	
Geranyl acetate	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 3	H315; H317; H412	GHS07	
(E)-1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	Skin Irrit. 2; Skin Sens. 1A; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	

[1] Non classified substance for which a legal or recommended limit value applies. Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbon dioxide (CO₂). Foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.



5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.
Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with eyes and unnecessary contact to skin. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

*

8.1. Control parameters



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments	Source
Benzyl acetate		5	-		MAC: LT
d-Limonene		28	80		MAC: DE, CH
Oxydipropanol		67	-		MAC: DE

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
2,6-Dimethyloct-7-en-2-ol	Dermal				7 mg/kg bw/day
	Inhalation				24.7 mg/m3
3,7-Dimethylnona-1,6-dien-3-ol	Inhalation		18 mg/m3		3 mg/m3
	Dermal	1,6 mg/kg bw	5,5 mg/kg bw	1,6 mg/kg bw/day	2,7 mg/kg bw/day
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Inhalation				44,1 mg/m3
	Dermal				41,7 mg/kg bw/day
Benzyl acetate	Inhalation				9 mg/m3
	Dermal				2.5 mg/kg bw/day
(Z)-3-hexenyl salicylate	Inhalation				1,59 mg/m3
	Dermal				0,9 mg/kg bw/day
Benzyl salicylate	Inhalation				7,8 mg/m3
	Dermal				2,21 mg/kg bw/day
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers)	Inhalation				30 mg/m3
	Dermal			0,648 mg/kg bw/day	28,7 mg/kg bw/day
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Inhalation				1,2 mg/m3
	Dermal			0,01 mg/kg bw/day	0,17 mg/kg bw/day
Piperonal	Inhalation				5,29 mg/m3
	Dermal				0,75 mg/kg bw/day
Citronellol	Inhalation	10 mg/m3		10 mg/m3	161,6 mg/m3
	Dermal	2,950 mg/kg bw			327,4 mg/kg bw/day
Linalool	Inhalation				24.58 mg/m3
	Dermal	3 mg/kg bw		3 mg/kg bw/day	3.5 mg/kg bw/day
Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	2,5 mg/kg bw/day
	Inhalation				2,75 mg/m3
(Ethoxymethoxy)cyclododecane	Inhalation				23,5 mg/m3
	Dermal				3,3 mg/kg bw/day
3-(p-Methoxyphenyl)-2-methylpropionaldehyde	Inhalation				6.35 mg/m3
	Dermal			3.9923 mg/kg bw/day	1.8 mg/kg bw/day
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	Dermal			2,5 mg/kg bw/day	



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

[3R-(3 α ,3 β ,6 α ,7 β ,8 α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	Inhalation				16.1 mg/m3
	Dermal			2.03 mg/kg bw/day	4.5 mg/kg bw/day
Geraniol	Inhalation				161,6 mg/m3
	Dermal				12,5 mg/kg bw/day
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	Inhalation	141,05 mg/m3			5,97 mg/m3
	Dermal				1,69 mg/kg bw/day
d-Limonene	Inhalation				66,7 mg/m3
	Dermal				9,5 mg/kg bw/day
Cinnamyl alcohol	Dermal				0.749 mg/kg bw/day
	Inhalation				2,64 mg/m3
Geranyl acetate	Inhalation				62,59 mg/m3
	Dermal				35,5 mg/kg bw/day
(E)-1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	Inhalation				2,71 mg/m3
	Dermal				0,77 mg/kg bw/day
Oxydipropanol	Dermal				84 mg/kg bw/day
	Inhalation				238 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
2,6-Dimethyloct-7-en-2-ol	Dermal				2.5 mg/kg bw/day
	Inhalation				4.35 mg/m3
	Oral				2.5 mg/kg bw/day
3,7-Dimethylnona-1,6-dien-3-ol	Inhalation		4,4 mg/m3		0,74 mg/m3
	Dermal	1,6 mg/kg bw	2,7 mg/kg bw	1,6 mg/kg bw/day	1,4 mg/kg bw/day
	Oral		1,3 mg/kg bw		0,2 mg/kg bw/day
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Inhalation				13 mg/m3
	Dermal				25 mg/kg bw/day
	Oral				7,5 mg/kg bw/day
Benzyl acetate	Inhalation				2.2 mg/m3
	Dermal				1.3 mg/kg bw/day
	Oral		6,25 mg/kg bw		1.3 mg/kg bw/day
(Z)-3-hexenyl salicylate	Inhalation				0,39 mg/m3
	Dermal				0,45 mg/kg bw/day
	Oral				0,23 mg/kg bw/day
Benzyl salicylate	Inhalation				1,37 mg/m3
	Dermal				0,79 mg/kg bw/day
	Oral				0,79 mg/kg bw/day
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers)	Inhalation				9 mg/m3
	Dermal			0,38 mg/kg bw/day	17,2 mg/kg bw/day
	Oral				3 mg/kg bw/day
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Inhalation				0,29 mg/m3
	Dermal			0,005 mg/kg bw/day	0,083 mg/kg bw/day
	Oral				0,17 mg/kg bw/day



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Piperonal	Inhalation				1,3 mg/m3
	Dermal				0,375 mg/kg bw/day
	Oral				0,375 mg/kg bw/day
Citronellol	Inhalation	10 mg/m3		10 mg/m3	47,8 mg/m3
	Dermal	2,950 mg/kg bw			196,4 mg/kg bw/day
	Oral				13,8 mg/kg bw/day
Linalool	Dermal	1.5 mg/kg bw		1.5 mg/kg bw/day	1.25 mg/kg bw/day
	Inhalation				4.33 mg/m3
	Oral				2.49 mg/kg bw/day
Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation				0,68 mg/m3
	Oral				0,2 mg/kg bw/day
(Ethoxymethoxy)cyclododecane	Inhalation				5,8 mg/m3
	Dermal				1,67 mg/kg bw/day
	Oral				1,67 mg/kg bw/day
3-(p-Methoxyphenyl)-2-methylpropionaldehyde	Oral				1.08 mg/kg bw/day
	Inhalation				1.88 mg/m3
	Dermal			3.9923 mg/kg bw/day	1.08 mg/kg bw/day
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	Dermal			1,25 mg/kg bw/day	
[3R-(3 α ,3 α ,6 α ,7 β ,8 α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	Inhalation				4.7 mg/m3
	Dermal			1.22 mg/kg bw/day	2.7 mg/kg bw/day
	Oral				2.7 mg/kg bw/day
Geraniol	Inhalation				47,8 mg/m3
	Dermal				7,5 mg/kg bw/day
	Oral				13,75 mg/kg bw/day
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	Inhalation		34,78 mg/m3		1,05 mg/m3
	Dermal				0,605 mg/kg bw/day
	Oral		20 mg/kg bw		0,605 mg/kg bw/day
d-Limonene	Inhalation				16,6 mg/m3
	Dermal				4,8 mg/kg bw/day
	Oral				4,8 mg/kg bw/day
Cinnamyl alcohol	Inhalation				0,465 mg/m3
	Dermal				0,268 mg/kg bw/day
	Oral				0,268 mg/kg bw/day
Geranyl acetate	Inhalation				15,4 mg/m3
	Dermal				17,75 mg/kg bw/day
	Oral				8,9 mg/kg bw/day
(E)-1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	Inhalation				0,67 mg/m3
	Dermal				0,38 mg/kg bw/day
	Oral				0,38 mg/kg bw/day
Oxydipropanol	Dermal				51 mg/kg bw/day
	Inhalation				70 mg/m3
	Oral				24 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water
---------------	-------------------	-------------	--------------



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

2,6-Dimethyloct-7-en-2-ol	Water	0,0278 mg/l	0,0027 mg/l	
	Sediment	0,594 mg/kg	0,0594 mg/kg	
	Intermittent water			0,278 mg/l
	STP			10 mg/l
	Soil			0,103 mg/kg
3,7-Dimethylnona-1,6-dien-3-ol	Oral			111 mg/kg food
	Water	0,023 mg/l	0,0023 mg/l	
	Sediment	0,223 mg/kg	0,0223 mg/kg	
	Intermittent water			0,23 mg/l
	STP			10 mg/l
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Soil			0,031 mg/kg
	Oral			8,53 mg/kg food
	Water	0,094 mg/l	0,009 mg/l	
	Sediment	0,412 mg/kg	0,041 mg/kg	
	Intermittent water			0,94 mg/l
Benzyl acetate	STP			10 mg/l
	Soil			0,09 mg/kg
	Water	0,018 mg/l	0,002 mg/l	
	Sediment	0,526 mg/kg	0,053 mg/kg	
	Intermittent water			0,04 mg/l
(Z)-3-hexenyl salicylate	STP			8,55 mg/l
	Soil			0,094 mg/kg
	Water	0,00061 mg/l	0,000061 mg/l	
	Sediment	0,11 mg/kg	0,011 mg/kg	
	Intermittent water			0,0061 mg/l
Benzyl salicylate	STP			10 mg/l
	Soil			0,022 mg/kg
	Oral			40 mg/kg food
	Water	0,001 mg/l	0 mg/l	
	Sediment	0,583 mg/kg	0,058 mg/kg	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers)	Intermittent water			0,01030 mg/l
	STP			10 mg/l
	Soil			1,41 mg/kg
	Oral			52,7 mg/kg food
	Water	0,025 mg/l	0,0025 mg/l	
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Sediment	3,73 mg/kg	0,75 mg/kg	
	Intermittent water			0,0013 mg/l
	STP			10 mg/l
	Soil			2,7 mg/kg
	Oral			26,7 mg/kg food
Piperonal	Water	0,005 mg/l	0,001 mg/l	
	Sediment	0,057 mg/kg	0,006 mg/kg	
	STP			10 mg/l
	Soil			0,008 mg/kg
	Water	0,0025 mg/l	0,0002 mg/l	
Citronellol	Sediment	0,0119 mg/kg	0,0012 mg/kg	
	Intermittent water			0,025 mg/l
	STP			10 mg/l
	Soil			0,0008 mg/kg
	Water	0,002 mg/l	0 mg/l	
	Sediment	0,026 mg/kg	0,003 mg/kg	
	Intermittent water			0,024 mg/l
	STP			580 mg/l



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Linalool	Soil			0.004 mg/kg
	Water	0,2 mg/l	0,02 mg/l	
	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
	STP			10 mg/l
Linalyl acetate	Soil			0,327 mg/kg
	Oral			7,8 mg/kg food
	Water	0,011 mg/l	0,001 mg/l	
	Sediment	0,609 mg/kg	0,061 mg/kg	
	Intermittent water			0,11 mg/l
(Ethoxymethoxy)cyclododecane	STP			1 mg/l
	Soil			0,115 mg/kg
	Water	0,0016 mg/l	0,00016 mg/l	
	Sediment	2,35 mg/kg	0,235 mg/kg	
	Intermittent water			0,016 mg/l
3-(p-Methoxyphenyl)-2-methylpropionaldehyde	STP			100 mg/l
	Soil			0,468 mg/kg
	Oral			33,3 mg/kg food
	Water	0.0052 mg/l	0.00052 mg/l	
	Sediment	0.104 mg/kg	0.014 mg/kg	
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	STP			3 mg/l
	Soil			0.0178 mg/kg
	Water	0,0033 mg/l	0,00033 mg/l	
	Sediment	0,089 mg/kg	0,0089 mg/kg	
	STP			10 mg/l
[3R-(3 α ,3a β ,6 α ,7 β ,8a α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	Soil			0,016 mg/kg
	Water	0.00043 mg/l	0.000043 mg/l	
	Sediment	1.29 mg/kg	0.129 mg/kg	
	STP			100 mg/l
	Soil			0.257 mg/kg
Geraniol	Water	0,0108 mg/l	0,0010 mg/l	
	Sediment	0,115 mg/kg	0,0115 mg/kg	
	Intermittent water			0,108 mg/l
	STP			0,7 mg/l
	Soil			0,0167 mg/kg
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	Water	0.00244 mg/l	0.000244 mg/l	
	Sediment	1.23 mg/kg	0.123 mg/kg	
	Intermittent water			0,0077 mg/l
	STP			10 mg/l
	Soil			5.33 mg/kg
d-Limonene	Oral			40.33 mg/kg food
	Water	0.014 mg/l	0.0014 mg/l	
	Sediment	3.85 mg/kg	0.385 mg/kg	
	STP			1.8 mg/l
	Soil			0.763 mg/kg
Cinnamyl alcohol	Oral			133 mg/kg food
	Water	0.0077 mg/l	0.0007 mg/l	
	Sediment	0.118 mg/kg	0.0118 mg/kg	
	Intermittent water			1,09 mg/l
	STP			16,127 mg/l
Geranyl acetate	Soil			0.019 mg/kg
	Water	0,00372 mg/l	0.00037 mg/l	

(E)-1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	Sediment	0,442 mg/kg	0,442 mg/kg	
	Intermittent water			0,0372 mg/l
	STP			8 mg/l
	Soil			0,0859 mg/kg
Oxydipropanol	Water	0,00109 mg/l	0,0011 mg/l	
	Sediment	0,087 mg/kg	0,00867 mg/kg	
	STP			3,2 mg/l
	Soil			0,017 mg/kg
	Oral			6,67 mg/kg food
	Water	0,1 mg/l	0,01 mg/l	
	Sediment	0,238 mg/kg	0,0238 mg/kg	
	Intermittent water			1 mg/l
	STP			1000 mg/l
	Soil			0,0253 mg/kg
	Oral			313 mg/kg food

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: not known.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: not known.

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166 / ISO 16321-3, when there is danger of possible eye contact.

Environmental exposure controls : Avoid release to the environment.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Not measured. Not relevant for mixtures.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Flash point	: > 100 °C	Closed cup.
Auto ignition temperature	: > 220 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: Not known.	
Explosive properties	: Not explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,9 (Linalool)
		Upper explosion limit in air (%): 5,2 (Linalool)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: Not known	(air = 1)
Relative density (20°C)	: 0,923 g/ml	
Particle characteristics	: Not applicable.	Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 23 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Carcinogenicity	: Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: May cause sensitisation by skin contact. May produce an allergic reaction.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Irritant.
Ingestion	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Target organ toxicity (RE)	: No specific effects and/or symptoms are known.
Aspiration	: Danger of aspiration is not expected. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: No specific effects and/or symptoms are known.
Carcinogenicity	: Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not classified - Based on available data, the classification criteria are not met. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
2,6-Dimethyloct-7-en-2-ol	NOAEL (development) - estimate	1000 mg/kg.d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (oral) - estimate	500 mg/kg bw/d	Read across	Rat
	LD50 (oral)	3600 mg/kg bw	-----	Rat
	Skin sensitisation	Not sensitizing		
	Skin irritation	Slightly irritant	-----	Rabbit
	Eye irritation	Moderately irritant	OECD 405	Rabbit
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	LD50 (oral)	5000 mg/kg bw	-----	Rat
3,7-Dimethylnona-1,6-dien-3-ol	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	NOAEL (oral) - estimate	117 mg/kg bw/d	Read across	Rat
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	Skin irritation	Irritant	-----	Rabbit
	Eye irritation	Irritant	-----	Rabbit
	NOAEL (developmental toxicity, dermal)	> 1000 mg/kg bw/d	-----	Rat
	LD50 (oral)	> 5000 mg/kg bw	-----	Rat
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
	Eye irritation	Irritant	-----	Rabbit



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Benzyl salicylate	Skin irritation	Non-irritant	-----	Rabbit
	Skin irritation	Non-irritant	Patch test	Human
	Genotoxicity - in vitro	Not genotoxic	OECD 473	-----
	Genotoxicity - in vivo	> 600 mg/kg bw/d	OECD 474	Mouse
	NOAEL (dermal)	> 1000 mg/kg bw/d	OECD 411	
	NOAEL (oral)	125 mg/kg bw/d	OECD 407	Rat
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility, dermal)	> 1000 mg/kg bw/d		Rat
	NOAEL (fertility, oral)	158 mg/kg bw/d	OECD 421	Rat
	Skin sensitisation	725 ug/cm2	OECD 429	Mouse
	NOAEL (oral)	177 mg/kg bw/d	OECD 408	Rat
	Skin irritation	Non-irritant	OECD 404	Rabbit
	NOAEL (development, oral)	158 mg/kg bw/d	OECD 421	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Eye irritation	Moderately irritant	-----	Rabbit
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers)	LD50 (oral) - estimate	> 2000 mg/kg bw	Read across	
	LD50 (dermal) - estimate	> 2000 mg/kg bw	Read across	
	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rat
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	Skin irritation	Irritant	-----	-----
	Eye irritation - estimate	Non-irritant	QSAR	-----
	NOAEL (oral)	120 mg/kg bw/d	OECD 408	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (development, oral)	480 mg/kg bw/d	OECD 414	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOAEL (fertility, oral)	> 300 mg/kg bw/d		Rat
	Skin sensitisation	4100 ug/cm2	OECD 429	-----
	NOAEL (dermal)	> 300 mg/kg bw/d	-----	Rat
	NOAEL (development, oral)	> 500 mg/kg bw/d		Rat
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Skin irritation	Non-irritant		
	LD50 (oral)	3600 mg/kg bw	-----	Rat
	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
	Skin irritation	Non-irritant		
	NOAEL (fertility, oral)	100 mg/kg bw/d	OECD 422	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rat
	LD50 (oral)	2700 mg/kg bw	OECD 401	Rat
	NOAEL (oral)	300 mg/kg bw/d	OECD 408	Rat
	NOEL (carcinogenicity, oral)	250 mg/kg bw/d	OECD 453	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 473	-----
	Genotoxicity - in vivo	Not genotoxic	OECD 478	Mouse
	Skin irritation	Slightly irritant	-----	Guinea pig
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	300 mg/kg bw/d	OECD 422	Rat
	Skin sensitisation	Sensitizing.		Guinea pig
Piperonal				



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Citronellol	NOAEL (development, oral)	300 mg/kg bw/d	OECD 422	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic		
	Skin sensitisation	10875 ug/cm2	OECD 429	Mouse
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	NOAEL (oral)	> 50 mg/kg bw/d		Rat
	Skin irritation	Moderately irritant		Rabbit
	LD50 (oral)	3450 mg/kg bw	-----	Rat
	LD50 (dermal)	2650 mg/kg bw		Rabbit
	NOAEL (fertility, dermal)	300 mg/kg bw/d	OECD 421	Rat
	NOAEL (developmental toxicity, dermal)	> 300 mg/kg bw/d	OECD 421	Rat
	Skin irritation	Moderately irritant	Patch test	Human
	Eye irritation	Moderately irritant		Rabbit
	NOAEL (development, oral)	365 mg/kg bw/d	-----	Rat
Linalool	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin sensitisation	12650 ug/cm2	OECD 429	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility, oral)	500 mg/kg bw/d		Rat
	Skin irritation	Irritant	OECD 404	Rabbit
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	LD50 (dermal)	5610 mg/kg bw	-----	Rabbit
	Skin irritation	Mildly irritant	-----	Human
	LD50 (oral)	2790 mg/kg bw	-----	Rat
	NOAEL (oral)	117 mg/kg bw/d	-----	Rat
	Outdoor cleaners (excludes stone, concrete and similar surfaces)	1000 mg/kg bw/d	OECD 414	Rat
	LD50 (oral)	13934 mg/kg bw	-----	Rat
	LC50 (inhalation)	> 2740 mg/m3	-----	Mouse
Linalyl acetate	Skin irritation	Non-irritant	-----	Human
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (oral) - estimate	160 mg/kg bw/d	OECD 407	Rat
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	Rat
	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rabbit
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
(Ethoxymethoxy)cyclododecane	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOAEL (oral)	1000 mg/kg bw/d	OECD 422	Rat



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

3-(p-Methoxyphenyl)-2-methylpropionaldehyde	NOAEL (development, oral)	1000 mg/kg bw/d	OECD 422	Rat
	NOAEL (fertility, oral)	1000 mg/kg bw/d	OECD 422	Rat
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	LD50 (oral)	> 5000 mg/kg bw		Rat
	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rat
	Skin irritation	Non-irritant	OECD 439	
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOAEL (oral)	> 717 mg/kg bw/d	OECD 422	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Positive	OECD 473	----
[3R-(3 α ,3a β ,6 α ,7 β ,8a α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	NOAEL (fertility, oral)	> 1000 mg/kg bw/d	OECD 422	Rat
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 422	Rat
	NOEL (carcinogenicity) - estimate	Not carcinogenic		
	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rabbit
	LC50 (inhalation) - estimate	> 13000 mg/m3	Read across	
	NOEL (oral)	> 550 mg/kg bw/d		Rat
	NOAEL (oral)	> 550 mg/kg bw/d		
	LD50 (dermal)	> 5000 mg/kg bw	----	Rabbit
	LD50 (oral)	> 2840 mg/kg bw	----	Rat
Geraniol	NOEL (carcinogenicity) - estimate	Not carcinogenic	Read across	
	NOAEL (dermal)	300 mg/kg bw/d	OECD 421	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (developmental toxicity, dermal)	> 300 mg/kg bw/d	OECD 421	Rat
	NOAEL (fertility, dermal)	> 300 mg/kg bw/d	OECD 421	Rat
	Skin sensitisation	3525 ug/cm2	OECD 429	Mouse
	Genotoxicity - in vivo	> 2000 mg/kg bw/d		Rat
	NOEL (carcinogenicity, oral)	> 300 mg/kg bw/d	OECD 451	Rat
d-Limonene	Eye irritation	Non-irritant	OECD 405	Rabbit
	Mutagenicity	Negative	OECD 471	
	NOAEL (development, oral)	600 mg/kg bw/d		Rat
	Skin irritation	Irritant	----	----
	LD50 (dermal)	> 2000 mg/kg bw	----	Rabbit
	LD50 (oral)	> 2000 mg/kg bw	OECD 423	Rat
	Genotoxicity - in vitro	Not genotoxic		
	NOAEL (oral)	150 mg/kg bw/d		Rat
	NOAEL (fertility, oral)	350 mg/kg bw/d	OECD 421	Rat
	Skin sensitisation	5250 ug/cm2	OECD 429	Mouse



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Geranyl acetate	LD50 (oral)	2000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	Skin irritation	Moderately irritant	-----	Rabbit
	Eye irritation - estimate	Non-irritant	Read across	Rabbit
	NOAEL (oral)	1000 mg/kg bw/d	OECD 427	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	Skin irritation	Moderately irritant		Guinea pig
	Skin sensitisation	Sensitizing.	-----	-----
	NOEL (carcinogenicity) - estimate	> 2000 mg/kg.d	Read across	Rat
	NOAEL (dermal) - estimate	1000 mg/kg bw/d	Read across	Mouse
	LD50 (dermal)	> 5460 mg/kg bw		Rabbit
	LD50 (oral)	6330 mg/kg bw	-----	Rat
	Mutagenicity	Negative	OECD 471	-----
(E)-1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	LD50 (dermal) - estimate	> 2150 mg/kg bw	Read across	Rat
	LD50 (oral)	> 2000 mg/kg bw	-----	Rat
	LC50 (inhalation)	2930 mg/m3		-----
	Skin irritation	Irritant	-----	-----
	Eye irritation - estimate	Non-irritant	Read across	Rabbit
	Skin sensitisation	305 ug/cm2	OECD 429	Mouse
	NOAEL (oral) - estimate	30 mg/kg bw/d	Read across	Rat
	NOAEL (development) - estimate	400 mg/kg.d	Read across	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	-----

11.2. Information on other hazards

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties at levels of 0.1% or higher.
Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 7 mg/l. Calculated EC50 (waterflea): 7 mg/l.
Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.



12.6. Endocrine disrupting properties

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties at levels of 0.1% or higher.

12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-ones (isomers)	Ultimate aerobic biodegradation (%)	0 %	OECD 301 C	
	LC50 (fish)	1,3 mg/l	OECD 203	Lepomis macrochirus
	NOEC (fish)	2,2 mg/l	OECD 203	Lepomis macrochirus
	NOEC (fish)	0,16 mg/l.d	OECD 210	Brachydanio rerio
	EC50 (waterflea)	1,38 mg/l	OECD 202	Daphnia magna
	NOEC (waterflea) - chronic	0,028 mg/l.d	OECD 211	Daphnia magna
	IC50 (algae)	> 2,6 mg/l	OECD 201	Desmodesmus subspicatus
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Log P(ow)	5,23		
	BCF	391		
	EC50 (waterflea)	8,3 mg/l	OECD 202	Daphnia magna
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	LC50 (fish)	> 4,6 mg/l	OECD 203	Oncorhynchus mykiss
	IC50 (algae)	28 mg/l	OECD 201	Pseudokirchnerella subcapitata
	Log P(ow)	2,4		
[3R-(3 α ,3a β ,6 α ,7 β ,8a α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	NOEC (fish)	0,52 mg/l	OECD 203	Oncorhynchus mykiss
	LC50 (fish)	2,0 mg/l	OECD 203	Oncorhynchus mykiss
	EC50 (waterflea)	0,48 mg/l	OECD 202	Daphnia magna
Reaction mass of 2-methylbutyl salicylate and pentyl salicylate	Log P(ow)	5,02		
	LC50 (fish)	0,43 mg/l	OECD 203	Cyprinus carpio
	EC50 (waterflea)	0,48 mg/l	OECD 202	Daphnia magna
	IC50 (algae)	> 1,8 mg/l	OECD 201	Pseudokirchnerella subcapitata
	Ultimate aerobic biodegradation (%)	60 %	OECD 301 D	-----
	LC50 (fish)	1,34 mg/l		Brachydanio rerio
	EC50 (waterflea)	0,88 mg/l	OECD 202	Daphnia magna
	IC50 (algae)	0,49 mg/l	OECD 201	Pseudokirchnerella subcapitata
	NOEC (algae)	0,11 mg/l	OECD 201	Pseudokirchnerella subcapitata
	Ultimate aerobic biodegradation (%)	81,3 %	OECD 301 B	
	Log P(ow)	4,4		
	BCF	116		

SECTION 13 DISPOSAL CONSIDERATIONS



13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

*

14.1. UN number or ID number

- UN nr. : None.

14.2. UN proper shipping name

- Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

- Class : This product is not classified according to ADR/RID/ADN.

- Other information : Exempted according to special provision 335.

IMDG (sea)

- Class : This product is not classified according to IMDG.

- Other information : Exempted according to special provision 335.

IATA (air)

- Class : This product is not classified according to IATA.

14.6. Special precautions for user

- Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

- Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

*

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).
- PIC Regulation : Does not contain substances listed on the PIC list (Regulation EU 649/2012).
- POP Regulation : Does not contain substances listed on the POP list (Regulation EU 2019/1021).
- Ozone Regulation : Does not contain substances listed on the Ozone Depletion list (Regulation EU 1005/2009).
- Explosives Precursors Regulation : Does not contain substances listed on the Explosives Precursors list (Regulation EU 2019/1148).
- Drug Precursors Regulation : Does not contain substances listed on the Drug Precursors list (Regulation EC 273/2004).



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

SEVESO III Directive 2012/18/EU

Hazard code : E2
Hazard category : Environmental hazard
Qualifying quantity : 200
(tonnes) - lower
Qualifying quantity : 500
(tonnes) - upper

15.2. Chemical safety assessment

Chemical safety assessment : A Chemical Safety Assessment has not been carried out.

SECTION 16 OTHER INFORMATION

*

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

A section with changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE : Acute Toxicity Estimate
CLP : Classification, Labeling & Packaging
CMR : Carcinogenic, Mutagenic or toxic for Reproduction
EEC : European Economic Community
GHS : Globally Harmonized System of Classification and Labelling of Chemicals
IATA : International Air Transport Association
IBC code : The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk.
IMDG : International Maritime Dangerous Goods Code
LD50/LC50 : Lethal Dose/Concentration for 50% of a population
MAC : Maximum Allowable Concentration
MARPOL : International Convention for the Prevention of Pollution From Ships
NO(A)EL : No Observed (Adverse) Effect Level
OECD : Organisation for Economic Co-operation and Development
PBT : Persistent, Bioaccumulative and Toxic
PC : Chemical product category
PIC : The Prior Informed Consent procedure for the import and export of certain hazardous chemicals and pesticides.
POP : Persistent organic pollutants
PT : Product type
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STP : Sewage Treatment Plant
SU : Sector of Use
TWA/STEL : Time-Weighted Average/Short Term Exposure Limit
UN : United Nations
UFI : Unique formula identifier
VOC : Volatile Organic Compounds
vPvB : Very Persistent and Very Bioaccumulative



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Eye Irrit. 2 : Calculation method.
Skin Sens. 1/1A/1B : Calculation method.
Aquatic Chronic 2 : Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3 : Flammable liquid, category 3.
Acute Tox. 4 : Acute toxicity, category 4.
Skin Irrit. 2 : Skin irritation, category 2.
Eye Dam. 1 : Serious eye damage, category 1.
Eye Irrit. 2 : Eye irritation, category 2.
Skin Sens. 1/1A/1B : Skin sensitization, category 1/1A/1B.
Asp. Tox. 1 : Aspiration hazard, category 1.
Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2 : Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226 : Flammable liquid and vapour.
H302 : Harmful if swallowed.
H304 : May be fatal if swallowed and enters airways.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H361 : Suspected of damaging fertility or the unborn child.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Country / Language code : EC / EN
Number format : "," used as decimal separator.

End of safety data sheet.