

According to Regulation (EU) No 2015/830

#### SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : LAFITA ROOMSPRAY WOOD & FLORAL

Product code : LAF-073

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.

Computerweg 3

3542 DP UTRECHT, The Netherlands

Telephone : +31-30-7116 824
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

National Poisons Information Service +44 344 892 0111 (24/7)

# SECTION 2 HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP classification : Hazardous to the aquatic environment — Chronic category 3.

(1272/2008/EC)

Human health hazards : May produce an allergic reaction.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.

Environmental hazards : Harmful to aquatic life with long lasting effects.

Other information : Do not breathe spray.

#### 2.2. Label elements

Label elements (1272/2008/EC): Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains ... May produce an allergic reaction. Reference is made to additional

labelling for full text of EUH208\*.

P273 Avoid release to the environment.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains ... May produce an allergic reaction. Reference is made to additional

labelling for full text of EUH208\*.

Product name : Lafita Roomspray Wood & Floral Page 1/11

Date of issue : 2020-07-23 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Additional labelling (for all packaging sizes)

: \* Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphtyl)ethan-1-one; Benzyl

salicylate; Isoeugenol. May produce an allergic reaction.

#### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

#### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Product description : Mixture. Information on hazardous substances:

Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Ethanol	1 - < 5	64-17-5	200-578-6		01-2119457610-43
2-(2-Butoxyethoxy)ethanol	1 - < 5	112-34-5	203-961-6		01-2119475104-44
Propan-2-ol	0,1 - < 1	67-63-0	200-661-7		01-2119457558-25
Oxydipropanol	0,1 - < 1	25265-71-8	246-770-3	MAC	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	0,25 - < 1	54464-57-2	259-174-3		01-2119489989-04
tetramethyl-2-naphtyl)ethan-1-one					
Propyleneglycol	0,1 - < 1	57-55-6	200-338-0	MAC	
Benzyl salicylate	0,1 - < 1	118-58-1	204-262-9		01-2119969442-31
Isoeugenol	< 0,01	97-54-1	202-590-7		

Substance name	Hazard Class	H-phrases	Pictograms	
Ethanol	Eye Irrit. 2; Flam. Liq. 2	H225; H319	GHS02; GHS07	H319 : C >= 50 %
2-(2-Butoxyethoxy)ethanol	Eye Irrit. 2	H319	GHS07	
Propan-2-ol	Eye Irrit. 2; Flam. Liq.	H225; H319; H336	GHS02; GHS07	
	2; STOT SE 3			
Oxydipropanol	<b> </b>			
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	Aquatic Chronic 1; Skin	H315; H317; H410	GHS07; GHS09	M (chronic) = 1
tetramethyl-2-naphtyl)ethan-1-one	Irrit. 2; Skin Sens. 1B			
Propyleneglycol	<b> </b>			
Benzyl salicylate	Aquatic Chronic 3; Eye	H317; H319; H412	GHS07; GHS09	
	Irrit. 2; Skin Sens. 1			
Isoeugenol	Acute Tox. 4; Eye Irrit.	H302; H312; H315;	GHS07	H317 : C >= 0,01 %
	2; STOT SE 3; Skin	H317; H319; H332;		
	Irrit. 2; Skin Sens. 1A	H335		

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES

#### 4.1. Description of first aid measures

First aid measures

Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.

Consult a doctor if irritation occurs.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.

Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth

to an unconscious person. Consult a doctor if victim feels unwell.

Product name : Lafita Roomspray Wood & Floral Page 2/11

Date of issue : 2020-07-23 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

#### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : No specific effects and/or symptoms are known.
Skin contact : May produce an allergic reaction. May cause dry skin.

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

#### SECTION 5 FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.

Not suitable : None known.

#### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition products

#### 5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with

spilled or released material.

#### 6.2. Environmental precautions

Environmental precautions: Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike. Waste product should not be allowed to contaminate soil or water.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an

authorised waste collection point. Wash away remainder with plenty of water and soap.

#### 6.4. Reference to other sections

Reference to other sections: See also section 8.

### SECTION 7 HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Product name : Lafita Roomspray Wood & Floral Page 3/11

Date of issue : 2020-07-23 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Keep away from sources of ignition — No smoking. Do not breathe spray. Avoid contact with skin

and eyes. Avoid splashing. Wear protective clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

: Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. Storage

Recommended packaging : Keep only in the original container.

Non recommended

: Steel (except stainless steel).

packaging

7.3. Specific end use(s)

Use : Use only as directed.

#### **SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

Occupational exposure limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

#### Workplace exposure limits (mg/m3):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Ethanol		260	1900	-	MAC: NL
Ethanol	GB	1920	-	-	
2-(2-Butoxyethoxy)ethanol	EC	67,5	101,2	-	
2-(2-Butoxyethoxy)ethanol	GB	67,5	101,2	-	
Propan-2-ol	GB	999	1250	-	
Oxydipropanol		67	-		MAC: DE
Propyleneglycol	GB	474	-	Total Vapour and	
				Particulates	
Propyleneglycol		474		Total Vapour and	MAC: UK
				Particulates	

#### Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-te	DNEL, short-term		DNEL, long-term	
	exposure					
	*	Local effect	Systemic effect	Local effect	Systemic effect	
Ethanol	Inhalation	1900 mg/m3			950 mg/m3	
	Dermal	İ			343 mg/kg bw/day	
2-(2-Butoxyethoxy)ethanol	Inhalation	101,2 mg/m3		67,5 mg/m3	67,5 mg/m3	
	Dermal				83 mg/kg bw/day	
Propan-2-ol	Dermal				888 mg/kg bw/day	
•	Inhalation				500 mg/m3	
Oxydipropanol	Dermal				84 mg/kg bw/day	
	Inhalation				238 mg/m3	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	Inhalation				1,76 mg/m3	
tetramethyl-2-naphtyl)ethan-1-one						
	Dermal	0,1011 mg/kg			1,73 mg/kg bw/day	
		bw				
Propyleneglycol	Inhalation			10 mg/m3	168 mg/m3	
Benzyl salicylate	Inhalation				7,8 mg/m3	
	Dermal	1			2,21 mg/kg bw/day	

Derived no-effect level (DNEL) for consumers:

Product name : Lafita Roomspray Wood & Floral Page 4/11 Date of issue : 2020-07-23 Replaces issue dated **INFO CARE SDS** 



According to Regulation (EU) No 2015/830

Chemical name	name Route of DNEL, short-term exposure		rm	DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Ethanol	Inhalation Dermal Oral	950 mg/m3			114 mg/m3 206 mg/kg bw/day 87 mg/kg bw/day
2-(2-Butoxyethoxy)ethanol	Inhalation Dermal Oral	60,7 mg/m3		40,5 mg/m3	40,5 mg/m3 50 mg/kg bw/day 5 mg/kg bw/day
Propan-2-ol	Dermal Inhalation Oral				319 mg/kg bw/day 89 mg/m3 26 mg/kg bw/day
Oxydipropanol	Dermal Inhalation Oral				51 mg/kg bw/day 70 mg/m3 24 mg/kg bw/day
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphtyl)ethan-1-one	Inhalation				0,43 mg/m3
	Dermal	0,0506 mg/kg bw			0,86 mg/kg bw/day
	Oral				0,25 mg/kg bw/day
Propyleneglycol	Inhalation			10 mg/m3	50 mg/m3
Benzyl salicylate	Inhalation Dermal Oral				1,37 mg/m3 0,79 mg/kg bw/day 0,79 mg/kg bw/day

# Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Ethanol	Water	0,96 mg/l	0,79 mg/l	
	Sediment	3,6 mg/kg	2,9 mg/kg	
	Intermittent water			2,75 mg/l
	STP			580 mg/l
	Soil			0,63 mg/kg
	Oral			0,72 mg/kg food
2-(2-Butoxyethoxy)ethanol	Water	1.1 mg/l	0.11 mg/l	
	Sediment	4.4 mg/kg	0.44 mg/kg	
	Intermittent water			3,9 mg/l
	STP			200 mg/l
	Soil			0.32 mg/kg
	Oral			56 mg/kg food
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
	Soil			28 mg/kg
	Oral			160 mg/kg food
Oxydipropanol	Water	0,1 mg/l	0,01 mg/l	
	Sediment	0,238 mg/kg	0,0238 mg/kg	
	Intermittent water			1 mg/l
	STP			1000 mg/l
	Soil			0,0253 mg/kg
	Oral			313 mg/kg food
Propyleneglycol	Water	260 mg/l	26 mg/l	
1,7 = 2,3 = 2	Sediment	572 mg/kg	57,2 mg/kg	
	Intermittent water			183 mg/l
	STP			20000 mg/l
	Soil			50 mg/kg
	Oral			1133 mg/kg food

Product name : Lafita Roomspray Wood & Floral Page 5/11
Date of issue : 2020-07-23 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Benzyl salicylate	Water	0.001 mg/l	0 mg/l	
	Sediment	0,583 mg/kg	0.058 mg/kg	
	Intermittent water			0,01030 mg/l
	STP			10 mg/l
	Soil			1.41 mg/kg
İ	Oral			52.7 mg/kg food

8.2. Exposure controls

: Comply with standard precautionary measures for working with chemicals. Engineering measures

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use. In

case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots.

Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.

: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale Respiratory protection

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of

frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm.

Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

#### PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9**

#### 9.1. Information on basic physical and chemical properties

Appearance : Liquid. Colour Colourless. Perfumed. Odour Odour threshold Not known рΗ 2 - 11,5 Solubility in water Soluble.

Partition coefficient (n-oc-

tanol/water)

: Not known.

Not measured. Not relevant for mixtures.

: > 60 °C Flash point Closed cup.

Flammability (solid, gas) Not applicable. Liquid. See flashpoint.

: > 180 °C Auto ignition temperature

Boiling point/boiling range 78 °C

Melting point/melting range: < 0 °C

Explosive properties Not an explosive.

Explosion limits (% in air) Not known. Lower explosion limit in air (%): 0,9 ( 2-(2-Butoxyethoxy)ethanol )

Upper explosion limit in air (%): 19 ( Ethanol )

Oxidising properties Not applicable. Does not contain oxidizing substances.

Decomposition temperature : Not applicable. Viscosity (20°C) Not known.

Viscosity (40°C) : Not relevant.

The product contains < 10% substances having an aspiration hazard.

Vapour pressure (20°C) : Not known.

Vapour density (20°C) : > 1 (air = 1)

Relative density (20°C) : 0,99 g/ml

Evaporation rate · < 1 (n-butyl acetate = 1)

9.2. Other information

Other information : Not relevant.

: Lafita Roomspray Wood & Floral Product name Page 6/11 Date of issue : 2020-07-23 Replaces issue dated **INFO CARE SDS** 



According to Regulation (EU) No 2015/830

#### SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

#### SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity: Calculated LC50: > 8,816 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity.

Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : May cause irritation to respiratory airways and coughing. Not classified - based on available data,

the classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not

met

Sensitisation : May produce an allergic reaction.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Eye contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not

met.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Product name : Lafita Roomspray Wood & Floral Page 7/11

Date of issue : 2020-07-23 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration

hazard. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

### Toxicological information:

Chemical name	Property		Method	Test animal
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	Skin irritation	Non-irritant		Rabbit
tetramethyl-2-naphtyl)ethan-1-one				
	Skin sensitisation	6825 ug/cm2	OECD 429	Mouse
	LD50 (oral)	> 5000 mg/kg bw		Rat
	LD50 (dermal)	> 5000 mg/kg bw	<b> </b>	Rat
	Mutagenicity	Not mutagenic	OECD 471	
	NOAEL (development,	480 mg/kg bw/d	OECD 414	Rat
	oral)			
Benzyl salicylate	NOAEL (fertility, oral)	158 mg/kg bw/d	OECD 421	Rat
	Skin sensitisation	725 ug/cm2	OECD 429	Mouse
	NOAEL (oral)	177 mg/kg bw/d	OECD 408	Rat
	Skin irritation	Non-irritant	OECD 404	Rabbit
	NOAEL (development,	158 mg/kg bw/d	OECD 421	Rat
	oral)			
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Eye irritation	Moderately irritant	<b> </b>	Rabbit
	LD50 (oral) - estimate	> 2000 mg/kg bw	Read across	
	LD50 (dermal) -	> 2000 mg/kg bw	Read across	
	estimate			
Isoeugenol	Skin sensitisation	498 ug/cm2	OECD 429	Mouse
	Skin irritation	Moderately irritant	<b> </b>	Human
	Skin irritation	Severely irritant		Rabbit
	NOEL (carcinogenicity,	Not carcinogenic		Rat
	oral)			
	Mutagenicity	Negative	<b> </b>	Salmonella typhimurium
	LC50 (inhalation) -	1500 mg/m3		
	estimate			
	LD50 (dermal) -	1912 mg/kg bw		
	estimate			
	LD50 (oral)	1560 mg/kg bw		Rat

### SECTION 12 ECOLOGICAL INFORMATION

#### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 93 mg/l. Calculated EC50 (waterflea): 54 mg/

I. Contains 0 % of components with unknown hazards to the aquatic environment.

#### 12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment. The surfactants contained in this

preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on

detergents.

Product name : Lafita Roomspray Wood & Floral Page 8/11

Date of issue : 2020-07-23 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

#### 12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

: If product enters soil, it will be highly mobile and may contaminate groundwater. Mobility

#### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

#### 12.6. Other adverse effects

Other information : Not applicable.

#### Ecological information:

Chemical name	Property		Method	Test animal
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphtyl)ethan-1-one	EC50 (waterflea)	1,38 mg/l	OECD 202	
	IC50 (algea) LC50 (fish)	> 2,6 mg/l 1,3 mg/l	OECD 201 OECD 203	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphtyl)ethan-1-one	Log P(ow)	5,23		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphtyl)ethan-1-one	BCF	600		

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

#### TRANSPORT INFORMATION **SECTION 14**

#### 14.1. UN number

UN nr. : None.

#### 14.2. UN proper shipping name

Transport name : Not regulated.

#### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

: This product is not classified according to ADR/RID/ADN. Class

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

: Lafita Roomspray Wood & Floral Product name Page 9/11

Date of issue : 2020-07-23 Replaces issue dated **INFO CARE SDS** 



According to Regulation (EU) No 2015/830

IATA (air)

Class : This product is not classified according to IATA.

#### 14.6. Special precautions for user

Other information : Country specific variations may apply.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

#### SECTION 15 REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations.

#### 15.2. Chemical safety assessment

Chemical safety : Not applicable.

assessment

#### SECTION 16 OTHER INFORMATION

#### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

Product name : Lafita Roomspray Wood & Floral Page 10/11

Date of issue : 2020-07-23 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Aquatic Chronic 3 : Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2 : Flammable liquid, category 2.
Acute Tox. 4 : Acute toxicity, category 4.
Skin Irrit. 2 : Skin irritation, category 2.
Eye Irrit. 2 : Eye irritation, category 2.

Skin Sens. 1/1A/1B : Skin sensitization, category 1/1A/1B.

STOT SE 3 : Specific target organ toxicity after single exposure, category 3.

Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.

Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Product name : Lafita Roomspray Wood & Floral Page 11/11

Date of issue : 2020-07-23 Replaces issue dated : --- INFO CARE SDS