



SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING *

1.1. Product identifier

Product name : LAFITA PERFUME PEARLS COTTON FRESH
Product code : LF1V330
UFI : 7X00-C05V-N00J-YYVW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products for indoor rooms (continuous action). Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
Computerweg 3
3542 DP UTRECHT, The Netherlands
Telephone : +31-30-7116 824
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION *

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC) : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 2.
Human health hazards : Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.
Environmental hazards : Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :




Signal word : Warning

H- and P-phrases : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 gloves Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of water/soap.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P273 Avoid release to the environment.

P391 Collect spillage.
P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:
Hazard pictograms :



Signal word : Warning

H- and P-phrases :

- H317 May cause an allergic skin reaction.
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P280 gloves Wear protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of water/soap.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: alpha-Hexylcinnamaldehyde ; 4-tert-Butylcyclohexyl acetate ; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; Linalool ; 3,7-Dimethylnona-1,6-dien-3-ol ; Hexyl salicylate ; Benzyl salicylate ; 3-Methylcyclopentadecenone .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

*

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
alpha-Hexylcinnamaldehyde	10 - < 25	101-86-0	202-983-3	MAC	
2,6-Dimethyloct-7-en-2-ol	10 - < 20	18479-58-8	242-362-4		
4-tert-Butylcyclohexyl acetate	10 - < 20	32210-23-4	250-954-9		
3,5,5-Trimethylhexyl acetate	10 - < 20	58430-94-7	261-245-9		
2-Phenylethanol	5 - < 10	60-12-8	200-456-2		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	5 - < 10	54464-57-2	259-174-3		
Linalool	5 - < 10	78-70-6	201-134-4		
Oxydipropylol	5 - < 10	25265-71-8	246-770-3		
Ionone, methyl-	5 - < 10	-----	942-741-0		
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	1 - < 5	63500-71-0	405-040-6		
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate	2,5 - < 5	68912-13-0	272-805-7		
3,7-Dimethylnona-1,6-dien-3-ol	1 - < 5	10339-55-6	233-732-6		
Hexyl salicylate	2,5 - < 5	6259-76-3	228-408-6		
Benzyl salicylate	1 - < 5	118-58-1	204-262-9		
3-Methylcyclopentadecenone	1 - < 2,5	82356-51-2	429-900-5		
Benzyl acetate	1 - < 5	140-11-4	205-399-7		

Substance name	Hazard Class	H-phrases	Pictograms	
----------------	--------------	-----------	------------	--



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

alpha-Hexylcinnamaldehyde	Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 2	H317; H400; H411	GHS07; GHS09	M (acute) = 1
2,6-Dimethyloct-7-en-2-ol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
4-tert-Butylcyclohexyl acetate	Skin Sens. 1B	H317	GHS07	
3,5,5-Trimethylhexyl acetate	Skin Irrit. 2; Aquatic Chronic 2	H315; H411	GHS07; GHS09	
2-Phenylethanol	Acute Tox. 4; Eye Irrit. 2	H302; H319	GHS07	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 1	H315; H317; H410	GHS07; GHS09	M (chronic) = 1
Linalool	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
Oxydipropylol	-----	-----	-----	
Ionone, methyl-	Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 2	H315; H319; H411	GHS07; GHS09	
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Eye Irrit. 2	H319	GHS07	
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate	Aquatic Chronic 2	H411	GHS09	
3,7-Dimethylnona-1,6-dien-3-ol	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
Hexyl salicylate	Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1	H315; H317; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1
Benzyl salicylate	Eye Irrit. 2; Aquatic Chronic 3; Skin Sens. 1B	H319; H412; H317	GHS07	
3-Methylcyclopentadecenone	Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1	H317; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1
Benzyl acetate	Aquatic Chronic 3	H412		

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.



4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

*

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO₂). Foam. Dry chemical. Water fog.
Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

- Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

*

7.1. Precautions for safe handling

- Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
Oxydipropanol		67	-		MAC: DE
Benzyl acetate		5	-		MAC: LT

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
alpha-Hexylcinnamaldehyde	Inhalation	6,28 mg/m ³			0,078 mg/m ³
	Dermal	0,525 mg/kg bw		0,525 mg/kg bw/day	18,2 mg/kg bw/day
2,6-Dimethyloct-7-en-2-ol	Dermal				7 mg/kg bw/day
	Inhalation				24.7 mg/m ³
3,5,5-Trimethylhexyl acetate	Inhalation				0,94 mg/m ³
	Dermal				0,13 mg/kg bw/day
2-Phenylethanol	Inhalation				59,9 mg/m ³
	Dermal				21,2 mg/kg bw/day
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one	Inhalation				30 mg/m ³
	Dermal			0.648 mg/kg bw/day	28.7 mg/kg bw/day
Linalool	Inhalation				24.58 mg/m ³
	Dermal	3 mg/kg bw		3 mg/kg bw/day	3.5 mg/kg bw/day
Oxydipropanol	Dermal				84 mg/kg bw/day
	Inhalation				238 mg/m ³
Ionone, methyl-	Inhalation				26.1 mg/m ³
	Dermal				14.8 mg/kg bw/day
3,7-Dimethylnona-1,6-dien-3-ol	Inhalation		18 mg/m ³		3 mg/m ³
	Dermal	1,6 mg/kg bw	5,5 mg/kg bw	1,6 mg/kg bw/day	2,7 mg/kg bw/day
Hexyl salicylate	Dermal	0,885 mg/kg bw		0,885 mg/kg bw/day	6,4 mg/kg bw/day
	Inhalation				1.7 mg/m ³
Benzyl salicylate	Inhalation				7,8 mg/m ³
	Dermal				2,21 mg/kg bw/day
Benzyl acetate	Inhalation				9 mg/m ³
	Dermal				2.5 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
alpha-Hexylcinnamaldehyde	Inhalation	4,71 mg/m3			0,019 mg/m3
	Dermal	0,0787 mg/kg bw		0,0787 mg/kg bw/day	9,11 mg/kg bw/day
	Oral				0,056 mg/kg bw/day
2,6-Dimethyloct-7-en-2-ol	Dermal				2.5 mg/kg bw/day
	Inhalation				4.35 mg/m3
	Oral				2.5 mg/kg bw/day
3,5,5-Trimethylhexyl acetate	Inhalation				0,23 mg/m3
	Dermal				0,07 mg/kg bw/day
	Oral				0,07 mg/kg bw/day
2-Phenylethanol	Inhalation				17,7 mg/m3
	Dermal				12,7 mg/kg bw/day
	Oral		5,1 mg/kg bw		5,1 mg/kg bw/day
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Inhalation				9 mg/m3
	Dermal			0.380 mg/kg bw/day	17.2 mg/kg bw/day
	Oral				3 mg/kg bw/day
Linalool	Dermal	1.5 mg/kg bw		1.5 mg/kg bw/day	1.25 mg/kg bw/day
	Inhalation				4.33 mg/m3
	Oral				2.49 mg/kg bw/day
Oxydipropanol	Dermal				51 mg/kg bw/day
	Inhalation				70 mg/m3
	Oral				24 mg/kg bw/day
Ionone, methyl-	Inhalation				6.4 mg/m3
	Dermal				7.4 mg/kg bw/day
	Oral				3.7 mg/kg bw/day
3,7-Dimethylnona-1,6-dien-3-ol	Inhalation		4,4 mg/m3		0,74 mg/m3
	Dermal	1,6 mg/kg bw	2,7 mg/kg bw	1,6 mg/kg bw/day	1,4 mg/kg bw/day
	Oral		1,3 mg/kg bw		0,2 mg/kg bw/day
Hexyl salicylate	Dermal	0.4425 mg/kg bw		0,4425 mg/kg bw/day	3,2 mg/kg bw/day
	Inhalation				0,4 mg/m3
	Oral				0,3 mg/kg bw/day
Benzyl salicylate	Inhalation				1,37 mg/m3
	Dermal				0,79 mg/kg bw/day
	Oral				0,79 mg/kg bw/day
Benzyl acetate	Inhalation				2.2 mg/m3
	Dermal				1.3 mg/kg bw/day
	Oral		6,25 mg/kg bw		1.3 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
alpha-Hexylcinnamaldehyde	Water	0.001 mg/l		
	Sediment	3.2 mg/kg	0.064 mg/kg	
	Intermittent water			0,03 mg/l
	STP			10 mg/l
	Soil			0.398 mg/kg
	Oral			6.6 mg/kg food
2,6-Dimethyloct-7-en-2-ol	Water	0,0278 mg/l	0,0027 mg/l	
	Sediment	0,594 mg/kg	0,0594 mg/kg	
	Intermittent water			0,278 mg/l



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

4-tert-Butylcyclohexyl acetate	STP			10 mg/l
	Soil			0,103 mg/kg
	Oral			111 mg/kg food
	Water	0,0053 mg/l	0,00053 mg/l	
	Sediment	2,01 mg/kg	0,21 mg/kg	
3,5,5-Trimethylhexyl acetate	Intermittent water			0,053 mg/l
	STP			12,2 mg/l
	Soil			0,42 mg/kg
	Oral			66,76 mg/kg food
	Water	0,0077 mg/l	0,0007 mg/l	
2-Phenylethanol	Sediment	2,89 mg/kg	0,29 mg/kg	
	Intermittent water			0,077 mg/l
	STP			10 mg/l
	Soil			0,573 mg/kg
	Oral			2,66 mg/kg food
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Water	0,215 mg/l	0,0215 mg/l	
	Sediment	1,454 mg/kg	0,1454 mg/kg	
	Intermittent water			2,15 mg/l
	STP			10 mg/l
	Soil			0,164 mg/kg
Linalool	Water	0,0044 mg/l	0,00044 mg/l	
	Sediment	3,73 mg/kg	0,75 mg/kg	
	STP			10 mg/l
	Soil			2,7 mg/kg
	Oral			26,7 mg/kg food
Oxydipropanol	Water	0,2 mg/l	0,02 mg/l	
	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
	STP			10 mg/l
	Soil			0,327 mg/kg
Ionone, methyl-	Oral			7,8 mg/kg food
	Water	0,1 mg/l	0,01 mg/l	
	Sediment	0,238 mg/kg	0,0238 mg/kg	
	Intermittent water			1 mg/l
	STP			1000 mg/l
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate	Soil			0,0253 mg/kg
	Oral			313 mg/kg food
	Water	0,002 mg/l	0 mg/l	
	Sediment	0,168 mg/kg	0,017 mg/kg	
	Intermittent water			0,023 mg/l
3,7-Dimethylnona-1,6-dien-3-ol	STP			10 mg/l
	Soil			0,033 mg/kg
	Water	0,091 mg/l	0,0091 mg/l	
	Sediment	12,2 mg/kg	1,22 mg/kg	
	Intermittent water			0,025 mg/l
Hexyl salicylate	STP			4,8 mg/l
	Soil			4,4 mg/kg
	Water	0,023 mg/l	0,0023 mg/l	
	Sediment	0,223 mg/kg	0,0223 mg/kg	
	Intermittent water			0,23 mg/l
	STP			10 mg/l
	Soil			0,031 mg/kg
	Oral			8,53 mg/kg food
	Water	0 mg/l	0 mg/l	
	Sediment	0,272 mg/kg	0,027 mg/kg	

Benzyl salicylate	Intermittent water			0,0036 mg/l
	STP			10 mg/l
	Soil			0.054 mg/kg
	Water	0.001 mg/l	0 mg/l	
3-Methylcyclopentadecenone	Sediment	0.583 mg/kg	0.058 mg/kg	
	Intermittent water			0,01030 mg/l
	STP			10 mg/l
	Soil			1.41 mg/kg
Benzyl acetate	Oral			52.7 mg/kg food
	Water	0.00242 mg/l	0.0022 mg/l	
	Sediment	3.66 mg/kg	0.37 mg/kg	
	STP			10 mg/l
	Soil			2.34 mg/kg
	Oral			111.1 mg/kg food
	Water	0.018 mg/l	0.002 mg/l	
	Sediment	0.526 mg/kg	0.053 mg/kg	
	Intermittent water			0,04 mg/l
	STP			8,55 mg/l
	Soil			0.094 mg/kg

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.
Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: laminated film. Indication of permeation breakthrough time: 6 hours.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: laminated film. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

*

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: 2 - 11,5	
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Not measured. Not relevant for mixtures.
Flash point	: > 60 °C	Closed cup.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 231 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: Not known.	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,9 (Linalool) Upper explosion limit in air (%): 11,9 (2-Phenylethanol) Does not contain oxidizing substances.
Oxidising properties	: Not applicable.	
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	
Vapour pressure (20°C)	: Not known.	The product contains < 10% substances having an aspiration hazard.
Relative vapour density	: > 1	(air = 1)
Relative density (20°C)	: 0,94 g/ml	
Particle characteristics	: Not applicable.	Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 62 %. ATE: > 5 mg/l. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Carcinogenicity	: Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 3971 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
Sensitisation	: May cause sensitisation by skin contact. May produce an allergic reaction.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Irritant.
Ingestion	
Acute toxicity	: Calculated LD50: > 3164 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	: Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
alpha-Hexylcinnamaldehyde	NOAEL (development, oral)	100 mg/kg bw/d	OECD 421	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Eye irritation	Non-irritant		Rabbit
	NOAEL (oral) - estimate	30 mg/kg bw/d	Read across	Rat
	LD50 (dermal)	> 3000 mg/kg bw	OECD 402	Rabbit
	LC50 (inhalation)	> 5000 mg/m3	OECD 403	Rat
	LD50 (oral)	> 2450 mg/kg bw	OECD 401	Rat
	Skin sensitisation	2372 ug/cm2	OECD 429	Mouse
	Skin irritation	Moderately irritant	OECD 404	Rabbit
	NOAEL (dermal)	25 mg/kg bw/d		Rat
2,6-Dimethyloct-7-en-2-ol	NOAEL (development) - estimate	1000 mg/kg.d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (oral) - estimate	500 mg/kg bw/d	Read across	Rat
	LD50 (oral)	3600 mg/kg bw	-----	Rat
	Skin sensitisation	Not sensitizing		
	Skin irritation	Slightly irritant	-----	Rabbit
	Eye irritation	Moderately irritant	OECD 405	Rabbit
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	LD50 (oral)	5000 mg/kg bw	-----	Rat
4-tert-Butylcyclohexyl acetate				



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

3,5,5-Trimethylhexyl acetate	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Eye irritation	Non-irritant		Rabbit
	Skin irritation	Non-irritant		Rabbit
	NOAEL (oral) - estimate	710 mg/kg bw/d	Read across	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	-----
	NOAEL (oral)	> 40 mg/kg bw/d	OECD 422	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rabbit
	LD50 (oral)	4250 mg/kg bw	OECD 401	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility, oral)	40 mg/kg bw/d	OECD 422	Rat
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Eye irritation	Slightly irritant	OECD 405	
	Skin irritation	Irritant	OECD 404	Rabbit
2-Phenylethanol	LD50 (oral)	1609 mg/kg bw	-----	Rat
	NOAEL (dermal)	510 mg/kg bw/d	OECD 411	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (development, oral)	4,3 mg/kg bw/d		Rat
	Eye irritation	Irritant	-----	Rabbit
	Skin irritation	Slightly irritant	-----	Rabbit
	LD50 (dermal)	2535 mg/kg bw	OECD 402	Rabbit
	Skin sensitisation - estimate	Not sensitizing		
	LC50 (inhalation)	> 4630 mg/m3		Rat
	NOAEL (developmental toxicity, dermal)	140 mg/kg bw/d		Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	LC50 (inhalation) - estimate	> 5000 mg/m3		Rat
	Skin irritation	Non-irritant	-----	Rabbit
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Skin sensitisation	6825 ug/cm2	OECD 429	Mouse
	LD50 (oral)	> 5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rat
	Mutagenicity	Not mutagenic	OECD 471	-----
	NOAEL (development, oral)	480 mg/kg bw/d	OECD 414	Rat
	LC50 (inhalation) - estimate	> 22360 mg/m3	Read across	
	NOAEL (development, oral)	365 mg/kg bw/d	-----	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin sensitisation	12650 ug/cm2	OECD 429	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility, oral)	500 mg/kg bw/d		Rat
	Skin irritation	Irritant	OECD 404	Rabbit
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
Linalool	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	LD50 (dermal)	5610 mg/kg bw	-----	Rabbit
	Skin irritation	Mildly irritant	-----	Human
	LD50 (oral)	2790 mg/kg bw	-----	Rat
	NOAEL (oral)	117 mg/kg bw/d	-----	Rat
	Skin sensitisation	5450 ug/cm2	OECD 429	-----
	LD50 (oral)	> 5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
Ionone, methyl-				



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	NOAEL (oral) - estimate	30 mg/kg bw/d	Read across	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vivo	Not genotoxic	-----	Mouse
	Skin irritation	Irritant	-----	Rat
	Eye irritation - estimate	Irritant	Read across	Rabbit
	NOAEL (fertility) - estimate	120 mg/kg.d	Read across	
	NOAEL (development) - estimate	120 mg/kg.d	Read across	
	LD50 (oral)	> 5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
3,7-Dimethylnona-1,6-dien-3-ol	Eye irritation	Irritant	-----	Rabbit
	Skin irritation	Non-irritant	-----	Rabbit
	Skin irritation	Non-irritant	Patch test	Human
	LD50 (oral)	5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	NOAEL (oral) - estimate	117 mg/kg bw/d	Read across	Rat
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	Genotoxicity - estimate	Not genotoxic	Read across	
	Skin irritation	Irritant	-----	Rabbit
Hexyl salicylate	Eye irritation	Irritant	-----	Rabbit
	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
	NOAEL (inhalation)	249 mg/m3	OECD 412	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rabbit
	NOAEL (oral) - estimate	50 mg/kg bw/d	Read across	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Genotoxicity - in vivo	Not genotoxic	-----	Mouse
	NOAEL (development) - estimate	Not teratogenic	Read across	
	NOAEL (fertility) - estimate	Not reprotoxic	Read across	
Benzyl salicylate	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin irritation	Moderately irritant	OECD 404	Rabbit
	NOAEL (fertility, oral)	158 mg/kg bw/d	OECD 421	Rat
	Skin sensitisation	725 ug/cm2	OECD 429	Mouse
	NOAEL (oral)	177 mg/kg bw/d	OECD 408	Rat
	Skin irritation	Non-irritant	OECD 404	Rabbit
	NOAEL (development, oral)	158 mg/kg bw/d	OECD 421	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Eye irritation	Moderately irritant	-----	Rabbit
3-Methylcyclopentadecenone	LD50 (oral) - estimate	> 2000 mg/kg bw	Read across	
	LD50 (dermal) - estimate	> 2000 mg/kg bw	Read across	
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Skin irritation	Non-irritant	OECD 404	Rabbit
	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
	LD50 (oral)	> 2000 mg/kg bw	-----	Rat



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Mutagenicity	Negative	OECD 471	Salmonella typhimurium
Genotoxicity - in vitro	Not genotoxic	OECD 473	-----
NOAEL (fertility, oral)	> 1000 mg/kg bw/d	OECD 415	Rat
Eye irritation	Non-irritant	OECD 405	Rabbit

11.2. Information on other hazards

Endocrine disrupting properties : Not applicable.
Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

*

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 2 mg/l. Calculated EC50 (waterflea): 3 mg/l.
Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
alpha-Hexylcinnamaldehyde	NOEC (fish)	0,93 mg/l	OECD 203	Pimephales promelas
	LC50 (fish)	1,7 mg/l	OECD 203	Pimephales promelas
	Ultimate aerobic biodegradation (%)	97 %	OECD 301 F	
	IC50 (algae)	> 0,32 mg/l	OECD 201	Desmodesmus subspicatus
3,5,5-Trimethylhexyl acetate	Log P(ow)	5,3		
	LC50 (fish)	7,7 mg/l		Pimephales promelas
	EC50 (waterflea)	> 5,4 mg/l	-----	Daphnia magna
	IC50 (algae)	1,3 mg/l	OECD 201	Pseudokirchnerella subcapitata
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Log P(ow)	4,6		
	EC50 (waterflea)	1,38 mg/l	OECD 202	-----
	IC50 (algae)	> 2,6 mg/l	OECD 201	-----



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

lonone, methyl-	LC50 (fish)	1,3 mg/l	OECD 203	----
	Log P(ow)	5,23		
	BCF	600		
	LC50 (alga)	> 9,42 mg/l	OECD 201	Scenedesmus subspicatus
	LC50 (fish)	> 1,57 mg/l	OECD 203	Brachydanio rerio
	EC50 (waterflea)	3,7 mg/l	OECD 202	Daphnia magna
	EC0 (waterflea)	2,42 mg/l	OECD 202	Daphnia magna
	EC100 (waterflea)	9,41 mg/l	OECD 202	Daphnia magna
	Ultimate aerobic biodegradation (%)	76 %	OECD 301 F	
	Log P(ow)	4,39		
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate	BCF	586		
	EC50 (waterflea)	> 14 mg/l	OECD 202	Daphnia magna
	LC50 (fish)	6,7 mg/l	OECD 203	Pimephales promelas
	LC50 (alga)	2,5 mg/l	OECD 201	Desmodesmus subspicatus
Hexyl salicylate	Ultimate aerobic biodegradation (%)	15 %	OECD 301 F	
	Log P(ow)	4,4		
	EC50 (waterflea)	0,357 mg/l	OECD 202	Daphnia magna
	LC50 (alga)	0,61 mg/l	OECD 201	Desmodesmus subspicatus
3-Methylcyclopentadecenone	LC50 (fish) - estimate	1,34 mg/l	----	Brachydanio rerio
	Ultimate aerobic biodegradation (%)	91 %	OECD 301 F	
	NOEC (waterflea) - acute	0,140 mg/l	OECD 202	Daphnia magna
	Log P(ow)	5,5000		
	LC50 (fish)	0,22 mg/l	----	----
	Ultimate aerobic biodegradation (%)	43 %	OECD 301 D	
	EC50 (waterflea)	0,39 mg/l	----	Daphnia magna
	LC50 (alga)	> 30 mg/l	----	----
	Log P(ow)	5,91		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

*

14.1. UN number or ID number

UN nr. : UN 3082

14.2. UN proper shipping name


Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; Hexyl salicylate)

Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; Hexyl salicylate)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 9
 Classification code : M6
 Packaging group : III
 Danger label : 9 + the "environmentally hazardous substance" mark.
 Tunnel restriction code : (–)



Other information : Not intended for carriage by tank-vessels on inland waterways. This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (Special provisions 375).

IMDG (sea)

Class : 9
 Packaging group : III
 EmS (fire / spill) : F - A / S - F
 Marine pollutant : Yes
 Other information : This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (IMDG code 37-14, 2.10.2.7).

IATA (air)

Class : 9
 ERG code : 9L
 Packaging group : III

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

*

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

15.2. Chemical safety assessment



Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

*

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2	: Calculation method.
Eye Irrit. 2	: Calculation method.
Skin Sens. 1/1A/1B	: Calculation method.
Aquatic Chronic 2	: Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.