

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING *

1.1. Product identifier

Product name : LAFITA PERFUME PEARLS WOODY FLORAL
Product code : LF1V332
UFI : 8110-U0V8-Y002-MAFY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products for indoor rooms (continuous action). Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
Computerweg 3
3542 DP UTRECHT, The Netherlands
Telephone : +31-30-7116 824
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION *


2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 2.
Human health hazards : Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.
Environmental hazards : Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :



Signal word : Warning


H- and P-phrases :

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280 gloves	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P273	Avoid release to the environment.

P391 Collect spillage.
P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

- H317 May cause an allergic skin reaction.
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P280 gloves Wear protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of water/soap.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; 4-tert-Butylcyclohexyl acetate ; Linalyl acetate ; Benzyl salicylate ; 3,7-Dimethylnona-1,6-dien-3-ol ; (Ethoxymethoxy)cyclododecane ; Linalool ; (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one ; 1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one ; Juniper, Juniperus mexicana, ext. ; Lemon, ext. ; Citronellol ; 1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one ; Isoeugenol .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

*

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	10 - < 20	54464-57-2	259-174-3		
4-tert-Butylcyclohexyl acetate	5 - < 10	32210-23-4	250-954-9		
Linalyl acetate	5 - < 10	115-95-7	204-116-4		
Benzyl salicylate	5 - < 10	118-58-1	204-262-9		
3,7-Dimethylnona-1,6-dien-3-ol	1 - < 5	10339-55-6	233-732-6		
(Ethoxymethoxy)cyclododecane	2,5 - < 5	58567-11-6	261-332-1		
Linalool	1 - < 5	78-70-6	201-134-4		
3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	2,5 - < 5	67801-20-1	267-140-4		
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	1 - < 2,5	28219-61-6	248-908-8		
p-Anisaldehyde	1 - < 5	123-11-5	204-602-6		
(Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one	0,1 - < 1	81786-73-4	279-822-9		
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	0,1 - < 1	33704-61-9	251-649-3		
Juniper, Juniperus mexicana, ext.	0,25 - < 1	91722-61-1	294-461-7		
Lemon, ext.	0,1 - < 1	84929-31-7	284-515-8		



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Citronellol	0,1 - < 1	106-22-9	203-375-0		
(Z)-3-hexenyl salicylate	0,1 - < 0,25	65405-77-8	265-745-8		
2-(2-Ethoxyethoxy)ethanol	0,1 - < 1	111-90-0	203-919-7	MAC	
1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	0,01 - < 0,1	23696-85-7	245-833-2		
Isoeugenol	0,01 - < 0,1	97-54-1	202-590-7		

Substance name	Hazard Class	H-phrases	Pictograms	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 1	H315; H317; H410	GHS07; GHS09	M (chronic) = 1
4-tert-Butylcyclohexyl acetate	Skin Sens. 1B	H317	GHS07	
Linalyl acetate	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
Benzyl salicylate	Eye Irrit. 2; Aquatic Chronic 3; Skin Sens. 1B	H319; H412; H317	GHS07	
3,7-Dimethylnona-1,6-dien-3-ol	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
(Ethoxymethoxy)cyclododecane	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
Linalool	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	Aquatic Chronic 2	H411	GHS09	
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Eye Irrit. 2; Aquatic Chronic 2	H319; H411	GHS07; GHS09	
p-Anisaldehyde	Aquatic Chronic 3	H412		
(Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one	Skin Sens. 1B; Aquatic Chronic 2	H317; H411	GHS07; GHS09	
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2; Aquatic Chronic 2	H315; H317; H319; H411	GHS07; GHS09	
Juniper, Juniperus mexicana, ext.	Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1	H304; H315; H317; H400; H410	GHS07; GHS08; GHS09	M (acute) = 1 M (chronic) = 1
Lemon, ext.	Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1; Aquatic Chronic 2	H226; H304; H315; H317; H411	GHS02; GHS07; GHS08; GHS09	
Citronellol	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
(Z)-3-hexenyl salicylate	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1
2-(2-Ethoxyethoxy)ethanol	-----	-----	-----	
1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	Skin Irrit. 2; Skin Sens. 1A; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
Isoeugenol	Acute Tox. 4; Acute Tox. 4; Skin Irrit. 2; Skin Sens. 1A; Eye Irrit. 2; Acute Tox. 4; STOT SE 3	H302; H312; H315; H317; H319; H332; H335	GHS07	H317 : C >= 0,01 %

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.



SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.



Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE *

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION *

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
2-(2-Ethoxyethoxy)ethanol		35	70		MAC: DE

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Inhalation				30 mg/m ³
	Dermal			0.648 mg/kg bw/day	28.7 mg/kg bw/day
Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	2,5 mg/kg bw/day
Benzyl salicylate	Inhalation				2,75 mg/m ³
	Inhalation				7,8 mg/m ³
3,7-Dimethylnona-1,6-dien-3-ol	Dermal				2,21 mg/kg bw/day
	Inhalation		18 mg/m ³		3 mg/m ³



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

(Ethoxymethoxy)cyclododecane	Dermal	1,6 mg/kg bw	5,5 mg/kg bw	1,6 mg/kg bw/day	2,7 mg/kg bw/day
Linalool	Inhalation				23,5 mg/m3
	Dermal				3,3 mg/kg bw/day
3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	Inhalation	3 mg/kg bw		3 mg/kg bw/day	24,58 mg/m3
	Dermal				3,5 mg/kg bw/day
p-Anisaldehyde	Inhalation				92,75 mg/m3
	Dermal				6,67 mg/kg bw/day
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Dermal				3,33 mg/kg bw/day
	Inhalation				5,88 mg/m3
Juniper, Juniperus mexicana, ext.	Inhalation			5,510 mg/kg bw/day	1,47 mg/m3
	Dermal				0,42 mg/kg bw/day
Lemon, ext.	Inhalation				6,41 mg/m3
	Dermal				7,1 mg/kg bw/day
Citronellol	Inhalation	10 mg/m3		10 mg/m3	23,3 mg/m3
	Dermal	2,950 mg/kg bw			6,67 mg/kg bw/day
(Z)-3-hexenyl salicylate	Inhalation				161,6 mg/m3
	Dermal				327,4 mg/kg bw/day
2-(2-Ethoxyethoxy)ethanol	Inhalation			18 mg/m3	1,59 mg/m3
	Dermal				0,9 mg/kg bw/day
	Dermal				50 mg/kg bw/day
	Inhalation				37 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Inhalation				9 mg/m3
	Dermal			0,380 mg/kg bw/day	17,2 mg/kg bw/day
Linalyl acetate	Oral				3 mg/kg bw/day
	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	1,25 mg/kg bw/day
Benzyl salicylate	Inhalation				0,68 mg/m3
	Oral				0,2 mg/kg bw/day
	Inhalation				1,37 mg/m3
	Dermal				0,79 mg/kg bw/day
3,7-Dimethylnona-1,6-dien-3-ol	Oral				0,79 mg/kg bw/day
	Inhalation		4,4 mg/m3		0,74 mg/m3
	Dermal	1,6 mg/kg bw	2,7 mg/kg bw	1,6 mg/kg bw/day	1,4 mg/kg bw/day
(Ethoxymethoxy)cyclododecane	Oral		1,3 mg/kg bw		0,2 mg/kg bw/day
	Inhalation				5,8 mg/m3
	Dermal				1,67 mg/kg bw/day
Linalool	Oral				1,67 mg/kg bw/day
	Dermal	1,5 mg/kg bw		1,5 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation				4,33 mg/m3
	Oral				2,49 mg/kg bw/day
3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	Inhalation				23,15 mg/m3
	Dermal				3,33 mg/kg bw/day



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

p-Anisaldehyde	Oral Inhalation Dermal				3,33 mg/kg bw/day 1,74 mg/m3 2 mg/kg bw/day
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Oral Inhalation Dermal				1 mg/kg bw/day 0,44 mg/m3 0,25 mg/kg bw/day
Juniper, Juniperus mexicana, ext.	Oral Oral Inhalation Dermal			3,241 mg/kg bw/day	0,25 mg/kg bw/day 1,09 mg/kg bw/day 1,9 mg/m3 4,26 mg/kg bw/day
Lemon, ext.	Inhalation Dermal				5,8 mg/m3 3,33 mg/kg bw/day
Citronellol	Oral Inhalation Dermal	10 mg/m3		10 mg/m3	3,33 mg/kg bw/day 47,8 mg/m3 196,4 mg/kg bw/day
(Z)-3-hexenyl salicylate	Oral Inhalation Dermal				13,8 mg/kg bw/day 0,39 mg/m3 0,45 mg/kg bw/day
2-(2-Ethoxyethoxy)ethanol	Oral Dermal Inhalation Oral			9 mg/m3	0,23 mg/kg bw/day 25 mg/kg bw/day 18,3 mg/m3 25 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Water	0.0044 mg/l	0.00044 mg/l	
	Sediment	3.73 mg/kg	0.75 mg/kg	
	STP			10 mg/l
	Soil			2.7 mg/kg
4-tert-Butylcyclohexyl acetate	Oral			26.7 mg/kg food
	Water	0,0053 mg/l	0,00053 mg/l	
	Sediment	2,01 mg/kg	0,21 mg/kg	
	Intermittent water			0,053 mg/l
	STP			12,2 mg/l
Linalyl acetate	Soil			0,42 mg/kg
	Oral			66,76 mg/kg food
	Water	0,011 mg/l	0,001 mg/l	
	Sediment	0,609 mg/kg	0,061 mg/kg	
	Intermittent water			0,11 mg/l
Benzyl salicylate	STP			1 mg/l
	Soil			0,115 mg/kg
	Water	0.001 mg/l	0 mg/l	
	Sediment	0.583 mg/kg	0.058 mg/kg	
	Intermittent water			0,01030 mg/l
3,7-Dimethylnona-1,6-dien-3-ol	STP			10 mg/l
	Soil			1.41 mg/kg
	Oral			52.7 mg/kg food
	Water	0,023 mg/l	0,0023 mg/l	
	Sediment	0,223 mg/kg	0,0223 mg/kg	
	Intermittent water			0,23 mg/l
	STP			10 mg/l
	Soil			0,031 mg/kg
	Oral			8,53 mg/kg food



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

(Ethoxymethoxy)cyclododecane	Water	0,0016 mg/l	0,00016 mg/l	
	Sediment	2,35 mg/kg	0,235 mg/kg	
	Intermittent water			0,016 mg/l
	STP			100 mg/l
	Soil			0,468 mg/kg
Linalool	Oral			33,3 mg/kg food
	Water	0,2 mg/l	0,02 mg/l	
	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
	STP			10 mg/l
3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	Soil			0,327 mg/kg
	Oral			7,8 mg/kg food
	Water	0,0019 mg/l	0,00019 mg/l	
	Sediment	0,067 mg/kg	0,0067 mg/kg	
	Intermittent water			0,019 mg/l
p-Anisaldehyde	STP			1 mg/l
	Soil			0,0534 mg/kg
	Oral			33,3 mg/kg food
	Water	0,013 mg/l	0,0013 mg/l	
	Sediment	0,06 mg/kg	0,006 mg/kg	
1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Intermittent water			0,8111 mg/l
	STP			8,5 mg/l
	Soil			0,004 mg/kg
	Water	0,004 mg/l	0 mg/l	
	Sediment	0,0991 mg/kg	0,00991 mg/kg	
Juniper, Juniperus mexicana, ext.	STP			10 mg/l
	Soil			0,0174 mg/kg
	Oral			1,11 mg/kg food
	Water	0,0005 mg/l	0,00005 mg/l	
	Sediment	0,8168 mg/kg	0,0816 mg/kg	
Lemon, ext.	STP			10 mg/l
	Soil			0,163 mg/kg
	Water	0,005 mg/l	0,005 mg/l	
	Sediment	1,3 mg/kg	0,13 mg/kg	
	STP			2,1 mg/l
Citronellol	Soil			0,29 mg/kg
	Water	0,002 mg/l	0 mg/l	
	Sediment	0,026 mg/kg	0,003 mg/kg	
	Intermittent water			0,024 mg/l
	STP			580 mg/l
(Z)-3-hexenyl salicylate	Soil			0,004 mg/kg
	Water	0,00061 mg/l	0,000061 mg/l	
	Sediment	0,11 mg/kg	0,011 mg/kg	
	Intermittent water			0,0061 mg/l
	STP			10 mg/l
2-(2-Ethoxyethoxy)ethanol	Soil			0,0217 mg/kg
	Oral			40 mg/kg food
	Water	0,74 mg/l	0,074 mg/l	
	Sediment	2,74 mg/kg	0,274 mg/kg	
	Intermittent water			10 mg/l
	STP			500 mg/l
	Soil			0,15 mg/kg
	Oral			444 mg/kg food

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.
Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: laminated film. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: laminated film. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES *

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: 2 - 11,5	
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Not measured. Not relevant for mixtures.
Flash point	: > 60 °C	Closed cup.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 204 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: Not known.	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,7 (Linalyl acetate) Upper explosion limit in air (%): 5,2 (Linalool)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: > 1	(air = 1)
Relative density (20°C)	: 0,94 g/ml	
Particle characteristics	: Not applicable.	Liquid.

9.2. Other information

Other information : Not relevant.



SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

*

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 54 %. ATE: > 5 mg/l. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Calculated LD50: > 2837 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Danger of aspiration is not expected. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Skin irritation	Non-irritant	-----	Rabbit
	Skin sensitisation	6825 ug/cm2	OECD 429	Mouse
	LD50 (oral)	> 5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rat
	Mutagenicity	Not mutagenic	OECD 471	-----
	NOAEL (development, oral)	480 mg/kg bw/d	OECD 414	Rat
	LC50 (inhalation) - estimate	> 22360 mg/m3	Read across	
4-tert-Butylcyclohexyl acetate	LD50 (oral)	5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Eye irritation	Non-irritant		Rabbit
	Skin irritation	Non-irritant		Rabbit
	NOAEL (oral) - estimate	710 mg/kg bw/d	Read across	
Linalyl acetate	Outdoor cleaners (excludes stone, concrete and similar surfaces)	1000 mg/kg bw/d	OECD 414	Rat
	LD50 (oral)	13934 mg/kg bw	-----	Rat
	LC50 (inhalation)	> 2740 mg/m3	-----	Mouse
	Skin irritation	Non-irritant	-----	Human
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (oral) - estimate	160 mg/kg bw/d	OECD 407	Rat
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	Rat
Benzyl salicylate	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	NOAEL (fertility, oral)	158 mg/kg bw/d	OECD 421	Rat
	Skin sensitisation	725 ug/cm2	OECD 429	Mouse
	NOAEL (oral)	177 mg/kg bw/d	OECD 408	Rat
	Skin irritation	Non-irritant	OECD 404	Rabbit
	NOAEL (development, oral)	158 mg/kg bw/d	OECD 421	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Eye irritation	Moderately irritant	-----	Rabbit
	LD50 (oral) - estimate	> 2000 mg/kg bw	Read across	



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

3,7-Dimethylnona-1,6-dien-3-ol	LD50 (dermal) - estimate	> 2000 mg/kg bw	Read across		
	LD50 (oral)	5000 mg/kg bw	-----	Rat	
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit	
	NOAEL (oral) - estimate	117 mg/kg bw/d	Read across	Rat	
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat	
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium	
	Genotoxicity - estimate	Not genotoxic	Read across		
	Skin irritation	Irritant	-----	Rabbit	
	Eye irritation	Irritant	-----	Rabbit	
	(Ethoxymethoxy)cyclododecane	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
		LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rabbit
		Mutagenicity	Negative	OECD 471	Salmonella typhimurium
		Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
Skin irritation		Irritant	OECD 404	Rabbit	
Eye irritation		Non-irritant	OECD 405	Rabbit	
NOAEL (oral)		1000 mg/kg bw/d	OECD 422	Rat	
NOAEL (development, oral)		1000 mg/kg bw/d	OECD 422	Rat	
NOAEL (fertility, oral)		1000 mg/kg bw/d	OECD 422	Rat	
Skin sensitisation		Sensitizing.	OECD 429	Mouse	
Linalool	NOAEL (development, oral)	365 mg/kg bw/d	-----	Rat	
	Eye irritation	Non-irritant	OECD 405	Rabbit	
	Skin sensitisation	12650 ug/cm2	OECD 429	Mouse	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
	NOAEL (fertility, oral)	500 mg/kg bw/d		Rat	
	Skin irritation	Irritant	OECD 404	Rabbit	
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat	
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse	
	LD50 (dermal)	5610 mg/kg bw	-----	Rabbit	
	Skin irritation	Mildly irritant	-----	Human	
	LD50 (oral)	2790 mg/kg bw	-----	Rat	
	NOAEL (oral)	117 mg/kg bw/d	-----	Rat	
	2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	LD50 (dermal)	2000 mg/kg bw		Rabbit
NOAEL (oral)		300 mg/kg bw/d	OECD 422	Rat	
Skin sensitisation		Not sensitizing	OECD 406	Guinea pig	
Genotoxicity - in vitro		Not genotoxic	OECD 476		
Mutagenicity		Negative	OECD 471	Salmonella typhimurium	
NOAEL (fertility, oral)		> 300 mg/kg bw/d	OECD 422	Rat	
Skin irritation		Non-irritant	OECD 404	Rabbit	
LD50 (oral)		5000 mg/kg bw	-----	Rat	
Eye irritation - estimate		Irritant	-----	-----	
(Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one		LD50 (oral) - estimate	> 5000 mg/kg bw	Read across	Rat
		Skin sensitisation - estimate	Sensitizing.	Read across	Mouse
		Mutagenicity - estimate	Not mutagenic	Read across	Salmonella typhimurium
		Genotoxicity - estimate	Not genotoxic	Read across	-----
	NOAEL (oral) - estimate	42 mg/kg bw/d	Read across	Rat	
	NOAEL (fertility) - estimate	120 mg/kg.d	Read across	Rat	



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	NOAEL (development) - estimate	120 mg/kg.d	Read across	Rat	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse	
	LD50 (oral)	> 2325 mg/kg bw	OECD 401	Rat	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
	Skin irritation	Irritant		Human	
	Eye irritation	Irritant	----	----	
	NOAEL (oral)	10 mg/kg bw/d	OECD 408	Rat	
	NOAEL (development, oral)	115 mg/kg bw/d	OECD 421	Rat	
	NOAEL (fertility, oral)	115 mg/kg bw/d	OECD 421	Rat	
	LD50 (dermal)	> 5000 mg/kg bw	----	Rabbit	
Juniper, Juniperus mexicana, ext.	LD50 (oral)	> 5000 mg/kg bw	----	Rat	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
	NOAEL (oral) - estimate	207 mg/kg bw/d	OECD 422	Rat	
	Genotoxicity - estimate	Not genotoxic	Read across	Mouse	
	NOAEL (fertility) - estimate	> 381 mg/kg.d	Read across	Rat	
	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat	
	LD50 (dermal)	> 10000 mg/kg bw	OECD 402	Rabbit	
	Lemon, ext.	Genotoxicity - in vitro	Not genotoxic		
		Skin sensitisation	10875 ug/cm2	OECD 429	Mouse
		Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
NOAEL (oral)		> 50 mg/kg bw/d		Rat	
Skin irritation		Moderately irritant		Rabbit	
LD50 (oral)		3450 mg/kg bw	----	Rat	
LD50 (dermal)		2650 mg/kg bw		Rabbit	
NOAEL (fertility, dermal)		300 mg/kg bw/d	OECD 421	Rat	
NOAEL (developmental toxicity, dermal)		> 300 mg/kg bw/d	OECD 421	Rat	
Skin irritation		Moderately irritant	Patch test	Human	
Citronellol	Eye irritation	Moderately irritant		Rabbit	
	LD50 (oral)	2000 mg/kg bw	----	Rat	
	1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	NOAEL (oral)	> 10 mg/kg bw/d	----	----
		Skin sensitisation	498 ug/cm2	OECD 429	Mouse
		Skin irritation	Moderately irritant	----	Human
		Skin irritation	Severely irritant		Rabbit
		NOEL (carcinogenicity, oral)	Not carcinogenic	----	Rat
		Mutagenicity	Negative	----	Salmonella typhimurium
		LC50 (inhalation) - estimate	1500 mg/m3		
		LD50 (dermal) - estimate	1912 mg/kg bw		
LD50 (oral)		1560 mg/kg bw	----	Rat	
Isoeugenol					

11.2. Information on other hazards

Endocrine disrupting properties : Not applicable.
 Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

*



12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 4 mg/l. Calculated EC50 (waterflea): 3 mg/l.
Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	EC50 (waterflea)	1,38 mg/l	OECD 202	-----	
	IC50 (algae)	> 2,6 mg/l	OECD 201	-----	
	LC50 (fish)	1,3 mg/l	OECD 203	-----	
	Log P(ow)	5,23			
	BCF	600			
	(Ethoxymethoxy)cyclododecane	LC50 (fish)	1,9 mg/l	OECD 203	Brachydanio rerio
		EC50 (waterflea)	1,6 mg/l	OECD 202	Daphnia magna
		NOEC (fish)	1,3 mg/l	OECD 203	Brachydanio rerio
		NOEC (waterflea) - acute	0,68 mg/l	OECD 202	Daphnia magna
		IC50 (algae)	> 2 mg/l	OECD 201	Pseudokirchnerella subcapitata
Ultimate aerobic biodegradation (%)		< 60	OECD 302 C		
Log P(ow)		5,4			
3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol	BCF	530			
	LC50 (fish)	1,7 mg/l	OECD 203	Pimephales promelas	
	NOEC (fish)	0,96 mg/l	OECD 203	Pimephales promelas	
	EC50 (waterflea)	1,1 mg/l	OECD 202	Daphnia magna	
	NOEC (waterflea) - acute	0,32 mg/l	OECD 202	Daphnia magna	
	Ultimate aerobic biodegradation (%)	66 %	OECD 301 F		
	Log P(ow)	4,2			
	BCF	366			



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	EC50 (waterflea)	0,63 mg/l	OECD 202	Daphnia magna
	LC50 (fish)	1,1 mg/l	-----	Lepomis macrochirus
	Ultimate aerobic biodegradation (%)	0 %	OECD 301 F	
	IC50 (algae)	2,5 mg/l		Pseudokirchnerella subcapitata
Juniper, Juniperus mexicana, ext.	Log P(ow)	4,44		
	LC50 (fish)	6,8 mg/l	OECD 203	Cyprinus carpio
	EC50 (waterflea)	0,76 mg/l	OECD 202	Daphnia magna
	IC50 (algae)	41 mg/l	OECD 201	Pseudokirchnerella subcapitata
(Z)-3-hexenyl salicylate	Ultimate aerobic biodegradation (%)	72 %	OECD 301 D	
	Log P(ow)	4,3		
	Ultimate aerobic biodegradation (%)	89 %	OECD 301 F	
	LC50 (fish) - estimate	1,13 mg/l		Brachydanio rerio
(4aR,5R,7aS,9R)-Octahydro-2,2,5,8,8,9a-hexamethyl-4H-4a,9-methanozulenol[5,6-d]-1,3-dioxole	EC50 (waterflea)	3,7 mg/l	OECD 202	Daphnia magna
	IC50 (algae)	0,61 mg/l	OECD 201	Desmodesmus subspicatus
	Log P(ow)	4,57		
	Ultimate aerobic biodegradation (%)	0 %	OECD 301 D	
	LC50 (fish)	> 3 mg/l	OECD 203	Oncorhynchus mykiss
	EC50 (waterflea)	> 3 mg/l	OECD 202	Daphnia magna
	IC50 (algae)	> 4,3 mg/l	OECD 201	Desmodesmus subspicatus
	Log P(ow)	4,8		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 3082

14.2. UN proper shipping name


Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; (Ethoxymethoxy)cyclododecane)

Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro2,3,8,8-tetramethyl-2-naphtyl)ethan-1-one ; (Ethoxymethoxy)cyclododecane)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 9
 Classification code : M6
 Packaging group : III
 Danger label : 9 + the "environmentally hazardous substance" mark.
 Tunnel restriction : (-)
 code



Other information : Not intended for carriage by tank-vessels on inland waterways. This product is not regulated as a dangerous good when transported in sizes of <= 5 L or <= 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (Special provisions 375).

IMDG (sea)

Class : 9
 Packaging group : III
 EmS (fire / spill) : F - A / S - F
 Marine pollutant : Yes
 Other information : This product is not regulated as a dangerous good when transported in sizes of <= 5 L or <= 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (IMDG code 37-14, 2.10.2.7).

IATA (air)

Class : 9
 ERG code : 9L
 Packaging group : III

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

*

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.



SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2	: Calculation method.
Eye Irrit. 2	: Calculation method.
Skin Sens. 1/1A/1B	: Calculation method.
Aquatic Chronic 2	: Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3	: Flammable liquid, category 3.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Asp. Tox. 1	: Aspiration hazard, category 1.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2 : Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H332 Harmful if inhaled.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.