

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING *

1.1. Product identifier

Product name : LAFITA PERFUME PEARLS BABY SWEET
Product code : LF1V331
UFI : 8V00-U0GG-C002-9N9U

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products for indoor rooms (continuous action). Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
Computerweg 3
3542 DP UTRECHT, The Netherlands
Telephone : +31-30-7116 824
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION *

2.1. Classification of the substance or mixture

CLP classification : Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment —
(1272/2008/EC) Chronic category 2.

Human health hazards : May cause an allergic skin reaction. Causes serious eye irritation.


Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.

Environmental hazards : Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :




Signal word : Warning

H- and P-phrases :

| | |
|-------------|---|
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H411 | Toxic to aquatic life with long lasting effects. |
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P280 gloves | Wear protective gloves. |
| P302+P352 | IF ON SKIN: Wash with plenty of water/soap. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P273 | Avoid release to the environment. |
| P391 | Collect spillage. |

P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:
Hazard pictograms :



Signal word : Warning

H- and P-phrases :

| | |
|-------------|---|
| H317 | May cause an allergic skin reaction. |
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P280 gloves | Wear protective gloves. |
| P302+P352 | IF ON SKIN: Wash with plenty of water/soap. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P501 | Dispose of contents/container to an official chemical waste depot. |

Additional labelling (for all packaging sizes)

: Contains: p-Methoxybenzyl acetate ; 3,7-Dimethylnona-1,6-dien-3-ol ; Hexyl salicylate ; 4-Prop-1-enylveratrole ; 3-p-Cumenyl-2-methylpropionaldehyde .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

| Substance name | Concentration (w/w) (%) | CAS nr. | EC number | Remark | REACH nr. |
|---|-------------------------|-------------|-----------|--------|-----------|
| Diethyl phthalate | 25 - < 50 | 84-66-2 | 201-550-6 | MAC | |
| 2-Phenylethanol | 5 - < 10 | 60-12-8 | 200-456-2 | | |
| Terpineol | 5 - < 10 | 8000-41-7 | 232-268-1 | | |
| p-Anisaldehyde | 1 - < 5 | 123-11-5 | 204-602-6 | | |
| p-Methoxybenzyl acetate | 1 - < 5 | 104-21-2 | 203-185-8 | | |
| Benzyl acetate | 1 - < 5 | 140-11-4 | 205-399-7 | | |
| p-Menthan-8-yl acetate | 1 - < 2,5 | 58985-18-5 | 261-543-9 | | |
| (E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one | 1 - < 2,5 | 79-77-6 | 201-224-3 | | |
| Pentyl salicylate | 1 - < 2,5 | 2050-08-0 | 218-080-2 | | |
| Vanillin | 1 - < 5 | 121-33-5 | 204-465-2 | | |
| 3,7-Dimethylnona-1,6-dien-3-ol | 1 - < 5 | 10339-55-6 | 233-732-6 | | |
| 3-Ethoxy-4-hydroxybenzaldehyde | 1 - < 5 | 121-32-4 | 204-464-7 | | |
| Oxacyclohexadec-12-en-2-one | 1 - < 2,5 | 111879-80-2 | 634-655-4 | | |
| Hexyl salicylate | 0,25 - < 1 | 6259-76-3 | 228-408-6 | | |
| Phenethyl cinnamate | 0,25 - < 1 | 103-53-7 | 203-120-3 | | |
| 4-Prop-1-enylveratrole | 0,1 - < 1 | 93-16-3 | 202-224-6 | | |
| 3-p-Cumenyl-2-methylpropionaldehyde | 0,1 - < 1 | 103-95-7 | 203-161-7 | | |

| Substance name | Hazard Class | H-phrases | Pictograms |
|-------------------|----------------------------|------------|------------|
| Diethyl phthalate | ---- | ---- | ---- |
| 2-Phenylethanol | Acute Tox. 4; Eye Irrit. 2 | H302; H319 | GHS07 |



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

| | | | | |
|---|--|------------------------|--------------|----------------------------------|
| Terpineol | Skin Irrit. 2; Eye Irrit. 2 | H315; H319 | GHS07 | |
| p-Anisaldehyde | Aquatic Chronic 3 | H412 | | |
| p-Methoxybenzyl acetate | Skin Sens. 1B | H317 | GHS07 | |
| Benzyl acetate | Aquatic Chronic 3 | H412 | | |
| p-Menthan-8-yl acetate | Aquatic Chronic 2 | H411 | GHS09 | |
| (E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one | Aquatic Chronic 2 | H411 | GHS09 | |
| Pentyl salicylate | Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 1 | H302; H400; H410 | GHS07; GHS09 | M (acute) = 1 M (chronic) = 1 |
| Vanillin | Eye Irrit. 2 | H319 | GHS07 | |
| 3,7-Dimethylnona-1,6-dien-3-ol | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2 | H315; H317; H319 | GHS07 | |
| 3-Ethoxy-4-hydroxybenzaldehyde | Eye Irrit. 2 | H319 | GHS07 | |
| Oxacyclohexadec-12-en-2-one | Aquatic Acute 1; Aquatic Chronic 1 | H400; H410 | GHS09 | M (acute) = 1 M (chronic) = 1 |
| Hexyl salicylate | Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1 | H315; H317; H400; H410 | GHS07; GHS09 | M (acute) = 1 M (chronic) = 1 |
| Phenethyl cinnamate | Aquatic Acute 1; Aquatic Chronic 1 | H400; H410 | GHS09 | |
| 4-Prop-1-enylveratrole | Skin Sens. 1B | H317 | GHS07 | |
| 3-p-Cumenyl-2-methylpropionaldehyde | Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 3 | H315; H317; H412 | GHS07 | |

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media



Extinguishing media

- Suitable : Carbondioxide (CO₂). Foam. Dry chemical. Water fog.
Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

- Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

- Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

- Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

| Chemical name | Country | TWA 8 hour (mg/m ³) | STEL 15 min (mg/m ³) | Comments | Source |
|-------------------|---------|---------------------------------|----------------------------------|----------|----------------------------------|
| Diethyl phthalate | GB | 5 | 10 | - | |
| Benzyl acetate | | 5 | - | | MAC: EU Member States MAC: LT |

Derived no-effect level (DNEL) for workers:

| Chemical name | Route of exposure | DNEL, short-term | | DNEL, long-term | |
|---|-------------------|------------------------|------------------------|-------------------------|-------------------------|
| | | Local effect | Systemic effect | Local effect | Systemic effect |
| Diethyl phthalate | Dermal | 0,017 mg/kg bw | 7,5 mg/kg bw | 0,0084 mg/kg bw/day | 1,5 mg/kg bw/day |
| 2-Phenylethanol | Inhalation | 52,8 mg/m ³ | 52,8 mg/m ³ | 10,56 mg/m ³ | 10,56 mg/m ³ |
| | Dermal | | | | 21,2 mg/kg bw/day |
| Terpineol | Dermal | | 5 mg/kg bw | | 1,17 mg/kg bw/day |
| | Inhalation | | | | 5,8 mg/m ³ |
| p-Anisaldehyde | Dermal | | | | 3,33 mg/kg bw/day |
| | Inhalation | | | | 5,88 mg/m ³ |
| p-Methoxybenzyl acetate | Inhalation | | | | 2,468 mg/m ³ |
| | Dermal | | | | 0,7 mg/kg bw/day |
| Benzyl acetate | Inhalation | | | | 9 mg/m ³ |
| | Dermal | | | | 2,5 mg/kg bw/day |
| (E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one | Dermal | | | | 6 mg/kg bw/day |
| | Inhalation | | | | 12,7 mg/m ³ |
| Pentyl salicylate | Inhalation | | | | 3,17 mg/m ³ |
| | Dermal | | | | 0,9 mg/kg bw/day |
| 3,7-Dimethylnona-1,6-dien-3-ol | Inhalation | | 18 mg/m ³ | | 3 mg/m ³ |
| | Dermal | | | | 1,6 mg/kg bw |
| Hexyl salicylate | Dermal | 0,885 mg/kg bw | | 0,885 mg/kg bw/day | 6,4 mg/kg bw/day |
| | Inhalation | | | | 1,7 mg/m ³ |
| 3-p-Cumenyl-2-methylpropionaldehyde | Inhalation | | | 0,00743 mg/kg bw/day | 5,83 mg/m ³ |
| | Dermal | | | | 1,67 mg/kg bw/day |

Derived no-effect level (DNEL) for consumers:

| Chemical name | Route of exposure | DNEL, short-term | | DNEL, long-term | |
|-------------------|-------------------|----------------------|----------------------|-----------------------|------------------------|
| | | Local effect | Systemic effect | Local effect | Systemic effect |
| Diethyl phthalate | Dermal | 0,0084 mg/kg bw | 3,75 mg/kg bw | 0,0042 mg/kg bw/day | 0,75 mg/kg bw/day |
| 2-Phenylethanol | Inhalation | 13 mg/m ³ | 13 mg/m ³ | 2,6 mg/m ³ | 2,6 mg/m ³ |
| | Oral | | | | 0,75 mg/kg bw/day |
| | Inhalation | | | | 17,7 mg/m ³ |
| | Dermal | | | | 12,7 mg/kg bw/day |
| | Oral | | 5,1 mg/kg bw | | 5,1 mg/kg bw/day |



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

| | | | | | |
|---|------------|-----------------|------------------------|----------------------|------------------------|
| Terpineol | Dermal | | 2,5 mg/kg bw | | 0,42 mg/kg bw/day |
| | Inhalation | | 1,25 mg/m ³ | | 1,25 mg/m ³ |
| | Oral | | 2,5 mg/kg bw | | 0,42 mg/kg bw/day |
| p-Anisaldehyde | Inhalation | | | | 1,74 mg/m ³ |
| | Dermal | | | | 2 mg/kg bw/day |
| | Oral | | | | 1 mg/kg bw/day |
| p-Methoxybenzyl acetate | Inhalation | | | | 0,37 mg/m ³ |
| | Dermal | | | | 0,25 mg/kg bw/day |
| | Oral | | | | 0,25 mg/kg bw/day |
| Benzyl acetate | Inhalation | | | | 2.2 mg/m ³ |
| | Dermal | | | | 1.3 mg/kg bw/day |
| | Oral | | 6,25 mg/kg bw | | 1.3 mg/kg bw/day |
| (E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one | Dermal | | | | 3.6 mg/kg bw/day |
| | Inhalation | | | | 3.1 mg/m ³ |
| | Oral | | | | 1.8 mg/kg bw/day |
| Pentyl salicylate | Inhalation | | | | 0,78 mg/m ³ |
| | Dermal | | | | 0,45 mg/kg bw/day |
| | Oral | | | | 0,45 mg/kg bw/day |
| 3,7-Dimethylnona-1,6-dien-3-ol | Inhalation | | 4,4 mg/m ³ | | 0,74 mg/m ³ |
| | Dermal | 1,6 mg/kg bw | 2,7 mg/kg bw | 1,6 mg/kg bw/day | 1,4 mg/kg bw/day |
| | Oral | | 1,3 mg/kg bw | | 0,2 mg/kg bw/day |
| Hexyl salicylate | Dermal | 0.4425 mg/kg bw | | 0,4425 mg/kg bw/day | 3,2 mg/kg bw/day |
| | Inhalation | | | | 0,4 mg/m ³ |
| | Oral | | | | 0,3 mg/kg bw/day |
| 3-p-Cumenyl-2-methylpropionaldehyde | Inhalation | | | | 1,45 mg/m ³ |
| | Dermal | | | 0,00372 mg/kg bw/day | 0,83 mg/kg bw/day |
| | Oral | | | | 0,83 mg/kg bw/day |

Predicted no-effect concentration (PNEC):

| Chemical name | Route of exposure | Fresh water | Marine water | |
|-------------------------|--------------------|-------------|--------------|-----------------|
| Diethyl phthalate | Water | 0,012 mg/l | 0,0012 mg/l | |
| | Sediment | 0,137 mg/kg | 0,0137 mg/kg | |
| | Intermittent water | | | 0,12 mg/l |
| | STP | | | 2 mg/l |
| | Soil | | | 0,137 mg/kg |
| 2-Phenylethanol | Oral | | | 33 mg/kg food |
| | Water | 0,215 mg/l | 0,0215 mg/l | |
| | Sediment | 1,454 mg/kg | 0,1454 mg/kg | |
| | Intermittent water | | | 2,15 mg/l |
| | STP | | | 10 mg/l |
| Terpineol | Soil | | | 0,164 mg/kg |
| | Water | 0,062 mg/l | 0,0062 mg/l | |
| | Sediment | 0,442 mg/kg | 0,044 mg/kg | |
| | STP | | | 2,57 mg/l |
| | Soil | | | 0,052 mg/kg |
| p-Anisaldehyde | Oral | | | 16,6 mg/kg food |
| | Water | 0,013 mg/l | 0,0013 mg/l | |
| | Sediment | 0,06 mg/kg | 0,006 mg/kg | |
| | Intermittent water | | | 0,8111 mg/l |
| | STP | | | 8,5 mg/l |
| p-Methoxybenzyl acetate | Soil | | | 0,004 mg/kg |
| | Water | 0,013 mg/l | 0,001 mg/l | |
| | Sediment | 0,18 mg/kg | 0,018 mg/kg | |

| | | | | |
|---|--------------------|--------------|---------------|-----------------|
| Benzyl acetate | STP | | | 0,2 mg/l |
| | Soil | | | 0,028 mg/kg |
| | Water | 0.018 mg/l | 0.002 mg/l | |
| | Sediment | 0.526 mg/kg | 0.053 mg/kg | |
| (E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one | Intermittent water | | | 0,04 mg/l |
| | STP | | | 8,55 mg/l |
| | Soil | | | 0.094 mg/kg |
| | Water | 0.004 mg/l | 0 mg/l | |
| Pentyl salicylate | Sediment | 0.151 mg/kg | 0.015 mg/kg | |
| | Intermittent water | | | 0,7 mg/l |
| | STP | | | 1 mg/l |
| | Soil | | | 0.015 mg/kg |
| Vanillin | Water | 0.00077 mg/l | 0.000077 mg/l | |
| | Sediment | 0,389 mg/kg | 0,039 mg/kg | |
| | STP | | | 10 mg/l |
| | Soil | | | 1,786 mg/kg |
| 3,7-Dimethylnona-1,6-dien-3-ol | Oral | | | 80 mg/kg food |
| | Water | 0,118 mg/l | 0,0118 mg/l | |
| | Sediment | 58,22 mg/kg | 5,822 mg/kg | |
| | STP | | | 10 mg/l |
| 3-Ethoxy-4-hydroxybenzaldehyde | Soil | | | 11,54 mg/kg |
| | Water | 0,023 mg/l | 0,0023 mg/l | |
| | Sediment | 0,223 mg/kg | 0,0223 mg/kg | |
| | Intermittent water | | | 0,23 mg/l |
| Hexyl salicylate | STP | | | 10 mg/l |
| | Soil | | | 0,031 mg/kg |
| | Oral | | | 8,53 mg/kg food |
| | Water | 0,118 mg/l | 0,0118 mg/l | |
| 3-p-Cumenyl-2-methylpropionaldehyde | Sediment | 15 mg/kg | 1,5 mg/kg | |
| | STP | | | 10 mg/l |
| | Soil | | | 2,923 mg/kg |
| | Water | 0 mg/l | 0 mg/l | |
| 3-p-Cumenyl-2-methylpropionaldehyde | Sediment | 0,272 mg/kg | 0.027 mg/kg | |
| | Intermittent water | | | 0,0036 mg/l |
| | STP | | | 10 mg/l |
| | Soil | | | 0.054 mg/kg |
| 3-p-Cumenyl-2-methylpropionaldehyde | Water | 0,00109 mg/l | 0,00011 mg/l | |
| | Sediment | 0,126 mg/kg | 0.013 mg/kg | |
| | Intermittent water | | | 0,01092 mg/l |
| | STP | | | 1 mg/l |
| 3-p-Cumenyl-2-methylpropionaldehyde | Soil | | | 0.025 mg/kg |
| | Oral | | | 33.3 mg/kg food |

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.
Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.





- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: laminated film. Indication of permeation breakthrough time: 6 hours.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: laminated film. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES *

9.1. Information on basic physical and chemical properties

| | | |
|---|---------------------|---|
| Physical state | : Liquid. | Impregnated material. |
| Colour | : Light yellow. | |
| Odour | : Perfumed. | |
| Odour threshold | : Not known. | |
| pH | : 2 - 11,5 | |
| Solubility in water | : Not soluble. | |
| Partition coefficient (n-octanol/water) | : Not applicable. | Not measured. Not relevant for mixtures. |
| Flash point | : > 60 °C | Closed cup. |
| Flammability (solid, gas) | : Not applicable. | Liquid. See flashpoint. |
| Auto ignition temperature | : > 225 °C | |
| Boiling point/boiling range | : > 100 °C | |
| Melting point/melting range | : Not known. | |
| Explosive properties | : Not an explosive. | |
| Explosion limits (% in air) | : Not known. | Lower explosion limit in air (%): 0,9 (Diethyl phthalate) Upper explosion limit in air (%): 11,9 (2-Phenylethanol) |
| | : | Does not contain oxidizing substances. |
| Oxidising properties | : Not applicable. | |
| Decomposition temperature | : Not applicable. | |
| Viscosity (20°C) | : Not known. | |
| Viscosity (40°C) | : Not relevant. | The product contains < 10% substances having an aspiration hazard. |
| Vapour pressure (20°C) | : Not known. | |
| Relative vapour density | : > 1 | (air = 1) |
| Relative density (20°C) | : 0,94 g/ml | |
| Particle characteristics | : Not applicable. | Liquid. |

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.



10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 5,406 mg/l. Ingredients of unknown toxicity: 20 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 4940 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Calculated LD50: > 2442 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

| Chemical name | Property | | Method | Test animal |
|-----------------|-------------------------|----------------|----------|-------------|
| 2-Phenylethanol | LD50 (oral) | 1609 mg/kg bw | ----- | Rat |
| | NOAEL (dermal) | 510 mg/kg bw/d | OECD 411 | Rat |
| | Genotoxicity - in vitro | Not genotoxic | OECD 476 | |



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

| | | | | |
|--------------------------------|--|---------------------|-------------|------------------------|
| | NOAEL (development, oral) | 4,3 mg/kg bw/d | | Rat |
| | Eye irritation | Irritant | ----- | Rabbit |
| | Skin irritation | Slightly irritant | ----- | Rabbit |
| | LD50 (dermal) | 2535 mg/kg bw | OECD 402 | Rabbit |
| | Skin sensitisation - estimate | Not sensitizing | | |
| | LC50 (inhalation) | > 4630 mg/m3 | | Rat |
| | NOAEL (developmental toxicity, dermal) | 140 mg/kg bw/d | | Rat |
| | Mutagenicity | Negative | OECD 471 | Salmonella typhimurium |
| | LC50 (inhalation) - estimate | > 5000 mg/m3 | | Rat |
| Terpineol | Skin irritation | Moderately irritant | ----- | Rabbit |
| | LD50 (dermal) | > 2000 mg/kg bw | OECD 402 | Rat |
| | Skin sensitisation | Not sensitizing | OECD 406 | Guinea pig |
| | NOAEL (oral) | 250 mg/kg bw/d | OECD 422 | Rat |
| | LD50 (oral) | > 2000 mg/kg bw | OECD 401 | Rat |
| | LC50 (inhalation) - estimate | > 5000 mg/m3 | | |
| | LC50 (inhalation) | > 4760 mg/m3 | OECD 403 | Rat |
| | Eye irritation | Irritant | OECD 405 | Rabbit |
| | NOAEL (fertility, oral) | 250 mg/kg bw/d | OECD 422 | Rat |
| | Genotoxicity - in vitro | Not genotoxic | OECD 473 | |
| | Mutagenicity | Negative | OECD 471 | Salmonella typhimurium |
| | NOAEL (development, oral) | > 250 mg/kg bw/d | OECD 422 | Rat |
| p-Methoxybenzyl acetate | LD50 (dermal) | > 2000 mg/kg bw | OECD 402 | Rat |
| | NOAEL (oral) | 400 mg/kg bw/d | OECD 422 | Rat |
| | Mutagenicity | Negative | OECD 471 | Salmonella typhimurium |
| | Genotoxicity - in vitro | Not genotoxic | OECD 476 | Chinese Hamster |
| | Skin irritation | Non-irritant | | Human |
| | Eye irritation | Non-irritant | OECD 405 | Rabbit |
| | NOAEL (development, oral) | 400 mg/kg bw/d | OECD 422 | Rat |
| | NOAEL (fertility, oral) | 100 mg/kg bw/d | OECD 422 | Rat |
| | Skin sensitisation | Sensitizing. | OECD 429 | Mouse |
| | LD50 (oral) | > 2000 mg/kg bw | OECD 423 | Rat |
| Vanillin | LD50 (oral) | > 3500 mg/kg bw | ----- | Rat |
| | LD50 (dermal) | > 5010 mg/kg bw | | Rabbit |
| | Skin sensitisation | Sensitizing. | | Guinea pig |
| | Skin irritation | Non-irritant | ----- | Rabbit |
| | Eye irritation | Slightly irritant | ----- | Rabbit |
| | NOEL (carcinogenicity, oral) | Not carcinogenic | ----- | Rat |
| | Mutagenicity | Negative | OECD 471 | Salmonella typhimurium |
| | NOEL (oral) | 2500 mg/kg bw/d | | Rat |
| | NOAEL (development, oral) | > 500 mg/kg bw/d | ----- | Rat |
| | Genotoxicity - in vitro | Not genotoxic | OECD 473 | |
| | NOAEL (oral) | > 650 mg/kg bw/d | OECD 408 | Rat |
| 3,7-Dimethylnona-1,6-dien-3-ol | LD50 (oral) | 5000 mg/kg bw | ----- | Rat |
| | LD50 (dermal) | > 5000 mg/kg bw | ----- | Rabbit |
| | NOAEL (oral) - estimate | 117 mg/kg bw/d | Read across | Rat |
| | NOAEL (dermal) - estimate | 250 mg/kg bw/d | Read across | Rat |



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

| | | | | |
|-------------------------------------|--------------------------------|-------------------------|--------------|------------------------|
| 3-Ethoxy-4-hydroxybenzaldehyde | Mutagenicity | Not mutagenic | OECD 471 | Salmonella typhimurium |
| | Genotoxicity - estimate | Not genotoxic | Read across | |
| | Skin irritation | Irritant | ----- | Rabbit |
| | Eye irritation | Irritant | ----- | Rabbit |
| | Skin irritation | Mildly irritant | ----- | Human |
| | LD50 (oral) | > 3160 mg/kg bw | OECD 401 | Rat |
| | LD50 (dermal) | > 2000 mg/kg bw | OECD 402 | Rat |
| | Skin irritation | Slightly irritant | OECD 404 | Rabbit |
| | Skin sensitisation | Not sensitizing | OECD 429 | Mouse |
| | NOAEL (oral) | 500 mg/kg bw/d | | Rat |
| | Genotoxicity - in vitro | Not genotoxic | | |
| | Mutagenicity | Negative | OECD 471 | Salmonella typhimurium |
| | NOAEL (development) - estimate | Not teratogenic | Read across | |
| Hexyl salicylate | Eye irritation | Irritant | OECD 405 | Rabbit |
| | Genotoxicity - in vivo | Negative | OECD 474 | Mouse |
| | NOEL (carcinogenicity, oral) | Not carcinogenic | ----- | Rat |
| | LD50 (oral) | > 5000 mg/kg bw | OECD 401 | Rat |
| | NOAEL (inhalation) | 249 mg/m ³ | OECD 412 | Rat |
| | LD50 (dermal) | > 5000 mg/kg bw | OECD 402 | Rabbit |
| | NOAEL (oral) - estimate | 50 mg/kg bw/d | Read across | |
| | Mutagenicity | Negative | OECD 471 | Salmonella typhimurium |
| | Genotoxicity - in vitro | Not genotoxic | OECD 476 | Chinese Hamster |
| | Genotoxicity - in vivo | Not genotoxic | ----- | Mouse |
| | NOAEL (development) - estimate | Not teratogenic | Read across | |
| | NOAEL (fertility) - estimate | Not reprotoxic | Read across | |
| | 4-Prop-1-enylveratrole | Eye irritation | Non-irritant | OECD 405 |
| Skin irritation | | Moderately irritant | OECD 404 | Rabbit |
| LD50 (oral) | | 2500 mg/kg bw | ----- | Rat |
| LD50 (dermal) | | > 5000 mg/kg bw | | Rabbit |
| Skin sensitisation | | Not sensitizing | | |
| 3-p-Cumenyl-2-methylpropionaldehyde | Skin sensitisation | 5575 ug/cm ² | OECD 429 | Mouse |
| | NOAEL (oral) | 300 mg/kg bw/d | | Rabbit |
| | Skin irritation | Slightly irritant | | Rabbit |
| | LD50 (oral) | 3810 mg/kg bw | ----- | Rat |
| | NOAEL (fertility, oral) | 25 mg/kg bw/d | OECD 415 | Rat |
| | Mutagenicity | Negative | OECD 471 | Salmonella typhimurium |
| | Genotoxicity - in vivo | > 2000 mg/kg bw/d | Read across | Mouse |
| | Eye irritation | Non-irritant | | Rabbit |
| | LD50 (dermal) | > 5000 mg/kg bw | ----- | Rat |

11.2. Information on other hazards

Endocrine disrupting properties : Not applicable.
 Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

*

12.1. Toxicity

No ecotoxicological research has been carried out on this product.



Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 10 mg/l. Calculated EC50 (waterflea): 13 mg/l.
Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

| Chemical name | Property | | Method | Test animal |
|---|-------------------------------------|--------------|------------|-------------------------|
| p-Menthan-8-yl acetate | LC50 (fish) | 2,27 mg/l | | Brachydanio rerio |
| | EC50 (waterflea) | 4,63 mg/l | | Daphnia magna |
| | Log P(ow) | 4,057 | | |
| (E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one | EC50 (waterflea) | 1 mg/l | ----- | Daphnia magna |
| | Ultimate aerobic biodegradation (%) | 80 % | | |
| | EC100 (waterflea) | 3,2 mg/l | | Daphnia magna |
| | LC50 (fish) | 5,09 mg/l | | Pimephales promelas |
| | EC0 (waterflea) | 0,18 mg/l | | Daphnia magna |
| | IC50 (algae) | 20,9 mg/l | | Scenedesmus subspicatus |
| | Log P(ow) | 4,0000 | | |
| Pentyl salicylate | EC50 (waterflea) | 2,8 mg/l | OECD 301 F | Daphnia magna |
| | LC50 (fish) | 1,34 mg/l | | Brachydanio rerio |
| | Ultimate aerobic biodegradation (%) | 86 % | | |
| | Log P(ow) | 4,4000 | | |
| | BCF | 55 | | |
| Oxacyclohexadec-12-en-2-one | LC50 (fish) | > 0,797 mg/l | OECD 203 | Oncorhynchus mykiss |
| Hexyl salicylate | EC50 (waterflea) | 0,357 mg/l | OECD 202 | Daphnia magna |
| | IC50 (algae) | 0,61 mg/l | OECD 201 | Desmodesmus subspicatus |
| | LC50 (fish) - estimate | 1,34 mg/l | ----- | Brachydanio rerio |
| | Ultimate aerobic biodegradation (%) | 91 % | OECD 301 F | |
| | NOEC (waterflea) - acute | 0,140 mg/l | OECD 202 | Daphnia magna |
| Phenethyl cinnamate | Log P(ow) | 5,5000 | OECD 202 | Daphnia magna |
| | EC50 (waterflea) | > 1 mg/l | | |



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

| | | | |
|-------------------------------------|---------------|------------|--------------------------------|
| IC50 (alga) | > 0,0963 mg/l | OECD 201 | Pseudokirchnerella subcapitata |
| Ultimate aerobic biodegradation (%) | 81 % | OECD 301 F | |
| Log P(ow) | 4,4 | | |

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION *

14.1. UN number or ID number

UN nr. : UN 3082


14.2. UN proper shipping name

- Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pentyl salicylate ; Oxacyclohexadec-12-en-2-one)
- Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pentyl salicylate ; Oxacyclohexadec-12-en-2-one)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

- Class : 9
- Classification code : M6
- Packaging group : III
- Danger label : 9 + the "environmentally hazardous substance" mark.
- Tunnel restriction code : (-)



Other information : Not intended for carriage by tank-vessels on inland waterways. This product is not regulated as a dangerous good when transported in sizes of <= 5 L or <= 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (Special provisions 375).

IMDG (sea)

- Class : 9
- Packaging group : III
- EmS (fire / spill) : F - A / S - F
- Marine pollutant : Yes



Other information : This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (IMDG code 37-14, 2.10.2.7).

IATA (air)

Class : 9
ERG code : 9L
Packaging group : III

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE : Acute Toxicity Estimate
CLP : Classification, Labeling & Packaging
CMR : Carcinogenic, Mutagenic or toxic for Reproduction
EEC : European Economic Community
GHS : Globally Harmonized System of Classification and Labelling of Chemicals
IATA : International Air Transport Association
IBC code : International Bulk Chemical Code
IMDG : International Maritime Dangerous Goods Code
LD50/LC50 : Lethal Dose/Concentration for 50% of a population
MAC : Maximum Allowable Concentration
MARPOL : International Convention for the Prevention of Pollution From Ships
NO(A)EL : No Observed (Adverse) Effect Level



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

| | |
|----------|--|
| OECD | : Organisation for Economic Co-operation and Development |
| PBT | : Persistent, Bioaccumulative and Toxic |
| PC | : Chemical product category |
| PT | : Product type |
| REACH | : Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | : Regulations concerning the International Carriage of Dangerous Goods by Rail |
| STP | : Sewage Treatment Plant |
| SU | : Sector of Use |
| TWA/STEL | : Time-Weighted Average/Short Term Exposure Limit |
| UN | : United Nations |
| UFI | : Unique formula identifier |
| VOC | : Volatile Organic Compounds |
| vPvB | : Very Persistent and Very Bioaccumulative |

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

| | |
|--------------------|-----------------------|
| Eye Irrit. 2 | : Calculation method. |
| Skin Sens. 1/1A/1B | : Calculation method. |
| Aquatic Chronic 2 | : Calculation method. |

Full text of hazard classes mentioned in section 3:

| | |
|--------------------|--|
| Acute Tox. 4 | : Acute toxicity, category 4. |
| Skin Irrit. 2 | : Skin irritation, category 2. |
| Eye Irrit. 2 | : Eye irritation, category 2. |
| Skin Sens. 1/1A/1B | : Skin sensitization, category 1/1A/1B. |
| Aquatic Chronic 1 | : Hazardous to the aquatic environment — Chronic category 1. |
| Aquatic Chronic 2 | : Hazardous to the aquatic environment — Chronic category 2. |
| Aquatic Chronic 3 | : Hazardous to the aquatic environment — Chronic category 3. |
| Aquatic Acute 1 | : Hazardous to the aquatic environment — Acute category 1. |

Full text of H-phrases mentioned in section 3:

| | |
|------|---|
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Advice on any training appropriate for workers: none.

Number format : ", " used as decimal separator.

End of safety data sheet.