

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : LIMPRO TOILET PERFUME BLOCK BABY SWEET - PERFUMED PLASTIC PART  
Product code : LP6V101  
UFI : E080-U0SE-S004-6YP6

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : SU21 Consumer product. PC3 Air care products for indoor rooms (continuous action). Airfreshener.

**1.3. Details of the supplier of the safety data sheet**

Supplier : Dovox B.V.  
Computerweg 3  
3542 DP UTRECHT, The Netherlands  
Telephone : +31-30-7116 824  
E-mail : info@dovox.nl  
Website : www.dovox.nl

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824

(During office hours only)

**SECTION 2 HAZARDS IDENTIFICATION**


**2.1. Classification of the substance or mixture**

CLP classification : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 2.  
Human health hazards : Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.  
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.  
Environmental hazards : Toxic to aquatic life with long lasting effects.

**2.2. Label elements**

Label elements (1272/2008/EC):

Hazard pictograms :




Signal word : Warning

H- and P-phrases : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 gloves Wear protective gloves.  
P302+P352 IF ON SKIN: Wash with plenty of water/soap.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P273 Avoid release to the environment.

P391 Collect spillage.  
P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

- H317 May cause an allergic skin reaction.
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P280 gloves Wear protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of water/soap.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

- : Contains: Cis-4-(isopropyl)cyclohexanemethanol ; p-Methoxybenzyl acetate ; 3,7-Dimethylnona-1,6-dien-3-ol ; Hexyl salicylate ; 4-Prop-1-enylveratrole ; 3-p-Cumenyl-2-methylpropionaldehyde .
- : Contains 6 % of components with unknown hazards to the aquatic environment.

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances. Human health: The mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605. Environment: The mixture does not contain components considered to have endocrine disrupting properties for human health according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Diethyl phthalate	25 - < 50	84-66-2	201-550-6	MAC	
2-Phenylethanol	5 - < 10	60-12-8	200-456-2		
Terpineol	5 - < 10	8000-41-7	232-268-1		
Cis-4-(isopropyl)cyclohexanemethanol	5 - < 10	13828-37-0	237-539-8		
p-Anisaldehyde	1 - < 5	123-11-5	204-602-6		
p-Methoxybenzyl acetate	1 - < 5	104-21-2	203-185-8		
Benzyl acetate	1 - < 5	140-11-4	205-399-7		
p-Menthan-8-yl acetate	1 - < 2,5	58985-18-5	261-543-9		
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	1 - < 2,5	79-77-6	201-224-3		
Pentyl salicylate	1 - < 2,5	2050-08-0	218-080-2		
Vanillin	1 - < 5	121-33-5	204-465-2		
3,7-Dimethylnona-1,6-dien-3-ol	1 - < 5	10339-55-6	233-732-6		
3-Ethoxy-4-hydroxybenzaldehyde	1 - < 5	121-32-4	204-464-7		
Oxacyclohexadec-12-en-2-one	1 - < 2,5	111879-80-2	634-655-4		
Hexyl salicylate	0,25 - < 1	6259-76-3	228-408-6		
Phenethyl cinnamate	0,25 - < 1	103-53-7	203-120-3		



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

4-Prop-1-enylveratrole	0,1 - < 1	93-16-3	202-224-6		
3-p-Cumenyl-2-methylpropionaldehyde	0,1 - < 1	103-95-7	203-161-7		
Substance name	Hazard Class	H-phrases	Pictograms		
Diethyl phthalate	-----	-----	-----		
2-Phenylethanol	Acute Tox. 4; Eye Irrit. 2	H302; H319	GHS07		
Terpineol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07		
Cis-4-(isopropyl)cyclohexanemethanol	Skin Irrit. 2; Skin Sens. 1B	H315; H317	GHS07		
p-Anisaldehyde	Aquatic Chronic 3	H412			
p-Methoxybenzyl acetate	Skin Sens. 1B	H317	GHS07		
Benzyl acetate	Aquatic Chronic 3	H412			
p-Menthan-8-yl acetate	Aquatic Chronic 2	H411	GHS09		
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Aquatic Chronic 2	H411	GHS09		
Pentyl salicylate	Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 1	H302; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1	
Vanillin	Eye Irrit. 2	H319	GHS07		
3,7-Dimethylnona-1,6-dien-3-ol	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07		
3-Ethoxy-4-hydroxybenzaldehyde	Eye Irrit. 2	H319	GHS07		
Oxacyclohexadec-12-en-2-one	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1	
Hexyl salicylate	Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1	H315; H317; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1	
Phenethyl cinnamate	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09		
4-Prop-1-enylveratrole	Skin Sens. 1B	H317	GHS07		
3-p-Cumenyl-2-methylpropionaldehyde	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 3	H315; H317; H412	GHS07		

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

#### First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.



**4.3. Indication of any immediate medical attention and special treatment needed**

Note to physicians : None known.

**SECTION 5 FIRE-FIGHTING MEASURES**

**5.1. Extinguishing media**

Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.

**5.2. Special hazards arising from the substance or mixture**

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

**5.3. Advice for firefighters**

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

**6.2. Environmental precautions**

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

**6.3. Methods and material for containment and cleaning up**

- Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

**6.4. Reference to other sections**

- Reference to other sections : See also section 8.

**SECTION 7 HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

- Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

**7.2. Conditions for safe storage, including any incompatibilities**

- Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.
- Recommended packaging : Keep only in the original container.



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Non recommended packaging : None known.

### 7.3. Specific end use(s)

Use : Use only as directed.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments	Source
Diethyl phthalate	GB	5	10	-	MAC: EU Member States
Benzyl acetate		5	-		MAC: LT

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Diethyl phthalate	Dermal	0,017 mg/kg bw	7,5 mg/kg bw	0,0084 mg/kg bw/day	1,5 mg/kg bw/day
2-Phenylethanol	Inhalation	52,8 mg/m <sup>3</sup>	52,8 mg/m <sup>3</sup>	10,56 mg/m <sup>3</sup>	10,56 mg/m <sup>3</sup>
	Dermal			21,2 mg/kg bw/day	
Terpineol	Dermal	5 mg/kg bw	5,8 mg/m <sup>3</sup>	1,17 mg/kg bw/day	1,17 mg/kg bw/day
	Inhalation			5,8 mg/m <sup>3</sup>	
p-Anisaldehyde	Dermal	3,33 mg/kg bw/day	5,88 mg/m <sup>3</sup>	3,33 mg/kg bw/day	3,33 mg/kg bw/day
	Inhalation			5,88 mg/m <sup>3</sup>	
p-Methoxybenzyl acetate	Inhalation	2,468 mg/m <sup>3</sup>	0,7 mg/kg bw/day	2,468 mg/m <sup>3</sup>	2,468 mg/m <sup>3</sup>
	Dermal			0,7 mg/kg bw/day	
Benzyl acetate	Inhalation	9 mg/m <sup>3</sup>	2,5 mg/kg bw/day	9 mg/m <sup>3</sup>	9 mg/m <sup>3</sup>
	Dermal			2,5 mg/kg bw/day	
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Dermal	6 mg/kg bw/day	12,7 mg/m <sup>3</sup>	6 mg/kg bw/day	6 mg/kg bw/day
	Inhalation			12,7 mg/m <sup>3</sup>	
Pentyl salicylate	Inhalation	3,17 mg/m <sup>3</sup>	0,9 mg/kg bw/day	3,17 mg/m <sup>3</sup>	3,17 mg/m <sup>3</sup>
	Dermal			0,9 mg/kg bw/day	
3,7-Dimethylnona-1,6-dien-3-ol	Inhalation	3 mg/m <sup>3</sup>	18 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>
	Dermal			1,6 mg/kg bw	5,5 mg/kg bw
Hexyl salicylate	Dermal	0,885 mg/kg bw	0,885 mg/kg bw/day	0,885 mg/kg bw/day	0,885 mg/kg bw/day
	Inhalation			1,7 mg/m <sup>3</sup>	
3-p-Cumenyl-2-methylpropionaldehyde	Inhalation	5,83 mg/m <sup>3</sup>	1,67 mg/kg bw/day	5,83 mg/m <sup>3</sup>	5,83 mg/m <sup>3</sup>
	Dermal			0,00743 mg/kg bw/day	1,67 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term	DNEL, long-term
---------------	-------------------	------------------	-----------------



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

		Local effect	Systemic effect	Local effect	Systemic effect
Diethyl phthalate	Dermal	0,0084 mg/kg bw	3,75 mg/kg bw	0,0042 mg/kg bw/day	0,75 mg/kg bw/day
	Inhalation	13 mg/m3	13 mg/m3	2,6 mg/m3	2,6 mg/m3
2-Phenylethanol	Oral		3,75 mg/kg bw		0,75 mg/kg bw/day
	Inhalation				17,7 mg/m3
Terpineol	Dermal		5,1 mg/kg bw		12,7 mg/kg bw/day
	Oral		2,5 mg/kg bw		5,1 mg/kg bw/day
p-Anisaldehyde	Dermal		1,25 mg/m3		0,42 mg/kg bw/day
	Inhalation		2,5 mg/kg bw		1,25 mg/m3
p-Methoxybenzyl acetate	Oral				0,42 mg/kg bw/day
	Inhalation				1,74 mg/m3
Benzyl acetate	Dermal				2 mg/kg bw/day
	Oral				1 mg/kg bw/day
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Inhalation				0,37 mg/m3
	Dermal				0,25 mg/kg bw/day
Pentyl salicylate	Oral				0,25 mg/kg bw/day
	Inhalation				2,2 mg/m3
3,7-Dimethylnona-1,6-dien-3-ol	Dermal		6,25 mg/kg bw		1,3 mg/kg bw/day
	Oral				1,3 mg/kg bw/day
Hexyl salicylate	Dermal				3,6 mg/kg bw/day
	Inhalation				3,1 mg/m3
3-p-Cumenyl-2-methylpropionaldehyde	Oral				1,8 mg/kg bw/day
	Inhalation				0,78 mg/m3
Diethyl phthalate	Dermal				0,45 mg/kg bw/day
	Oral				0,45 mg/kg bw/day
2-Phenylethanol	Inhalation		4,4 mg/m3		0,74 mg/m3
	Dermal	1,6 mg/kg bw	2,7 mg/kg bw	1,6 mg/kg bw/day	1,4 mg/kg bw/day
Terpineol	Oral		1,3 mg/kg bw		0,2 mg/kg bw/day
	Dermal	0,4425 mg/kg bw		0,4425 mg/kg bw/day	3,2 mg/kg bw/day
p-Anisaldehyde	Inhalation				0,4 mg/m3
	Oral				0,3 mg/kg bw/day
p-Methoxybenzyl acetate	Inhalation				1,45 mg/m3
	Dermal			0,00372 mg/kg bw/day	0,83 mg/kg bw/day
Benzyl acetate	Oral				0,83 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Diethyl phthalate	Water	0,012 mg/l	0,0012 mg/l	
	Sediment	0,137 mg/kg	0,0137 mg/kg	
	Intermittent water			0,12 mg/l
	STP			2 mg/l
	Soil			0,137 mg/kg
2-Phenylethanol	Oral			33 mg/kg food
	Water	0,215 mg/l	0,0215 mg/l	
	Sediment	1,454 mg/kg	0,1454 mg/kg	
	Intermittent water			2,15 mg/l
	STP			10 mg/l
Terpineol	Soil			0,164 mg/kg
	Water	0,062 mg/l	0,0062 mg/l	
	Sediment	0,442 mg/kg	0,044 mg/kg	
	STP			2,57 mg/l
	Soil			0,052 mg/kg



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

p-Anisaldehyde	Oral			16,6 mg/kg food
	Water	0,013 mg/l	0,0013 mg/l	
	Sediment	0,06 mg/kg	0,006 mg/kg	
	Intermittent water			0,8111 mg/l
	STP			8,5 mg/l
p-Methoxybenzyl acetate	Soil			0,004 mg/kg
	Water	0,013 mg/l	0,001 mg/l	
	Sediment	0,18 mg/kg	0,018 mg/kg	
	STP			0,2 mg/l
Benzyl acetate	Soil			0,028 mg/kg
	Water	0,018 mg/l	0,002 mg/l	
	Sediment	0,526 mg/kg	0,053 mg/kg	
	Intermittent water			0,04 mg/l
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	STP			8,55 mg/l
	Soil			0,094 mg/kg
	Water	0,004 mg/l	0 mg/l	
	Sediment	0,151 mg/kg	0,015 mg/kg	
	Intermittent water			0,7 mg/l
Pentyl salicylate	STP			1 mg/l
	Soil			0,015 mg/kg
	Water	0,00077 mg/l	0,000077 mg/l	
	Sediment	0,389 mg/kg	0,039 mg/kg	
	STP			10 mg/l
Vanillin	Soil			1,786 mg/kg
	Oral			80 mg/kg food
	Water	0,118 mg/l	0,0118 mg/l	
	Sediment	58,22 mg/kg	5,822 mg/kg	
3,7-Dimethylnona-1,6-dien-3-ol	STP			10 mg/l
	Soil			11,54 mg/kg
	Water	0,023 mg/l	0,0023 mg/l	
	Sediment	0,223 mg/kg	0,0223 mg/kg	
	Intermittent water			0,23 mg/l
3-Ethoxy-4-hydroxybenzaldehyde	STP			10 mg/l
	Soil			0,031 mg/kg
	Oral			8,53 mg/kg food
	Water	0,118 mg/l	0,0118 mg/l	
	Sediment	15 mg/kg	1,5 mg/kg	
Hexyl salicylate	STP			10 mg/l
	Soil			2,923 mg/kg
	Water	0 mg/l	0 mg/l	
	Sediment	0,272 mg/kg	0,027 mg/kg	
	Intermittent water			0,0036 mg/l
3-p-Cumenyl-2-methylpropionaldehyde	STP			10 mg/l
	Soil			0,054 mg/kg
	Water	0,00109 mg/l	0,00011 mg/l	
	Sediment	0,126 mg/kg	0,013 mg/kg	
	Intermittent water			0,01092 mg/l
	STP			1 mg/l
	Soil			0,025 mg/kg
	Oral			33.3 mg/kg food

## 8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:



The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: laminated film. Indication of permeation breakthrough time: 6 hours.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: laminated film. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

Physical state	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Not measured. Not relevant for mixtures.
Flash point	: > 60 °C	Closed cup.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 225 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: Not known.	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0.9 ( Diethyl phthalate ) Upper explosion limit in air (%): 11.9 ( 2-Phenylethanol )
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: > 1	(air = 1)
Relative density (20°C)	: 0.94 g/ml	
Particle characteristics	: Not applicable.	Liquid.

**9.2. Other information**

Other information : Not relevant.

**SECTION 10 STABILITY AND REACTIVITY**

**10.1. Reactivity**

Reactivity : See sub-sections below.





**10.2. Chemical stability**

Stability : Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Reactivity : No other hazardous reactions known.

**10.4. Conditions to avoid**

Conditions to avoid : See section 7.

**10.5. Incompatible materials**

Materials to avoid : Keep away from oxidizing agents.

**10.6. Hazardous decomposition products**

Hazardous decomposition products : Not known.

**SECTION 11 TOXICOLOGICAL INFORMATION**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

No toxicological research has been carried out on this product.

**Inhalation**

- Acute toxicity : Calculated LC50: > 5.402 mg/l. Ingredients of unknown toxicity: 26 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

**Skin contact**

- Acute toxicity : Calculated LD50: > 4342 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

**Eye contact**

- Corrosion/irritation : Irritant.

**Ingestion**

- Acute toxicity : Calculated LD50: > 2405 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal	
2-Phenylethanol	LD50 (oral)	1609 mg/kg bw	----	Rat	
	NOAEL (dermal)	510 mg/kg bw/d	OECD 411	Rat	
	Genotoxicity - in vitro	Not genotoxic	OECD 476		
	NOAEL (development, oral)	4,3 mg/kg bw/d		Rat	
	Eye irritation	Irritant	----	Rabbit	
	Skin irritation	Slightly irritant	----	Rabbit	
	LD50 (dermal)	2535 mg/kg bw	OECD 402	Rabbit	
	Skin sensitisation - estimate	Not sensitizing			
	LC50 (inhalation)	> 4630 mg/m3		Rat	
	NOAEL (developmental toxicity, dermal)	140 mg/kg bw/d		Rat	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
Terpineol	LC50 (inhalation) - estimate	> 5000 mg/m3		Rat	
	Skin irritation	Moderately irritant	----	Rabbit	
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat	
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig	
	NOAEL (oral)	250 mg/kg bw/d	OECD 422	Rat	
	LD50 (oral)	> 2000 mg/kg bw	OECD 401	Rat	
	LC50 (inhalation) - estimate	> 5000 mg/m3			
	LC50 (inhalation)	> 4760 mg/m3	OECD 403	Rat	
	Eye irritation	Irritant	OECD 405	Rabbit	
	NOAEL (fertility, oral)	250 mg/kg bw/d	OECD 422	Rat	
	Genotoxicity - in vitro	Not genotoxic	OECD 473		
Cis-4-(isopropyl)cyclohexanemethanol	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
	NOAEL (development, oral)	> 250 mg/kg bw/d	OECD 422	Rat	
	LD50 (dermal)	> 2000 mg/kg bw	----	Rabbit	
	LD50 (oral)	> 10000 mg/kg bw	----	----	
	p-Methoxybenzyl acetate	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
		NOAEL (oral)	400 mg/kg bw/d	OECD 422	Rat
		Mutagenicity	Negative	OECD 471	Salmonella typhimurium
		Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
		Skin irritation	Non-irritant		Human
		Eye irritation	Non-irritant	OECD 405	Rabbit
		NOAEL (development, oral)	400 mg/kg bw/d	OECD 422	Rat
NOAEL (fertility, oral)		100 mg/kg bw/d	OECD 422	Rat	
Skin sensitisation		Sensitizing.	OECD 429	Mouse	
LD50 (oral)		> 2000 mg/kg bw	OECD 423	Rat	
Vanillin		LD50 (oral)	> 3500 mg/kg bw	----	Rat
	LD50 (dermal)	> 5010 mg/kg bw		Rabbit	
	Skin sensitisation	Sensitizing.		Guinea pig	
	Skin irritation	Non-irritant	----	Rabbit	
	Eye irritation	Slightly irritant	----	Rabbit	
	NOEL (carcinogenicity, oral)	Not carcinogenic	----	Rat	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

3,7-Dimethylnona-1,6-dien-3-ol	NOEL (oral)	2500 mg/kg bw/d		Rat	
	NOAEL (development, oral)	> 500 mg/kg bw/d	-----	Rat	
	Genotoxicity - in vitro	Not genotoxic	OECD 473		
	NOAEL (oral)	> 650 mg/kg bw/d	OECD 408	Rat	
	LD50 (oral)	5000 mg/kg bw	-----	Rat	
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit	
	NOAEL (oral) - estimate	117 mg/kg bw/d	Read across	Rat	
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat	
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium	
	Genotoxicity - estimate	Not genotoxic	Read across		
3-Ethoxy-4-hydroxybenzaldehyde	Skin irritation	Irritant	-----	Rabbit	
	Eye irritation	Irritant	-----	Rabbit	
	Skin irritation	Mildly irritant	-----	Human	
	LD50 (oral)	> 3160 mg/kg bw	OECD 401	Rat	
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat	
	Skin irritation	Slightly irritant	OECD 404	Rabbit	
	Skin sensitisation	Not sensitizing	OECD 429	Mouse	
	NOAEL (oral)	500 mg/kg bw/d		Rat	
	Genotoxicity - in vitro	Not genotoxic			
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
	NOAEL (development) - estimate	Not teratogenic	Read across		
	Eye irritation	Irritant	OECD 405	Rabbit	
	Genotoxicity - in vivo	Negative	OECD 474	Mouse	
	NOEL (carcinogenicity, oral)	Not carcinogenic	-----	Rat	
Hexyl salicylate	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat	
	NOAEL (inhalation)	249 mg/m <sup>3</sup>	OECD 412	Rat	
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rabbit	
	NOAEL (oral) - estimate	50 mg/kg bw/d	Read across		
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster	
	Genotoxicity - in vivo	Not genotoxic	-----	Mouse	
	NOAEL (development) - estimate	Not teratogenic	Read across		
	NOAEL (fertility) - estimate	Not reprotoxic	Read across		
	Eye irritation	Non-irritant	OECD 405	Rabbit	
	Skin irritation	Moderately irritant	OECD 404	Rabbit	
	LD50 (oral)	2500 mg/kg bw	-----	Rat	
4-Prop-1-enylveratrole	LD50 (dermal)	> 5000 mg/kg bw		Rabbit	
	Skin sensitisation	Not sensitizing			
	3-p-Cumenyl-2-methylpropionaldehyde	Skin sensitisation	5575 ug/cm <sup>2</sup>	OECD 429	Mouse
		NOAEL (oral)	300 mg/kg bw/d		Rabbit
		Skin irritation	Slightly irritant		Rabbit
		LD50 (oral)	3810 mg/kg bw	-----	Rat
		NOAEL (fertility, oral)	25 mg/kg bw/d	OECD 415	Rat
		Mutagenicity	Negative	OECD 471	Salmonella typhimurium
		Genotoxicity - in vivo	> 2000 mg/kg bw/d	Read across	Mouse
		Eye irritation	Non-irritant		Rabbit
LD50 (dermal)		> 5000 mg/kg bw	-----	Rat	



### 11.2. Information on other hazards

Endocrine disrupting properties : The mixture does not contain components considered to have endocrine disrupting properties for human health according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.  
Other information : Not applicable.

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

### 12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

### 12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties : The mixture does not contain components considered to have endocrine disrupting properties for human health according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
p-Menthan-8-yl acetate	LC50 (fish)	2,27 mg/l		Brachydanio rerio
	EC50 (waterflea)	4,63 mg/l		Daphnia magna
	Log P(ow)	4,057		
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	EC50 (waterflea)	1 mg/l	-----	Daphnia magna
	Ultimate aerobic biodegradation (%)	80 %		
	EC100 (waterflea)	3,2 mg/l		Daphnia magna
	LC50 (fish)	5,09 mg/l		Pimephales promelas
	EC0 (waterflea)	0,18 mg/l		Daphnia magna
	IC50 (algae)	20,9 mg/l		Scenedesmus subspicatus
	Log P(ow)	4,0000		
Pentyl salicylate	EC50 (waterflea)	2,8 mg/l	OECD 301 F	Daphnia magna
	LC50 (fish)	1,34 mg/l		Brachydanio rerio
	Ultimate aerobic biodegradation (%)	86 %		
	Log P(ow)	4,4000		
Oxacyclohexadec-12-en-2-one	BCF	55	OECD 203	Oncorhynchus mykiss
	LC50 (fish)	> 0,797 mg/l		



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Hexyl salicylate	EC50 (waterflea)	0,357 mg/l	OECD 202	Daphnia magna
	IC50 (algae)	0,61 mg/l	OECD 201	Desmodesmus subspicatus
	LC50 (fish) - estimate	1,34 mg/l	-----	Brachydanio rerio
	Ultimate aerobic biodegradation (%)	91 %	OECD 301 F	
	NOEC (waterflea) - acute	0,140 mg/l	OECD 202	Daphnia magna
Phenethyl cinnamate	Log P(ow)	5,5000		
	EC50 (waterflea)	> 1 mg/l	OECD 202	Daphnia magna
	IC50 (algae)	> 0,0963 mg/l	OECD 201	Pseudokirchnerella subcapitata
	Ultimate aerobic biodegradation (%)	81 %	OECD 301 F	
	Log P(ow)	4,4		

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION

### 14.1. UN number or ID number

UN nr. : UN 3082

### 14.2. UN proper shipping name

Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( Pentyl salicylate ; Oxacyclohexadec-12-en-2-one )

Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( Pentyl salicylate ; Oxacyclohexadec-12-en-2-one )

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)


Class : 9

Classification code : M6

Packaging group : III

Danger label : 9 + the "environmentally hazardous substance" mark.

Tunnel restriction code : (-)



Other information : Not intended for carriage by tank-vessels on inland waterways. This product is not regulated as a dangerous good when transported in sizes of <= 5 L or <= 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (Special provisions 375).

**IMDG (sea)**

Class : 9  
Packaging group : III  
EmS (fire / spill) : F - A / S - F  
Marine pollutant : Yes  
Other information : This product is not regulated as a dangerous good when transported in sizes of <= 5 L or <= 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 (IMDG code 37-14, 2.10.2.7).

**IATA (air)**

Class : 9  
ERG code : 9L

**14.6. Special precautions for user**

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

**14.7. Maritime transport in bulk according to IMO instruments**

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

**SECTION 15 REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

**15.2. Chemical safety assessment**

Chemical safety assessment : Not applicable.

**SECTION 16 OTHER INFORMATION**

**16.1. Other information**

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:



ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2	: Calculation method.
Eye Irrit. 2	: Calculation method.
Skin Sens. 1/1A/1B	: Calculation method.
Aquatic Chronic 2	: Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Country / Language code	: EC / EN
Number format	: ", " used as decimal separator.





# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

---

End of safety data sheet.