



## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING \*

### 1.1. Product identifier

Product name : LAFITA PERFUME SCENTED SACHETS WOODY FLORAL  
Product code : LF1V332  
UFI : QF90-F0H5-Y00J-FSK9

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products for indoor rooms (continuous action). Airfreshener.

### 1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.  
Leemansweg 40  
6827 BX Arnhem, The Netherlands  
Telephone : +31-30-7116 824  
E-mail : info@dovox.nl  
Website : www.dovox.nl

### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824 (During office hours only)

## SECTION 2 HAZARDS IDENTIFICATION \*

### 2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 2.  
(1272/2008/EC)

### 2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :




Signal word : Warning

H- and P-phrases :

|           |                                                                       |
|-----------|-----------------------------------------------------------------------|
| H315      | Causes skin irritation.                                               |
| H319      | Causes serious eye irritation.                                        |
| H317      | May cause an allergic skin reaction.                                  |
| H411      | Toxic to aquatic life with long lasting effects.                      |
| P101      | If medical advice is needed, have product container or label at hand. |
| P102      | Keep out of reach of children.                                        |
| P280      | Wear protective gloves.                                               |
| P302+P352 | IF ON SKIN: Wash with plenty of water/soap.                           |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention.      |
| P273      | Avoid release to the environment.                                     |
| P391      | Collect spillage.                                                     |
| P501      | Dispose of contents/container to an official chemical waste depot.    |

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

|           |                                                                       |
|-----------|-----------------------------------------------------------------------|
| H317      | May cause an allergic skin reaction.                                  |
| P101      | If medical advice is needed, have product container or label at hand. |
| P102      | Keep out of reach of children.                                        |
| P280      | Wear protective gloves.                                               |
| P302+P352 | IF ON SKIN: Wash with plenty of water/soap.                           |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention.      |
| P501      | Dispose of contents/container to an official chemical waste depot.    |

Additional labelling (for all packaging sizes)

: Contains: 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; 4-tert-Butylcyclohexyl acetate ; 3,7-Dimethylnona-1,6-dien-3-ol ; (Ethoxymethoxy)cyclododecane ; Benzyl salicylate ; Linalool ; Linalyl acetate ; Juniper, Juniperus virginiana, ext. ; (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one ; 1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one ; 3,7-Dimethyloctan-3-ol ; Lemon ext. ; Citronellol ; dl-Limonene ; 1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one ; 1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one ; Isoeugenol .

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

\*

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

| Substance name                                                          | Concentration (w/w) (%) | CAS nr.    | EC number | Remark | REACH nr. |
|-------------------------------------------------------------------------|-------------------------|------------|-----------|--------|-----------|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | 10 - < 20               | 54464-57-2 | 259-174-3 |        |           |
| 4-tert-Butylcyclohexyl acetate                                          | 1 - < 10                | 32210-23-4 | 250-954-9 |        |           |
| 3,7-Dimethylnona-1,6-dien-3-ol                                          | 1 - < 10                | 10339-55-6 | 233-732-6 |        |           |
| 2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol             | 1 - < 10                | 28219-61-6 | 248-908-8 |        |           |
| (Ethoxymethoxy)cyclododecane                                            | 1 - < 10                | 58567-11-6 | 261-332-1 |        |           |
| Benzyl salicylate                                                       | 5 - < 10                | 118-58-1   | 204-262-9 |        |           |
| Linalool                                                                | 1 - < 5                 | 78-70-6    | 201-134-4 |        |           |
| Linalyl acetate                                                         | 1 - < 5                 | 115-95-7   | 204-116-4 |        |           |
| 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol           | 1 - < 2,5               | 67801-20-1 | 267-140-4 |        |           |
| p-Anisaldehyde                                                          | 1 - < 3                 | 123-11-5   | 204-602-6 |        |           |
| Juniper, Juniperus virginiana, ext.                                     | 1 - < 2,5               | 85085-41-2 | 285-370-3 |        |           |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                            |              |            |           |  |  |
|------------------------------------------------------------|--------------|------------|-----------|--|--|
| (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one                   | 0,1 - < 1    | 81786-73-4 | 279-822-9 |  |  |
| 1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one | 0,1 - < 1    | 33704-61-9 | 251-649-3 |  |  |
| (Z)-3-hexenyl salicylate                                   | 0,1 - < 1    | 65405-77-8 | 265-745-8 |  |  |
| 3,7-Dimethyloctan-3-ol                                     | 0,1 - < 1    | 78-69-3    | 201-133-9 |  |  |
| Lemon ext.                                                 | 0,1 - < 1    | 84929-31-7 | 284-515-8 |  |  |
| Citronellol                                                | 0,1 - < 1    | 106-22-9   | 203-375-0 |  |  |
| dl-Limonene                                                | 0,1 - < 0,25 | 138-86-3   | 205-341-0 |  |  |
| 1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one        | 0,01 - < 0,1 | 57378-68-4 | 260-709-8 |  |  |
| 1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one   | 0,01 - < 0,1 | 23696-85-7 | 245-833-2 |  |  |
| Isoeugenol                                                 | 0,01 - < 0,1 | 97-54-1    | 202-590-7 |  |  |

| Substance name                                                          | Hazard Class                                                              | H-phrases                    | Pictograms                 |                                  |
|-------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------|----------------------------|----------------------------------|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 1                           | H315; H317; H410             | GHS07; GHS09               | M (chronic) = 1                  |
| 4-tert-Butylcyclohexyl acetate                                          | Skin Sens. 1B                                                             | H317                         | GHS07                      |                                  |
| 3,7-Dimethylnona-1,6-dien-3-ol                                          | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2                                | H315; H317; H319             | GHS07                      |                                  |
| 2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol             | Skin Irrit. 2; Eye Irrit. 2; Aquatic Acute 1; Aquatic Chronic 1           | H315; H319; H400; H410       | GHS07; GHS09               | M (acute) = 1<br>M (chronic) = 1 |
| (Ethoxymethoxy)cyclododecane                                            | Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 2                           | H315; H317; H411             | GHS07; GHS09               |                                  |
| Benzyl salicylate                                                       | Eye Irrit. 2; Aquatic Chronic 3; Skin Sens. 1B                            | H319; H412; H317             | GHS07                      |                                  |
| Linalool                                                                | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2                                | H315; H317; H319             | GHS07                      |                                  |
| Linalyl acetate                                                         | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2                                | H315; H317; H319             | GHS07                      |                                  |
| 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol           | Aquatic Chronic 2                                                         | H411                         | GHS09                      |                                  |
| p-Anisaldehyde                                                          | Aquatic Chronic 3; Repr. 2                                                | H412; H361fd                 | GHS08                      |                                  |
| Juniper, Juniperus virginiana, ext.                                     | Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 2              | H304; H315; H317; H411       | GHS07; GHS08; GHS09        |                                  |
| (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one                                | Skin Sens. 1B; Aquatic Chronic 2                                          | H317; H411                   | GHS07; GHS09               |                                  |
| 1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one              | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2; Aquatic Chronic 2             | H315; H317; H319; H411       | GHS07; GHS09               |                                  |
| (Z)-3-hexenyl salicylate                                                | Repr. 2; Aquatic Acute 1                                                  | H361; H400                   | GHS08; GHS09               | M (acute) = 1                    |
| 3,7-Dimethyloctan-3-ol                                                  | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2                                | H315; H317; H319             | GHS07                      |                                  |
| Lemon ext.                                                              | Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1; Aquatic Chronic 2 | H226; H304; H315; H317; H411 | GHS02; GHS07; GHS08; GHS09 |                                  |
| Citronellol                                                             | Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2                                | H315; H317; H319             | GHS07                      |                                  |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                          |                                                                                                 |                                          |                            |                                  |
|----------------------------------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------|----------------------------|----------------------------------|
| dl-Limonene                                              | Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1; Aquatic Acute 1; Aquatic Chronic 1      | H226; H304; H315; H317; H400; H410       | GHS02; GHS07; GHS08; GHS09 | M (acute) = 1                    |
| 1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one      | Acute Tox. 4; Skin Irrit. 2; Skin Sens. 1A; Aquatic Acute 1; Aquatic Chronic 1                  | H302; H315; H317; H400; H410             | GHS07; GHS09               | M (acute) = 1<br>M (chronic) = 1 |
| 1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one | Skin Irrit. 2; Skin Sens. 1A; Aquatic Chronic 2                                                 | H315; H317; H411                         | GHS07; GHS09               |                                  |
| Isoeugenol                                               | Acute Tox. 4; Acute Tox. 4; Skin Irrit. 2; Skin Sens. 1A; Eye Irrit. 2; Acute Tox. 4; STOT SE 3 | H302; H312; H315; H317; H319; H332; H335 | GHS07                      | H317 : C >= 0,01 %               |

[1] Non classified substance for which a legal or recommended limit value applies. Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

#### First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

- Note to physicians : None known.

## SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

#### Extinguishing media

- Suitable : Carbon dioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.

### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.



Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

\*

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with eyes and unnecessary contact to skin. Avoid splashing. Wear protective clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.

Recommended packaging : Keep only in the original container.

Non recommended packaging : None known.

### 7.3. Specific end use(s)

Use : Use only as directed.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

\*

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

| Chemical name | Country | TWA 8 hour<br>(mg/m <sup>3</sup> ) | STEL 15 min<br>(mg/m <sup>3</sup> ) | Comments | Source  |
|---------------|---------|------------------------------------|-------------------------------------|----------|---------|
| dl-Limonene   |         | 140                                |                                     |          | MAC: NO |

Derived no-effect level (DNEL) for workers:

| Chemical name                                                           | Route of exposure | DNEL, short-term     |                      | DNEL, long-term      |                         |
|-------------------------------------------------------------------------|-------------------|----------------------|----------------------|----------------------|-------------------------|
|                                                                         |                   | Local effect         | Systemic effect      | Local effect         | Systemic effect         |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | Inhalation        |                      |                      |                      | 30 mg/m <sup>3</sup>    |
|                                                                         | Dermal            |                      |                      | 0.648 mg/kg bw/day   | 28.7 mg/kg bw/day       |
| 4-tert-Butylcyclohexyl acetate                                          | Inhalation        |                      |                      |                      | 4.93 mg/m <sup>3</sup>  |
|                                                                         | Dermal            |                      |                      |                      | 1.4 mg/kg bw/day        |
| 3,7-Dimethylnona-1,6-dien-3-ol                                          | Inhalation        |                      | 18 mg/m <sup>3</sup> |                      | 3 mg/m <sup>3</sup>     |
|                                                                         | Dermal            | 1,6 mg/kg bw         | 5,5 mg/kg bw         | 1,6 mg/kg bw/day     | 2,7 mg/kg bw/day        |
| (Ethoxymethoxy)cyclododecane                                            | Inhalation        |                      |                      |                      | 23,5 mg/m <sup>3</sup>  |
|                                                                         | Dermal            |                      |                      |                      | 3,3 mg/kg bw/day        |
| Benzyl salicylate                                                       | Inhalation        |                      |                      |                      | 7,8 mg/m <sup>3</sup>   |
|                                                                         | Dermal            |                      |                      |                      | 2,21 mg/kg bw/day       |
| Linalool                                                                | Inhalation        |                      |                      |                      | 24.58 mg/m <sup>3</sup> |
|                                                                         | Dermal            | 3 mg/kg bw           |                      | 3 mg/kg bw/day       | 3.5 mg/kg bw/day        |
| Linalyl acetate                                                         | Dermal            | 0,2362 mg/kg bw      |                      | 0,2362 mg/kg bw/day  | 2,5 mg/kg bw/day        |
|                                                                         | Inhalation        |                      |                      |                      | 2,75 mg/m <sup>3</sup>  |
| 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol           | Inhalation        |                      |                      |                      | 92,75 mg/m <sup>3</sup> |
|                                                                         | Dermal            |                      |                      |                      | 6,67 mg/kg bw/day       |
| p-Anisaldehyde                                                          | Dermal            |                      |                      |                      | 3,33 mg/kg bw/day       |
|                                                                         | Inhalation        |                      |                      |                      | 5,88 mg/m <sup>3</sup>  |
| 1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one              | Inhalation        |                      |                      |                      | 1,47 mg/m <sup>3</sup>  |
|                                                                         | Dermal            |                      |                      | 5,510 mg/kg bw/day   | 0,42 mg/kg bw/day       |
| (Z)-3-hexenyl salicylate                                                | Inhalation        |                      |                      |                      | 1,59 mg/m <sup>3</sup>  |
|                                                                         | Dermal            |                      |                      |                      | 0,9 mg/kg bw/day        |
| 3,7-Dimethyloctan-3-ol                                                  | Inhalation        |                      |                      |                      | 11,14 mg/m <sup>3</sup> |
|                                                                         | Dermal            |                      |                      | 0,190 mg/kg bw/day   | 3,16 mg/kg bw/day       |
| Lemon ext.                                                              | Inhalation        |                      |                      |                      | 23,3 mg/m <sup>3</sup>  |
|                                                                         | Dermal            |                      |                      |                      | 6,67 mg/kg bw/day       |
| Citronellol                                                             | Inhalation        | 10 mg/m <sup>3</sup> |                      | 10 mg/m <sup>3</sup> | 161,6 mg/m <sup>3</sup> |
|                                                                         | Dermal            | 2,950 mg/kg bw       |                      |                      | 327,4 mg/kg bw/day      |

Derived no-effect level (DNEL) for consumers:

| Chemical name                                                           | Route of exposure | DNEL, short-term |                 | DNEL, long-term    |                        |
|-------------------------------------------------------------------------|-------------------|------------------|-----------------|--------------------|------------------------|
|                                                                         |                   | Local effect     | Systemic effect | Local effect       | Systemic effect        |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | Inhalation        |                  |                 |                    | 9 mg/m <sup>3</sup>    |
|                                                                         | Dermal            |                  |                 | 0.380 mg/kg bw/day | 17.2 mg/kg bw/day      |
| 4-tert-Butylcyclohexyl acetate                                          | Oral              |                  |                 |                    | 3 mg/kg bw/day         |
|                                                                         | Inhalation        |                  |                 |                    | 0.87 mg/m <sup>3</sup> |
|                                                                         | Dermal            |                  |                 |                    | 0.5 mg/kg bw/day       |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                               |            |                 |              |                     |                    |
|---------------------------------------------------------------|------------|-----------------|--------------|---------------------|--------------------|
| 3,7-Dimethylnona-1,6-dien-3-ol                                | Oral       |                 |              |                     | 0.5 mg/kg bw/day   |
|                                                               | Inhalation |                 | 4,4 mg/m3    |                     | 0,74 mg/m3         |
| (Ethoxymethoxy)cyclododecane                                  | Dermal     | 1,6 mg/kg bw    | 2,7 mg/kg bw | 1,6 mg/kg bw/day    | 1,4 mg/kg bw/day   |
|                                                               | Oral       |                 | 1,3 mg/kg bw |                     | 0,2 mg/kg bw/day   |
| Benzyl salicylate                                             | Inhalation |                 |              |                     | 5,8 mg/m3          |
|                                                               | Dermal     |                 |              |                     | 1,67 mg/kg bw/day  |
| Linalool                                                      | Oral       |                 |              |                     | 1,67 mg/kg bw/day  |
|                                                               | Inhalation |                 |              |                     | 1,37 mg/m3         |
| Linalyl acetate                                               | Dermal     |                 |              |                     | 0,79 mg/kg bw/day  |
|                                                               | Oral       |                 |              |                     | 0,79 mg/kg bw/day  |
| 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol | Dermal     | 1.5 mg/kg bw    |              | 1.5 mg/kg bw/day    | 1.25 mg/kg bw/day  |
|                                                               | Inhalation |                 |              |                     | 4.33 mg/m3         |
| p-Anisaldehyde                                                | Oral       |                 |              |                     | 2.49 mg/kg bw/day  |
|                                                               | Dermal     | 0,2362 mg/kg bw |              | 0,2362 mg/kg bw/day | 1,25 mg/kg bw/day  |
| 1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one    | Inhalation |                 |              |                     | 0,68 mg/m3         |
|                                                               | Oral       |                 |              |                     | 0,2 mg/kg bw/day   |
| (Z)-3-hexenyl salicylate                                      | Inhalation |                 |              |                     | 23,15 mg/m3        |
|                                                               | Dermal     |                 |              |                     | 3,33 mg/kg bw/day  |
| 3,7-Dimethyloctan-3-ol                                        | Oral       |                 |              |                     | 3,33 mg/kg bw/day  |
|                                                               | Inhalation |                 |              |                     | 1,74 mg/m3         |
| Lemon ext.                                                    | Dermal     |                 |              |                     | 2 mg/kg bw/day     |
|                                                               | Oral       |                 |              |                     | 1 mg/kg bw/day     |
| Citronellol                                                   | Inhalation |                 |              |                     | 0,44 mg/m3         |
|                                                               | Dermal     |                 |              | 3,241 mg/kg bw/day  | 0,25 mg/kg bw/day  |
| 4-tert-Butylcyclohexyl acetate                                | Oral       |                 |              |                     | 0,25 mg/kg bw/day  |
|                                                               | Inhalation |                 |              |                     | 0,39 mg/m3         |
| Limonene                                                      | Dermal     |                 |              |                     | 0,45 mg/kg bw/day  |
|                                                               | Oral       |                 |              |                     | 0,23 mg/kg bw/day  |
| Limonene oxide                                                | Inhalation |                 |              |                     | 2,75 mg/m3         |
|                                                               | Dermal     |                 |              | 0,190 mg/kg bw/day  | 1,58 mg/kg bw/day  |
| Limonene hydroperoxide                                        | Oral       |                 |              |                     | 1,58 mg/kg bw/day  |
|                                                               | Inhalation |                 |              |                     | 5,8 mg/m3          |
| Limonene hydroperoxide                                        | Dermal     |                 |              |                     | 3,33 mg/kg bw/day  |
|                                                               | Oral       |                 |              |                     | 3,33 mg/kg bw/day  |
| Limonene hydroperoxide                                        | Inhalation |                 |              | 10 mg/m3            | 47,8 mg/m3         |
|                                                               | Dermal     | 10 mg/m3        |              |                     | 196,4 mg/kg bw/day |
| Limonene hydroperoxide                                        | Oral       | 2,950 mg/kg bw  |              |                     | 13,8 mg/kg bw/day  |
|                                                               | Inhalation |                 |              |                     |                    |

Predicted no-effect concentration (PNEC):

| Chemical name                                                         | Route of exposure  | Fresh water | Marine water |                 |
|-----------------------------------------------------------------------|--------------------|-------------|--------------|-----------------|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one | Water              | 0.0044 mg/l | 0.00044 mg/l |                 |
|                                                                       | Sediment           | 3.73 mg/kg  | 0.75 mg/kg   |                 |
|                                                                       | STP                |             |              | 10 mg/l         |
|                                                                       | Soil               |             |              | 2.7 mg/kg       |
| 4-tert-Butylcyclohexyl acetate                                        | Oral               |             |              | 26.7 mg/kg food |
|                                                                       | Water              | 0,0053 mg/l | 0,00053 mg/l |                 |
|                                                                       | Sediment           | 2,01 mg/kg  | 0,21 mg/kg   |                 |
|                                                                       | Intermittent water |             |              | 0,053 mg/l      |



## SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                               |                    |              |               |                  |
|---------------------------------------------------------------|--------------------|--------------|---------------|------------------|
| 3,7-Dimethylnona-1,6-dien-3-ol                                | STP                |              |               | 12,2 mg/l        |
|                                                               | Soil               |              |               | 0,42 mg/kg       |
|                                                               | Oral               |              |               | 66,76 mg/kg food |
|                                                               | Water              | 0,023 mg/l   | 0,0023 mg/l   |                  |
|                                                               | Sediment           | 0,223 mg/kg  | 0,0223 mg/kg  |                  |
| (Ethoxymethoxy)cyclododecane                                  | Intermittent water |              |               | 0,23 mg/l        |
|                                                               | STP                |              |               | 10 mg/l          |
|                                                               | Soil               |              |               | 0,031 mg/kg      |
|                                                               | Oral               |              |               | 8,53 mg/kg food  |
|                                                               | Water              | 0,0016 mg/l  | 0,00016 mg/l  |                  |
| Benzyl salicylate                                             | Sediment           | 2,35 mg/kg   | 0,235 mg/kg   |                  |
|                                                               | Intermittent water |              |               | 0,016 mg/l       |
|                                                               | STP                |              |               | 100 mg/l         |
|                                                               | Soil               |              |               | 0,468 mg/kg      |
|                                                               | Oral               |              |               | 33,3 mg/kg food  |
| Linalool                                                      | Water              | 0.001 mg/l   | 0 mg/l        |                  |
|                                                               | Sediment           | 0.583 mg/kg  | 0.058 mg/kg   |                  |
|                                                               | Intermittent water |              |               | 0,01030 mg/l     |
|                                                               | STP                |              |               | 10 mg/l          |
|                                                               | Soil               |              |               | 1.41 mg/kg       |
| Linalyl acetate                                               | Oral               |              |               | 52.7 mg/kg food  |
|                                                               | Water              | 0,2 mg/l     | 0,02 mg/l     |                  |
|                                                               | Sediment           | 2,22 mg/kg   | 0,222 mg/kg   |                  |
|                                                               | Intermittent water |              |               | 2 mg/l           |
|                                                               | STP                |              |               | 10 mg/l          |
| 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol | Soil               |              |               | 0,327 mg/kg      |
|                                                               | Oral               |              |               | 7,8 mg/kg food   |
|                                                               | Water              | 0,011 mg/l   | 0,001 mg/l    |                  |
|                                                               | Sediment           | 0,609 mg/kg  | 0,061 mg/kg   |                  |
|                                                               | Intermittent water |              |               | 0,11 mg/l        |
| p-Anisaldehyde                                                | STP                |              |               | 1 mg/l           |
|                                                               | Soil               |              |               | 0,115 mg/kg      |
|                                                               | Water              | 0,0019 mg/l  | 0,00019 mg/l  |                  |
|                                                               | Sediment           | 0,067 mg/kg  | 0,0067 mg/kg  |                  |
|                                                               | Intermittent water |              |               | 0,019 mg/l       |
| 1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one    | STP                |              |               | 1 mg/l           |
|                                                               | Soil               |              |               | 0,0534 mg/kg     |
|                                                               | Oral               |              |               | 33,3 mg/kg food  |
|                                                               | Water              | 0,013 mg/l   | 0,0013 mg/l   |                  |
|                                                               | Sediment           | 0,06 mg/kg   | 0,006 mg/kg   |                  |
| (Z)-3-hexenyl salicylate                                      | Intermittent water |              |               | 0,8111 mg/l      |
|                                                               | STP                |              |               | 8,5 mg/l         |
|                                                               | Soil               |              |               | 0,004 mg/kg      |
|                                                               | Water              | 0,004 mg/l   | 0 mg/l        |                  |
|                                                               | Sediment           | 0,0991 mg/kg | 0,00991 mg/kg |                  |
| 3,7-Dimethyloctan-3-ol                                        | STP                |              |               | 10 mg/l          |
|                                                               | Soil               |              |               | 0,0174 mg/kg     |
|                                                               | Oral               |              |               | 1,11 mg/kg food  |
|                                                               | Water              | 0,00061 mg/l | 0,000061 mg/l |                  |
|                                                               | Sediment           | 0,11 mg/kg   | 0,011 mg/kg   |                  |
|                                                               | Intermittent water |              |               | 0,0061 mg/l      |
|                                                               | STP                |              |               | 10 mg/l          |
|                                                               | Soil               |              |               | 0,022 mg/kg      |
|                                                               | Oral               |              |               | 40 mg/kg food    |
|                                                               | Water              | 0.009 mg/l   | 0.001 mg/l    |                  |

|             |                    |             |             |                 |
|-------------|--------------------|-------------|-------------|-----------------|
| Lemon ext.  | Sediment           | 0.082 mg/kg | 0.008 mg/kg |                 |
|             | Intermittent water |             |             | 0,089 mg/l      |
|             | STP                |             |             | 450 mg/l        |
|             | Soil               |             |             | 0.011 mg/kg     |
| Citronellol | Water              | 0.0054 mg/l | 0.0005 mg/l |                 |
|             | Sediment           | 1.3 mg/kg   | 0.13 mg/kg  |                 |
|             | STP                |             |             | 2.1 mg/l        |
|             | Oral               |             |             | 0.29 mg/kg food |
|             | Water              | 0.002 mg/l  | 0 mg/l      |                 |
|             | Sediment           | 0.026 mg/kg | 0.003 mg/kg |                 |
|             | Intermittent water |             |             | 0,024 mg/l      |
|             | STP                |             |             | 580 mg/l        |
|             | Soil               |             |             | 0.004 mg/kg     |

## 8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: laminated film.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: laminated film. ± 0,5 mm.

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166 / ISO 16321-3, when there is danger of possible eye contact.

Environmental exposure controls : Avoid release to the environment.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

\*

### 9.1. Information on basic physical and chemical properties

|                                         |                   |                                          |
|-----------------------------------------|-------------------|------------------------------------------|
| Physical state                          | : Liquid.         | Impregnated material.                    |
| Colour                                  | : Colourless.     |                                          |
| Odour                                   | : Perfumed.       |                                          |
| Odour threshold                         | : Not known.      |                                          |
| pH                                      | : Not applicable. | Waterfree product.                       |
| Solubility in water                     | : Not soluble.    |                                          |
| Partition coefficient (n-octanol/water) | : Not applicable. | Not measured. Not relevant for mixtures. |
| Flash point                             | : 98 °C           | Closed cup.                              |
| Flammability                            | : Not flammable.  |                                          |
| Auto ignition temperature               | : > 220 °C        |                                          |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Boiling point/boiling range : > 100 °C  
Melting point/melting range : Not known.  
Explosive properties : Not explosive.  
Explosion limits (% in air) : Not known. Lower explosion limit in air (%): 0,7 ( Linalyl acetate )  
Upper explosion limit in air (%): 5,2 ( Linalool )  
Does not contain oxidizing substances.  
Oxidising properties : Not applicable.  
Decomposition temperature : Not known.  
Viscosity (20°C) : Not known.  
Viscosity (40°C) : Not relevant. The product contains < 10% substances having an aspiration hazard.  
Vapour pressure (20°C) : Not known.  
Relative vapour density : Not known (air = 1)  
Relative density (20°C) : Not known.  
Particle characteristics : Not applicable. Liquid.

## 9.2. Other information

Other information : Not relevant.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 34 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.  
Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.  
Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.  
Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                            |                                                                                                                                                                                                    |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mutagenicity               | : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.                                                                        |
| Skin contact               |                                                                                                                                                                                                    |
| Acute toxicity             | : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. |
| Corrosion/irritation       | : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.                                                                                                                   |
| Sensitisation              | : May cause sensitisation by skin contact. May produce an allergic reaction.                                                                                                                       |
| Mutagenicity               | : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.                                                                        |
| Eye contact                |                                                                                                                                                                                                    |
| Corrosion/irritation       | : Irritant.                                                                                                                                                                                        |
| Ingestion                  |                                                                                                                                                                                                    |
| Acute toxicity             | : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. |
| Target organ toxicity (SE) | : No specific effects and/or symptoms are known. Not classified - based on available data, the classification criteria are not met.                                                                |
| Target organ toxicity (RE) | : No specific effects and/or symptoms are known. Not classified - based on available data, the classification criteria are not met.                                                                |
| Aspiration                 | : Danger of aspiration is not expected. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.              |
| Corrosion/irritation       | : No specific effects and/or symptoms are known.                                                                                                                                                   |
| Carcinogenicity            | : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.                                                                     |
| Mutagenicity               | : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.                                                                        |
| Reprotoxicity              | : Development: Not classified - Based on available data, the classification criteria are not met.<br>Fertility: Not classified - based on available data, the classification criteria are not met. |

## Toxicological information:

| Chemical name                                                         | Property                     |                 | Method      | Test animal            |
|-----------------------------------------------------------------------|------------------------------|-----------------|-------------|------------------------|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one | Skin irritation              | Non-irritant    | -----       | Rabbit                 |
|                                                                       | Skin sensitisation           | 6825 ug/cm2     | OECD 429    | Mouse                  |
|                                                                       | LD50 (oral)                  | > 5000 mg/kg bw | -----       | Rat                    |
|                                                                       | LD50 (dermal)                | > 5000 mg/kg bw | -----       | Rat                    |
|                                                                       | Mutagenicity                 | Not mutagenic   | OECD 471    | -----                  |
|                                                                       | NOAEL (development, oral)    | 480 mg/kg bw/d  | OECD 414    | Rat                    |
| 4-tert-Butylcyclohexyl acetate                                        | LC50 (inhalation) - estimate | > 22360 mg/m3   | Read across |                        |
|                                                                       | LD50 (oral)                  | 5000 mg/kg bw   | -----       | Rat                    |
|                                                                       | LD50 (dermal)                | > 5000 mg/kg bw |             | Rabbit                 |
|                                                                       | Eye irritation               | Non-irritant    |             | Rabbit                 |
|                                                                       | Skin irritation              | Non-irritant    |             | Rabbit                 |
|                                                                       | NOAEL (oral) - estimate      | 710 mg/kg bw/d  | Read across |                        |
| 3,7-Dimethylnona-1,6-dien-3-ol                                        | LD50 (oral)                  | 5000 mg/kg bw   | -----       | Rat                    |
|                                                                       | LD50 (dermal)                | > 5000 mg/kg bw | -----       | Rabbit                 |
|                                                                       | NOAEL (oral) - estimate      | 117 mg/kg bw/d  | Read across | Rat                    |
|                                                                       | NOAEL (dermal) - estimate    | 250 mg/kg bw/d  | Read across | Rat                    |
|                                                                       | Mutagenicity                 | Not mutagenic   | OECD 471    | Salmonella typhimurium |
|                                                                       | Skin irritation              | Irritant        | -----       | Rabbit                 |
|                                                                       | Eye irritation               | Irritant        | -----       | Rabbit                 |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                             |                                                                  |                     |             |                        |
|-------------------------------------------------------------|------------------------------------------------------------------|---------------------|-------------|------------------------|
| 2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol | LD50 (dermal)                                                    | 2000 mg/kg bw       |             | Rabbit                 |
|                                                             | NOAEL (oral)                                                     | 300 mg/kg bw/d      | OECD 422    | Rat                    |
|                                                             | Skin sensitisation                                               | Not sensitizing     | OECD 406    | Guinea pig             |
|                                                             | Genotoxicity - in vitro                                          | Not genotoxic       | OECD 476    |                        |
|                                                             | Mutagenicity                                                     | Negative            | OECD 471    | Salmonella typhimurium |
|                                                             | NOAEL (fertility, oral)                                          | > 300 mg/kg bw/d    | OECD 422    | Rat                    |
|                                                             | Skin irritation                                                  | Non-irritant        | OECD 404    | Rabbit                 |
|                                                             | LD50 (oral)                                                      | 5000 mg/kg bw       | -----       | Rat                    |
|                                                             | Eye irritation - estimate                                        | Irritant            | -----       | -----                  |
|                                                             | LD50 (oral)                                                      | > 5000 mg/kg bw     | OECD 401    | Rat                    |
|                                                             | LD50 (dermal)                                                    | > 5000 mg/kg bw     | OECD 402    | Rabbit                 |
|                                                             | Mutagenicity                                                     | Negative            | OECD 471    | Salmonella typhimurium |
|                                                             | Genotoxicity - in vitro                                          | Not genotoxic       | OECD 476    | Chinese Hamster        |
|                                                             | Skin irritation                                                  | Irritant            | OECD 404    | Rabbit                 |
| (Ethoxymethoxy)cyclododecane                                | Eye irritation                                                   | Non-irritant        | OECD 405    | Rabbit                 |
|                                                             | NOAEL (oral)                                                     | 1000 mg/kg bw/d     | OECD 422    | Rat                    |
|                                                             | NOAEL (development, oral)                                        | 1000 mg/kg bw/d     | OECD 422    | Rat                    |
|                                                             | NOAEL (fertility, oral)                                          | 1000 mg/kg bw/d     | OECD 422    | Rat                    |
|                                                             | Skin sensitisation                                               | Sensitizing.        | OECD 429    | Mouse                  |
|                                                             | NOAEL (fertility, oral)                                          | 158 mg/kg bw/d      | OECD 421    | Rat                    |
|                                                             | Skin sensitisation                                               | 725 ug/cm2          | OECD 429    | Mouse                  |
|                                                             | NOAEL (oral)                                                     | 177 mg/kg bw/d      | OECD 408    | Rat                    |
|                                                             | Skin irritation                                                  | Non-irritant        | OECD 404    | Rabbit                 |
|                                                             | NOAEL (development, oral)                                        | 158 mg/kg bw/d      | OECD 421    | Rat                    |
|                                                             | Mutagenicity                                                     | Negative            | OECD 471    | Salmonella typhimurium |
|                                                             | Genotoxicity - in vitro                                          | Not genotoxic       | OECD 476    | Chinese Hamster        |
|                                                             | Eye irritation                                                   | Moderately irritant | -----       | Rabbit                 |
|                                                             | LD50 (oral) - estimate                                           | > 2000 mg/kg bw     | Read across |                        |
| Benzyl salicylate                                           | LD50 (dermal) - estimate                                         | > 2000 mg/kg bw     | Read across |                        |
|                                                             | NOAEL (development, oral)                                        | 365 mg/kg bw/d      | -----       | Rat                    |
|                                                             | Eye irritation                                                   | Non-irritant        | OECD 405    | Rabbit                 |
|                                                             | Skin sensitisation                                               | 12650 ug/cm2        | OECD 429    | Mouse                  |
|                                                             | Mutagenicity                                                     | Negative            | OECD 471    | Salmonella typhimurium |
|                                                             | NOAEL (fertility, oral)                                          | 500 mg/kg bw/d      |             | Rat                    |
|                                                             | Skin irritation                                                  | Irritant            | OECD 404    | Rabbit                 |
|                                                             | NOAEL (dermal)                                                   | 250 mg/kg bw/d      | OECD 411    | Rat                    |
|                                                             | Genotoxicity - in vivo                                           | Not genotoxic       | OECD 475    | Mouse                  |
|                                                             | LD50 (dermal)                                                    | 5610 mg/kg bw       | -----       | Rabbit                 |
|                                                             | Skin irritation                                                  | Mildly irritant     | -----       | Human                  |
|                                                             | LD50 (oral)                                                      | 2790 mg/kg bw       | -----       | Rat                    |
|                                                             | NOAEL (oral)                                                     | 117 mg/kg bw/d      | -----       | Rat                    |
|                                                             | Outdoor cleaners (excludes stone, concrete and similar surfaces) | 1000 mg/kg bw/d     | OECD 414    | Rat                    |
| Linalool                                                    | LD50 (oral)                                                      | 13934 mg/kg bw      | -----       | Rat                    |
|                                                             | LC50 (inhalation)                                                | > 2740 mg/m3        | -----       | Mouse                  |
|                                                             | Skin irritation                                                  | Non-irritant        | -----       | Human                  |
|                                                             | Skin irritation                                                  | Irritant            | OECD 404    | Rabbit                 |
|                                                             | Eye irritation                                                   | Irritant            | OECD 405    | Rabbit                 |
|                                                             | NOAEL (oral) - estimate                                          | 160 mg/kg bw/d      | OECD 407    | Rat                    |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
| Linalyl acetate                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |
|                                                             |                                                                  |                     |             |                        |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                                                 |                                |                   |             |                        |
|---------------------------------------------------------------------------------|--------------------------------|-------------------|-------------|------------------------|
| Juniper, Juniperus virginiana, ext.<br>(Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one | NOAEL (dermal)                 | 250 mg/kg bw/d    | OECD 411    | Rat                    |
|                                                                                 | Mutagenicity                   | Not mutagenic     | OECD 471    | Salmonella typhimurium |
|                                                                                 | Genotoxicity - in vitro        | Not genotoxic     | OECD 476    | Mouse                  |
|                                                                                 | Genotoxicity - in vivo         | Not genotoxic     | OECD 474    | Mouse                  |
|                                                                                 | NOAEL (development, oral)      | > 1000 mg/kg bw/d | OECD 414    | Rat                    |
|                                                                                 | LC50 (inhalation) - estimate   | > 5000 mg/m3      | -----       | Rat                    |
|                                                                                 | Skin sensitisation             | Sensitizing.      | OECD 406    | Guinea pig             |
|                                                                                 | LD50 (oral)                    | > 5000 mg/kg bw   | -----       | Rat                    |
|                                                                                 | LD50 (dermal)                  | > 5000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                 | LD50 (oral) - estimate         | > 5000 mg/kg bw   | Read across | Rat                    |
| 1,2,3,5,6,7-Hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one                      | Skin sensitisation - estimate  | Sensitizing.      | Read across | Mouse                  |
|                                                                                 | Mutagenicity - estimate        | Not mutagenic     | Read across | Salmonella typhimurium |
|                                                                                 | NOAEL (oral) - estimate        | 42 mg/kg bw/d     | Read across | Rat                    |
|                                                                                 | NOAEL (fertility) - estimate   | 120 mg/kg.d       | Read across | Rat                    |
|                                                                                 | NOAEL (development) - estimate | 120 mg/kg.d       | Read across | Rat                    |
|                                                                                 | Genotoxicity - in vitro        | Not genotoxic     | OECD 476    | Mouse                  |
|                                                                                 | LD50 (oral)                    | > 2325 mg/kg bw   | OECD 401    | Rat                    |
|                                                                                 | Mutagenicity                   | Negative          | OECD 471    | Salmonella typhimurium |
|                                                                                 | Skin irritation                | Irritant          | -----       | Human                  |
|                                                                                 | Eye irritation                 | Irritant          | -----       | -----                  |
| 3,7-Dimethyloctan-3-ol                                                          | NOAEL (oral)                   | 10 mg/kg bw/d     | OECD 408    | Rat                    |
|                                                                                 | NOAEL (development, oral)      | 115 mg/kg bw/d    | OECD 421    | Rat                    |
|                                                                                 | NOAEL (fertility, oral)        | 115 mg/kg bw/d    | OECD 421    | Rat                    |
|                                                                                 | LD50 (oral)                    | 8270 mg/kg bw     | -----       | Rat                    |
|                                                                                 | LD50 (dermal)                  | > 5000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                 | Mutagenicity                   | Negative          | OECD 471    | Salmonella typhimurium |
|                                                                                 | Genotoxicity - in vitro        | Not genotoxic     | OECD 473    | -----                  |
|                                                                                 | NOAEL (oral)                   | 316 mg/kg bw/d    | OECD 408    | Rat                    |
|                                                                                 | NOAEL (dermal) - estimate      | 250 mg/kg bw/d    | Read across | Rat                    |
|                                                                                 | NOAEL (fertility) - estimate   | 365 mg/kg.d       | Read across | Rat                    |
| Lemon ext.                                                                      | NOAEL (development, oral)      | 1000 mg/kg bw/d   | OECD 414    | Rat                    |
|                                                                                 | Skin irritation                | Irritant          | -----       | Rabbit                 |
|                                                                                 | Eye irritation                 | Non-irritant      | -----       | Rabbit                 |
|                                                                                 | LC50 (inhalation) - estimate   | > 5000 mg/m3      | -----       | Rat                    |
|                                                                                 | Skin sensitisation             | Sensitizing.      | OECD 429    | Mouse                  |
|                                                                                 | Skin sensitisation             | 10075 ug/cm2      | -----       | -----                  |
|                                                                                 | LD50 (oral)                    | 2840 mg/kg bw     | -----       | Rat                    |
|                                                                                 | LD50 (dermal)                  | > 5000 mg/kg bw   | -----       | Rabbit                 |
|                                                                                 | NOAEL (development) - estimate | 591 mg/kg.d       | Read across | Rat                    |
|                                                                                 | Mutagenicity                   | Negative          | OECD 471    | Salmonella typhimurium |
|                                                                                 | Skin irritation                | Irritant          | -----       | Rabbit                 |
|                                                                                 | Eye irritation                 | Slightly irritant | -----       | Rabbit                 |
|                                                                                 | Genotoxicity - in vitro        | Not genotoxic     | OECD 476    | -----                  |
|                                                                                 |                                |                   |             |                        |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                          |                                        |                     |             |                        |
|----------------------------------------------------------|----------------------------------------|---------------------|-------------|------------------------|
| Citronellol                                              | Skin irritation                        | Non-irritant        | Patch test  | Human                  |
|                                                          | NOAEL (oral) - estimate                | 150 mg/kg bw/d      | Read across | Rat                    |
|                                                          | Genotoxicity - in vitro                | Not genotoxic       |             |                        |
|                                                          | Skin sensitisation                     | 10875 ug/cm2        | OECD 429    | Mouse                  |
|                                                          | Mutagenicity                           | Not mutagenic       | OECD 471    | Salmonella typhimurium |
|                                                          | NOAEL (oral)                           | > 50 mg/kg bw/d     |             | Rat                    |
|                                                          | Skin irritation                        | Moderately irritant |             | Rabbit                 |
|                                                          | LD50 (oral)                            | 3450 mg/kg bw       | -----       | Rat                    |
|                                                          | LD50 (dermal)                          | 2650 mg/kg bw       |             | Rabbit                 |
|                                                          | NOAEL (fertility, dermal)              | 300 mg/kg bw/d      | OECD 421    | Rat                    |
| dl-Limonene                                              | NOAEL (developmental toxicity, dermal) | > 300 mg/kg bw/d    | OECD 421    | Rat                    |
|                                                          | Skin irritation                        | Moderately irritant | Patch test  | Human                  |
|                                                          | Eye irritation                         | Moderately irritant |             | Rabbit                 |
|                                                          | Skin sensitisation - estimate          | Sensitizing.        | Read across |                        |
|                                                          | NOAEL (oral) - estimate                | 1200 mg/kg bw/d     | Read across | Rat                    |
|                                                          | NOAEL (fertility) - estimate           | Not reprotoxic      | Read across |                        |
|                                                          | Mutagenicity - estimate                | Not mutagenic       | Read across |                        |
|                                                          | NOAEL (development) - estimate         | 591 mg/kg.d         | Read across | Rat                    |
|                                                          | LD50 (dermal) - estimate               | > 5000 mg/kg bw     | Read across |                        |
|                                                          | Skin irritation                        | Moderately irritant | OECD 404    | Rabbit                 |
| 1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one      | LD50 (oral)                            | 5300 mg/kg bw       | -----       | Rat                    |
|                                                          | Genotoxicity - estimate                | Not genotoxic       | Read across | -----                  |
|                                                          | NOAEL (development) - estimate         | Not teratogenic     | Read across | -----                  |
|                                                          | NOAEL (fertility) - estimate           | Not reprotoxic      | Read across | -----                  |
|                                                          | NOEL (carcinogenicity) - estimate      | Not carcinogenic    | Read across |                        |
|                                                          | NOAEL (dermal) - estimate              | 50 mg/kg bw/d       | Read across | Rat                    |
|                                                          | NOAEL (oral) - estimate                | 10 mg/kg bw/d       | Read across | Rat                    |
|                                                          | Mutagenicity                           | Negative            | OECD 471    | Salmonella typhimurium |
|                                                          | LD50 (oral)                            | 1821 mg/kg bw       |             | Mouse                  |
|                                                          | LD50 (oral)                            | 2000 mg/kg bw       | -----       | Rat                    |
| 1-(2,6,6-Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one | NOAEL (oral)                           | > 10 mg/kg bw/d     | -----       | -----                  |
|                                                          | Skin sensitisation                     | 498 ug/cm2          | OECD 429    | Mouse                  |
|                                                          | Skin irritation                        | Moderately irritant | -----       | Human                  |
|                                                          | Skin irritation                        | Severely irritant   |             | Rabbit                 |
|                                                          | NOEL (carcinogenicity, oral)           | Not carcinogenic    | -----       | Rat                    |
|                                                          | Mutagenicity                           | Negative            | -----       | Salmonella typhimurium |
|                                                          | LC50 (inhalation) - estimate           | 1500 mg/m3          |             |                        |
|                                                          | LD50 (dermal) - estimate               | 1912 mg/kg bw       |             |                        |
|                                                          | LD50 (oral)                            | 1560 mg/kg bw       | -----       | Rat                    |
|                                                          |                                        |                     |             |                        |
| Isoeugenol                                               |                                        |                     |             |                        |
|                                                          |                                        |                     |             |                        |
|                                                          |                                        |                     |             |                        |
|                                                          |                                        |                     |             |                        |
|                                                          |                                        |                     |             |                        |
|                                                          |                                        |                     |             |                        |
|                                                          |                                        |                     |             |                        |
|                                                          |                                        |                     |             |                        |
|                                                          |                                        |                     |             |                        |
|                                                          |                                        |                     |             |                        |



## 11.2. Information on other hazards

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties at levels of 0.1% or higher.  
Other information : Not applicable.

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 2 mg/l. Calculated EC50 (waterflea): 2 mg/l.  
Contains 0 % of components with unknown hazards to the aquatic environment.

### 12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

### 12.4. Mobility in soil

Mobility : No specific information known.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties at levels of 0.1% or higher.

### 12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

| Chemical name                                                         | Property                            |            | Method     | Test animal                    |
|-----------------------------------------------------------------------|-------------------------------------|------------|------------|--------------------------------|
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one | EC50 (waterflea)                    | 1,38 mg/l  | OECD 202   | -----                          |
|                                                                       | IC50 (algae)                        | > 2,6 mg/l | OECD 201   | -----                          |
|                                                                       | LC50 (fish)                         | 1,3 mg/l   | OECD 203   | -----                          |
|                                                                       | Log P(ow)                           | 5,23       |            |                                |
|                                                                       | BCF                                 | 600        |            |                                |
| 2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol           | EC50 (waterflea)                    | 0,63 mg/l  | OECD 202   | Daphnia magna                  |
|                                                                       | LC50 (fish)                         | 1,1 mg/l   | -----      | Lepomis macrochirus            |
|                                                                       | Ultimate aerobic biodegradation (%) | 0 %        | OECD 301 F |                                |
|                                                                       | IC50 (algae)                        | 2,5 mg/l   |            | Pseudokirchnerella subcapitata |
|                                                                       | Log P(ow)                           | 4,44       |            |                                |
| (Ethoxymethoxy)cyclododecane                                          | LC50 (fish)                         | 1,9 mg/l   | OECD 203   | Brachydanio rerio              |
|                                                                       | EC50 (waterflea)                    | 1,6 mg/l   | OECD 202   | Daphnia magna                  |
|                                                                       | NOEC (fish)                         | 1,3 mg/l   | OECD 203   | Brachydanio rerio              |
|                                                                       | NOEC (waterflea) - acute            | 0,68 mg/l  | OECD 202   | Daphnia magna                  |
|                                                                       |                                     |            |            |                                |



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|                                                               |                                     |             |             |                                |
|---------------------------------------------------------------|-------------------------------------|-------------|-------------|--------------------------------|
| 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol | LC50 (algae)                        | > 2 mg/l    | OECD 201    | Pseudokirchnerella subcapitata |
|                                                               | Ultimate aerobic biodegradation (%) | < 60        | OECD 302 C  |                                |
|                                                               | Log P(ow)                           | 5,4         |             |                                |
|                                                               | BCF                                 | 530         |             |                                |
|                                                               | LC50 (fish)                         | 1,7 mg/l    | OECD 203    | Pimephales promelas            |
|                                                               | NOEC (fish)                         | 0,96 mg/l   | OECD 203    | Pimephales promelas            |
|                                                               | EC50 (waterflea)                    | 1,1 mg/l    | OECD 202    | Daphnia magna                  |
|                                                               | NOEC (waterflea) - acute            | 0,32 mg/l   | OECD 202    | Daphnia magna                  |
|                                                               | Ultimate aerobic biodegradation (%) | 66 %        | OECD 301 F  |                                |
|                                                               | Log P(ow)                           | 4,2         |             |                                |
| Juniper, Juniperus virginiana, ext. dl-Limonene               | BCF                                 | 366         |             |                                |
|                                                               | LC50 (fish) - estimate              | 0,055 mg/l  | -----       | -----                          |
|                                                               | LC50 (algae) - estimate             | > 1,81 mg/l |             |                                |
|                                                               | EC50 (waterflea) - estimate         | 0,42 mg/l   |             |                                |
|                                                               | LC50 (fish) - estimate              | 0,7 mg/l    |             |                                |
|                                                               | LC50 (fish)                         | 0,2 mg/l    | -----       | -----                          |
|                                                               | EC50 (waterflea)                    | 17 mg/l     | -----       | Daphnia magna                  |
|                                                               | Ultimate aerobic biodegradation (%) | 71 %        | Read across |                                |
|                                                               | Log P(ow)                           | 5,3         |             |                                |
|                                                               | BCF                                 | 761         |             |                                |

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION

\*

### 14.1. UN number or ID number

UN nr. : None.

### 14.2. UN proper shipping name

Transport name : Not regulated.

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.



Other information : Exempted according to special provision 335.

#### IMDG (sea)

Class : This product is not classified according to IMDG.

Other information : Exempted according to special provision 335.

#### IATA (air)

Class : This product is not classified according to IATA.

### 14.6. Special precautions for user

Other information : Country specific variations may apply.

### 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

## SECTION 15 REGULATORY INFORMATION

\*

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

PIC Regulation : Does not contain substances listed on the PIC list (Regulation EU 649/2012).

POP Regulation : Does not contain substances listed on the POP list (Regulation EU 2019/1021).

Ozone Regulation : Does not contain substances listed on the Ozone Depletion list (Regulation EU 1005/2009).

Explosives Precursors Regulation : Does not contain substances listed on the Explosives Precursors list (Regulation EU 2019/1148).

Drug Precursors Regulation : Does not contain substances listed on the Drug Precursors list (Regulation EC 273/2004).

#### SEVESO III Directive 2012/18/EU

Hazard code : E2

Hazard category : Environmental hazard

Qualifying quantity : 200

(tonnes) - lower

Qualifying quantity : 500

(tonnes) - upper

### 15.2. Chemical safety assessment

Chemical safety assessment : A Chemical Safety Assessment has not been carried out.

## SECTION 16 OTHER INFORMATION

\*

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

A section with changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:



# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

|           |                                                                                                                 |
|-----------|-----------------------------------------------------------------------------------------------------------------|
| ADR       | : European Agreement concerning the International Carriage of Dangerous Goods by Road                           |
| ATE       | : Acute Toxicity Estimate                                                                                       |
| CLP       | : Classification, Labeling & Packaging                                                                          |
| CMR       | : Carcinogenic, Mutagenic or toxic for Reproduction                                                             |
| EEC       | : European Economic Community                                                                                   |
| GHS       | : Globally Harmonized System of Classification and Labelling of Chemicals                                       |
| IATA      | : International Air Transport Association                                                                       |
| IBC code  | : The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk.      |
| IMDG      | : International Maritime Dangerous Goods Code                                                                   |
| LD50/LC50 | : Lethal Dose/Concentration for 50% of a population                                                             |
| MAC       | : Maximum Allowable Concentration                                                                               |
| MARPOL    | : International Convention for the Prevention of Pollution From Ships                                           |
| NO(A)EL   | : No Observed (Adverse) Effect Level                                                                            |
| OECD      | : Organisation for Economic Co-operation and Development                                                        |
| PBT       | : Persistent, Bioaccumulative and Toxic                                                                         |
| PC        | : Chemical product category                                                                                     |
| PIC       | : The Prior Informed Consent procedure for the import and export of certain hazardous chemicals and pesticides. |
| POP       | : Persistent organic pollutants                                                                                 |
| PT        | : Product type                                                                                                  |
| REACH     | : Registration, Evaluation, Authorisation and Restriction of Chemicals                                          |
| RID       | : Regulations concerning the International Carriage of Dangerous Goods by Rail                                  |
| STP       | : Sewage Treatment Plant                                                                                        |
| SU        | : Sector of Use                                                                                                 |
| TWA/STEL  | : Time-Weighted Average/Short Term Exposure Limit                                                               |
| UN        | : United Nations                                                                                                |
| UFI       | : Unique formula identifier                                                                                     |
| VOC       | : Volatile Organic Compounds                                                                                    |
| vPvB      | : Very Persistent and Very Bioaccumulative                                                                      |

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

|                    |                       |
|--------------------|-----------------------|
| Skin Irrit. 2      | : Calculation method. |
| Eye Irrit. 2       | : Calculation method. |
| Skin Sens. 1/1A/1B | : Calculation method. |
| Aquatic Chronic 2  | : Calculation method. |

Full text of hazard classes mentioned in section 3:

|                    |                                                                     |
|--------------------|---------------------------------------------------------------------|
| Flam. Liq. 3       | : Flammable liquid, category 3.                                     |
| Acute Tox. 4       | : Acute toxicity, category 4.                                       |
| Skin Irrit. 2      | : Skin irritation, category 2.                                      |
| Eye Irrit. 2       | : Eye irritation, category 2.                                       |
| Skin Sens. 1/1A/1B | : Skin sensitization, category 1/1A/1B.                             |
| STOT SE 3          | : Specific target organ toxicity after single exposure, category 3. |
| Asp. Tox. 1        | : Aspiration hazard, category 1.                                    |
| Aquatic Chronic 1  | : Hazardous to the aquatic environment — Chronic category 1.        |
| Aquatic Chronic 2  | : Hazardous to the aquatic environment — Chronic category 2.        |
| Aquatic Chronic 3  | : Hazardous to the aquatic environment — Chronic category 3.        |
| Aquatic Acute 1    | : Hazardous to the aquatic environment — Acute category 1.          |

Full text of H-phrases mentioned in section 3:

|      |                                               |
|------|-----------------------------------------------|
| H226 | Flammable liquid and vapour.                  |
| H302 | Harmful if swallowed.                         |
| H312 | Harmful in contact with skin.                 |
| H332 | Harmful if inhaled.                           |
| H304 | May be fatal if swallowed and enters airways. |



## SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

---

|      |                                                       |
|------|-------------------------------------------------------|
| H315 | Causes skin irritation.                               |
| H317 | May cause an allergic skin reaction.                  |
| H319 | Causes serious eye irritation.                        |
| H335 | May cause respiratory irritation.                     |
| H361 | Suspected of damaging fertility or the unborn child.  |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects.      |
| H412 | Harmful to aquatic life with long lasting effects.    |

Advice on any training appropriate for workers: none.

Country / Language code : EC / EN

Number format : "," used as decimal separator.

---

End of safety data sheet.