

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING *

1.1. Product identifier

Product name : LAFITA PERFUME SCENTED SACHETS BABY SWEET
 Product code : LF1V331
 UFI : 1C90-X0TS-P002-SF07

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products for indoor rooms (continuous action). Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
 Leemansweg 40
 6827 BX Arnhem, The Netherlands
 Telephone : +31-30-7116 824
 E-mail : info@dovox.nl
 Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-30-7116 824 (During office hours only)

SECTION 2 HAZARDS IDENTIFICATION *


2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 2.
 (1272/2008/EC)

2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :




Signal word : Warning

H- and P-phrases	: H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water/soap. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container to an official chemical waste depot.
------------------	--

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

H317	May cause an allergic skin reaction.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

- : Contains: Cis-4-(Isopropyl)cyclohexanemethanol ; 3,4-Dimethoxybenzaldehyde ; 3,7-Dimethylnona-1,6-dien-3-ol ; Hexyl salicylate ; p-Methoxybenzyl acetate ; 3-p-Cumenyl-2-methylpropionaldehyde ; Phenylacetaldehyde .
- : Contains 7 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Cis-4-(Isopropyl)cyclohexanemethanol	5 - < 10	13828-37-0	237-539-8		
Terpineol	5 - < 10	8000-41-7	232-268-1		
2-Phenylethanol	1 - < 10	60-12-8	200-456-2		
1,4-Dioxacycloheptadecane-5,17-dione	1 - < 10	105-95-3	203-347-8		
Benzyl acetate	1 - < 10	140-11-4	205-399-7		
p-Menthan-8-yl acetate	1 - < 10	58985-18-5	261-543-9		
(E)-4-(2,6,6-Trimethyl-1-cyclohex-en-1-yl)-3-buten-2-one	1 - < 10	79-77-6	201-224-3		
3,4-Dimethoxybenzaldehyde	1 - < 10	120-14-9	204-373-2		
3,7-Dimethylnona-1,6-dien-3-ol	1 - < 10	10339-55-6	233-732-6		
p-Anisaldehyde	1 - < 3	123-11-5	204-602-6		
Pentyl salicylate	1 - < 2,5	2050-08-0	218-080-2		
Hexyl salicylate	0,25 - < 1	6259-76-3	228-408-6		
Oxacyclohexadec-12-en-2-one	0,1 - < 1	111879-80-2	634-655-4		
p-Methoxybenzyl acetate	0,1 - < 1	104-21-2	203-185-8		
1-Methoxy-4-methylbenzene	0,1 - < 1	104-93-8	203-253-7		
3-p-Cumenyl-2-methylpropionaldehyde	0,1 - < 1	103-95-7	203-161-7		
Phenylacetaldehyde	0,1 - < 1	122-78-1	204-574-5		



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Substance name	Hazard Class	H-phrases	Pictograms	
Cis-4-(Isopropyl)cyclohexanemethanol	Skin Irrit. 2; Skin Sens. 1B	H315; H317	GHS07	
Terpineol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
2-Phenylethanol	Acute Tox. 4; Eye Irrit. 2	H302; H319	GHS07	
1,4-Dioxacycloheptadecane-5,17-dione	Aquatic Chronic 3	H412		
Benzyl acetate	Aquatic Chronic 3	H412		
p-Menthan-8-yl acetate	Aquatic Chronic 2	H411	GHS09	
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Aquatic Chronic 2	H411	GHS09	
3,4-Dimethoxybenzaldehyde	Acute Tox. 4; Skin Sens. 1B	H302; H317	GHS07	
3,7-Dimethylnona-1,6-dien-3-ol	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
p-Anisaldehyde	Aquatic Chronic 3; Repr. 2	H412; H361fd	GHS08	
Pentyl salicylate	Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 1	H302; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1
Hexyl salicylate	Skin Irrit. 2; Skin Sens. 1B; Repr. 2; Aquatic Acute 1; Aquatic Chronic 1	H315; H317; H361d; H400; H410	GHS07; GHS08; GHS09	M (acute) = 1 M (chronic) = 1
Oxacyclohexadec-12-en-2-one	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1
p-Methoxybenzyl acetate	Skin Sens. 1B	H317	GHS07	
1-Methoxy-4-methylbenzene	Acute Tox. 4; Skin Irrit. 2; Repr. 2	H302; H315; H361d	GHS07; GHS08	
3-p-Cumenyl-2-methylpropionaldehyde	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 3	H315; H317; H412	GHS07	
Phenylacetaldehyde	Acute Tox. 4; Skin Corr. 1B; Skin Sens. 1B; Eye Dam. 1; Aquatic Chronic 3	H302; H314; H317; H318; H412	GHS05; GHS07	

[1] Non classified substance for which a legal or recommended limit value applies. Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

*

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.



Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
Eye contact : Irritant. May cause redness and pain.
Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbon dioxide (CO₂). Foam. Dry chemical. Water fog.
Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.
Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

*

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with eyes and unnecessary contact to skin. Avoid splashing. Wear protective clothing.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
Benzyl acetate		5	-		MAC: LT

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Terpineol	Dermal				6.36 mg/kg bw/day
2-Phenylethanol	Inhalation				44.8 mg/m ³
	Dermal				59,9 mg/m ³
Benzyl acetate	Inhalation				21,2 mg/kg bw/day
	Dermal				9 mg/m ³
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Dermal				2.5 mg/kg bw/day
	Inhalation				6 mg/kg bw/day
3,7-Dimethylnona-1,6-dien-3-ol	Inhalation				12.7 mg/m ³
	Inhalation		18 mg/m ³		3 mg/m ³
	Dermal	1,6 mg/kg bw	5,5 mg/kg bw	1,6 mg/kg bw/day	2,7 mg/kg bw/day
p-Anisaldehyde	Dermal				3,33 mg/kg bw/day
Pentyl salicylate	Inhalation				5,88 mg/m ³
	Dermal				3,17 mg/m ³
Hexyl salicylate	Dermal	0,885 mg/kg bw		0,885 mg/kg bw/day	0,9 mg/kg bw/day
	Dermal				6,4 mg/kg bw/day
p-Methoxybenzyl acetate	Inhalation				1.7 mg/m ³
	Inhalation				2,468 mg/m ³
3-p-Cumenyl-2-methylpropionaldehyde	Dermal				0,7 mg/kg bw/day
	Inhalation				5,83 mg/m ³
Phenylacetaldehyde	Dermal			0,00743 mg/kg bw/day	1,67 mg/kg bw/day
	Inhalation				4,94 mg/m ³
	Dermal				0,7 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term	DNEL, long-term
---------------	-------------------	------------------	-----------------



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

		Local effect	Systemic effect	Local effect	Systemic effect
Terpineol	Dermal				2.69 mg/kg bw/day
	Inhalation				7.96 mg/m3
	Oral				2.69 mg/kg bw/day
2-Phenylethanol	Inhalation				17,7 mg/m3
	Dermal				12,7 mg/kg bw/day
	Oral		5,1 mg/kg bw		5,1 mg/kg bw/day
Benzyl acetate	Inhalation				2.2 mg/m3
	Dermal				1.3 mg/kg bw/day
	Oral		6,25 mg/kg bw		1.3 mg/kg bw/day
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Dermal				3.6 mg/kg bw/day
	Inhalation				3.1 mg/m3
	Oral				1.8 mg/kg bw/day
3,7-Dimethylnona-1,6-dien-3-ol	Inhalation		4,4 mg/m3		0,74 mg/m3
	Dermal	1,6 mg/kg bw	2,7 mg/kg bw	1,6 mg/kg bw/day	1,4 mg/kg bw/day
	Oral		1,3 mg/kg bw		0,2 mg/kg bw/day
p-Anisaldehyde	Inhalation				1,74 mg/m3
	Dermal				2 mg/kg bw/day
	Oral				1 mg/kg bw/day
Pentyl salicylate	Inhalation				0,78 mg/m3
	Dermal				0,45 mg/kg bw/day
	Oral				0,45 mg/kg bw/day
Hexyl salicylate	Dermal	0.4425 mg/kg bw		0,4425 mg/kg bw/day	3,2 mg/kg bw/day
	Inhalation				0,4 mg/m3
	Oral				0,3 mg/kg bw/day
p-Methoxybenzyl acetate	Inhalation				0,37 mg/m3
	Dermal				0,25 mg/kg bw/day
	Oral				0,25 mg/kg bw/day
3-p-Cumenyl-2-methylpropionaldehyde	Inhalation				1,45 mg/m3
	Dermal			0,00372 mg/kg bw/day	0,83 mg/kg bw/day
	Oral				0,83 mg/kg bw/day
Phenylacetaldehyde	Oral				0,25 mg/kg bw/day
	Inhalation				0,87 mg/m3
	Dermal				0,25 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Terpineol	Water	0.012 mg/l	0.0012 mg/l	
	Sediment	0.263 mg/kg	0.026 mg/kg	
	STP			2,57 mg/l
	Soil			0.045 mg/kg
	Oral			16,6 mg/kg food
2-Phenylethanol	Water	0,215 mg/l	0,0215 mg/l	
	Sediment	1,454 mg/kg	0,1454 mg/kg	
	Intermittent water			2,15 mg/l
	STP			10 mg/l
	Soil			0,164 mg/kg
1,4-Dioxacycloheptadecane-5,17-dione	Water	0.016 mg/l	0.0016 mg/l	
	Sediment	10.875 mg/kg	1.087 mg/kg	
	Intermittent water			0,0187 mg/l
	STP			124 mg/l
	Soil			2.17 mg/kg



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Benzyl acetate	Oral			33,3 mg/kg food
	Water	0.018 mg/l	0.002 mg/l	
	Sediment	0.526 mg/kg	0.053 mg/kg	
	Intermittent water			0,04 mg/l
	STP			8,55 mg/l
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Soil			0.094 mg/kg
	Water	0.004 mg/l	0 mg/l	
	Sediment	0.151 mg/kg	0.015 mg/kg	
	Intermittent water			0,7 mg/l
	STP			1 mg/l
3,7-Dimethylnona-1,6-dien-3-ol	Soil			0.015 mg/kg
	Water	0,023 mg/l	0,0023 mg/l	
	Sediment	0,223 mg/kg	0,0223 mg/kg	
	Intermittent water			0,23 mg/l
	STP			10 mg/l
p-Anisaldehyde	Soil			0,031 mg/kg
	Oral			8,53 mg/kg food
	Water	0,013 mg/l	0,0013 mg/l	
	Sediment	0,06 mg/kg	0,006 mg/kg	
	Intermittent water			0,8111 mg/l
Hexyl salicylate	STP			8,5 mg/l
	Soil			0,004 mg/kg
	Water	0 mg/l	0 mg/l	
	Sediment	0,272 mg/kg	0,027 mg/kg	
	Intermittent water			0,0036 mg/l
p-Methoxybenzyl acetate	STP			10 mg/l
	Soil			0.054 mg/kg
	Water	0,013 mg/l	0,001 mg/l	
	Sediment	0,18 mg/kg	0,018 mg/kg	
	STP			0,2 mg/l
1-Methoxy-4-methylbenzene	Soil			0,028 mg/kg
	Intermittent water			0,27 mg/l
3-p-Cumenyl-2-methylpropionaldehyde	Water	0,00109 mg/l	0,00011 mg/l	
	Sediment	0,126 mg/kg	0,013 mg/kg	
	Intermittent water			0,01092 mg/l
Phenylacetaldehyde	STP			1 mg/l
	Soil			0.025 mg/kg
	Oral			33.3 mg/kg food
	Water	0.0016 mg/l	0.00016 mg/l	
	Sediment	0.00986 mg/kg	0.000986 mg/kg	
	STP			0.15 mg/l
	Soil			0.00103 mg/kg

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection	: Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: laminated film.
Respiratory protection	: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Wear appropriate safety gloves in accordance with EN 374. Suitable material: laminated film. $\pm 0,5$ mm.
Eye protection	: Wear appropriate safety glasses with side shields, in accordance with EN 166 / ISO 16321-3, when there is danger of possible eye contact.
Environmental exposure controls	: Avoid release to the environment.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

*

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	Impregnated material.
Colour	: Colourless.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Not measured. Not relevant for mixtures.
Flash point	: 95 °C	Closed cup.
Flammability	: Not flammable.	
Auto ignition temperature	: > 190 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: Not known.	
Explosive properties	: Not explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 1,4 (2-Phenylethanol) Upper explosion limit in air (%): 11,9 (2-Phenylethanol)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: Not known	(air = 1)
Relative density (20°C)	: 0,945 g/ml	
Particle characteristics	: Not applicable.	Liquid.

9.2. Other information

Other information	: Not relevant.
-------------------	-----------------

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity	: See sub-sections below.
------------	---------------------------



10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

*

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 36 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Calculated LD50: > 3227 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Target organ toxicity (SE) : No specific effects and/or symptoms are known. Not classified - based on available data, the classification criteria are not met.
- Target organ toxicity (RE) : No specific effects and/or symptoms are known. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Danger of aspiration is not expected. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : No specific effects and/or symptoms are known.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Reprotoxicity : Development: Not classified - Based on available data, the classification criteria are not met.

Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Cis-4-(Isopropyl)cyclohexanemethanol	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
	LD50 (oral)	> 10000 mg/kg bw	-----	-----
Terpineol	Skin irritation	Irritant	OECD 404	Rabbit
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	NOAEL (oral)	250 mg/kg bw/d	OECD 422	Rat
	LD50 (oral)	> 2000 mg/kg bw	OECD 401	Rat
	LC50 (inhalation) - estimate	> 5000 mg/m3		
	LC50 (inhalation)	> 4760 mg/m3	OECD 403	Rat
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	250 mg/kg bw/d	OECD 422	Rat
	NOAEL (inhalation)	2230 mg/m3	OECD 413	Rat
	NOAEL (fertility, inh.)	2230 mg/m3	OECD 413	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (development, oral)	500 mg/kg bw/d	OECD 414	Rat
2-Phenylethanol	LD50 (oral)	1609 mg/kg bw	-----	Rat
	NOAEL (dermal)	510 mg/kg bw/d	OECD 411	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (development, oral)	4,3 mg/kg bw/d		Rat
	Eye irritation	Irritant	-----	Rabbit
	Skin irritation	Slightly irritant	-----	Rabbit
	LD50 (dermal)	2535 mg/kg bw	OECD 402	Rabbit
	Skin sensitisation - estimate	Not sensitizing		
	LC50 (inhalation)	> 4630 mg/m3		Rat
	NOAEL (developmental toxicity, dermal)	140 mg/kg bw/d		Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	LC50 (inhalation) - estimate	> 5000 mg/m3		Rat
3,4-Dimethoxybenzaldehyde	LD50 (oral)	2000 mg/kg bw	OECD 401	Rat
3,7-Dimethylnona-1,6-dien-3-ol	LD50 (oral)	5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	NOAEL (oral) - estimate	117 mg/kg bw/d	Read across	Rat
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	Skin irritation	Irritant	-----	Rabbit
	Eye irritation	Irritant	-----	Rabbit
Hexyl salicylate	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
	NOAEL (inhalation)	249 mg/m3	OECD 412	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rabbit
	NOAEL (oral) - estimate	50 mg/kg bw/d	Read across	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium

p-Methoxybenzyl acetate	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Genotoxicity - in vivo	Not genotoxic	-----	Mouse
	NOAEL (development) - estimate	Not teratogenic	Read across	
	NOAEL (fertility) - estimate	Not reprotoxic	Read across	
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin irritation	Moderately irritant	OECD 404	Rabbit
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	NOAEL (oral)	400 mg/kg bw/d	OECD 422	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Skin irritation	Non-irritant		Human
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOAEL (development, oral)	400 mg/kg bw/d	OECD 422	Rat
	NOAEL (fertility, oral)	100 mg/kg bw/d	OECD 422	Rat
3-p-Cumenyl-2-methylpropionaldehyde	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	LD50 (oral)	> 2000 mg/kg bw	OECD 423	Rat
	Skin sensitisation	5575 ug/cm2	OECD 429	Mouse
	NOAEL (oral)	300 mg/kg bw/d		Rabbit
	Skin irritation	Slightly irritant		Rabbit
	LD50 (oral)	3810 mg/kg bw	-----	Rat
	NOAEL (fertility, oral)	25 mg/kg bw/d	OECD 415	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vivo	> 2000 mg/kg bw/d	Read across	Mouse
	Eye irritation	Non-irritant		Rabbit
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rat
	LC50 (inhalation)	2000 mg/m3		Mouse
	NOAEL (oral)	100 mg/kg bw/d	OECD 422	Rat
	LD50 (oral)	1550 mg/kg bw	OECD 401	Rat
Phenylacetaldehyde	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Skin irritation	Corrosive.	OECD 431	Human
	Eye irritation	Irritant	OECD 492	Human
	Skin sensitisation	962 ug/cm2	OECD 429	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility, oral)	100 mg/kg bw/d	OECD 422	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Eye irritation - estimate	Corrosive.	Read across	

11.2. Information on other hazards

Endocrine disrupting : This product does not contain components considered to have endocrine disrupting properties at levels of 0.1% or higher.
Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 9 mg/l. Calculated EC50 (waterflea): 8 mg/l.
Contains 7 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.



12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : No specific information known.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties at levels of 0.1% or higher.

12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
p-Menthan-8-yl acetate	LC50 (fish)	2,27 mg/l		Brachydanio rerio
	EC50 (waterflea)	4,63 mg/l		Daphnia magna
	Log P(ow)	4,05		
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	EC50 (waterflea)	1 mg/l	-----	Daphnia magna
	Ultimate aerobic biodegradation (%)	80 %		
	EC100 (waterflea)	3,2 mg/l		Daphnia magna
	LC50 (fish)	5,09 mg/l		Pimephales promelas
	EC0 (waterflea)	0,18 mg/l		Daphnia magna
	IC50 (algae)	20,9 mg/l		Scenedesmus subspicatus
	Log P(ow)	4,0000		
Pentyl salicylate	EC50 (waterflea)	2,8 mg/l	OECD 301 F	Daphnia magna
	LC50 (fish)	1,34 mg/l		Brachydanio rerio
	Ultimate aerobic biodegradation (%)	86 %		
	Log P(ow)	4,4000		
	BCF	55		
Hexyl salicylate	EC50 (waterflea)	0,357 mg/l	OECD 202	Daphnia magna
	IC50 (algae)	0,61 mg/l	OECD 201	Desmodesmus subspicatus
	LC50 (fish) - estimate	1,34 mg/l	-----	Brachydanio rerio
	Ultimate aerobic biodegradation (%)	91 %	OECD 301 F	
	NOEC (waterflea) - acute	0,140 mg/l	OECD 202	Daphnia magna
Oxacyclohexadec-12-en-2-one	Log P(ow)	5,5000	OECD 203	Oncorhynchus mykiss
	LC50 (fish)	> 0,797 mg/l		
	Log P(ow)	5,45		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Product residues	: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
Additional warning	: None.
Waste water discharge	: Do not dispose of into the environment, drains, sewers or water courses.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

Other information : Exempted according to special provision 335.

IMDG (sea)

Class : This product is not classified according to IMDG.

Other information : Exempted according to special provision 335.

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

PIC Regulation : Does not contain substances listed on the PIC list (Regulation EU 649/2012).

POP Regulation : Does not contain substances listed on the POP list (Regulation EU 2019/1021).

Ozone Regulation : Does not contain substances listed on the Ozone Depletion list (Regulation EU 1005/2009).

Explosives Precursors Regulation : Does not contain substances listed on the Explosives Precursors list (Regulation EU 2019/1148).

Drug Precursors Regulation : Does not contain substances listed on the Drug Precursors list (Regulation EC 273/2004).

SEVESO III Directive 2012/18/EU

Hazard code : E2

Hazard category : Environmental hazard



Qualifying quantity : 200
(tonnes) - lower
Qualifying quantity : 500
(tonnes) - upper

15.2. Chemical safety assessment

Chemical safety assessment : A Chemical Safety Assessment has not been carried out.

SECTION 16 OTHER INFORMATION

*

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

A section with changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk.
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PIC	: The Prior Informed Consent procedure for the import and export of certain hazardous chemicals and pesticides.
POP	: Persistent organic pollutants
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.



SAFETY DATA SHEET

According to Regulation (EU) No 2020/878

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2 : Calculation method.
Eye Irrit. 2 : Calculation method.
Skin Sens. 1/1A/1B : Calculation method.
Aquatic Chronic 2 : Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4 : Acute toxicity, category 4.
Skin Corr. 1A/B/C : Skin corrosive, category 1A/B/C.
Skin Irrit. 2 : Skin irritation, category 2.
Eye Dam. 1 : Serious eye damage, category 1.
Eye Irrit. 2 : Eye irritation, category 2.
Skin Sens. 1/1A/1B : Skin sensitization, category 1/1A/1B.
Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2 : Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H361d Suspected of damaging the unborn child.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Country / Language code : EC / EN
Number format : "," used as decimal separator.

End of safety data sheet.