



SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : LAFITA ROOM DIFFUSER SWEET & FRUITY
Product code : LAF-156

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
Computerweg 3
3542 DP UTRECHT, The Netherlands
Telephone : +31-30-7116 824
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:
NL - Telephone : +31-30-7116 824 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):
National Poisons Information Service +44 344 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 3. (1272/2008/EC)
Human health hazards : May cause an allergic skin reaction.
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.
Environmental hazards : Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 gloves Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of water/soap.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container to an official chemical waste depot.

P273 Avoid release to the environment.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:
Hazard pictograms :



Signal word : Warning

H- and P-phrases :

H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280 gloves	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Linalyl acetate ; 2-(4-tert-Butylbenzyl)propionaldehyde ; Citronellol ; [3R-(3α,3αβ,6β,7β,8α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene ; 4-tert-Butylcyclohexyl acetate ; 3,7-Dimethyloctan-3-ol ; alpha-Hexylcinnamaldehyde .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
(2-Methoxymethylethoxy)propanol	50 - 75	34590-94-8	252-104-2	MAC	
3-Methoxy-3-methylbutan-1-ol	1 - < 5	56539-66-3	260-252-4		
2-Phenylethanol	1 - < 5	60-12-8	200-456-2		
Linalyl acetate	1 - < 5	115-95-7	204-116-4		
2-(4-tert-Butylbenzyl)propionaldehyde	0,1 - < 1	80-54-6	201-289-8		
Citronellol	0,1 - < 1	106-22-9	203-375-0		
[3R-(3α,3αβ,6β,7β,8α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	0,25 - < 1	19870-74-7	243-384-7		
Benzyl acetate	0,1 - < 1	140-11-4	205-399-7		
4-tert-Butylcyclohexyl acetate	0,1 - < 1	32210-23-4	250-954-9		
3,7-Dimethyloctan-3-ol	0,1 - < 1	78-69-3	201-133-9		
alpha-Hexylcinnamaldehyde	0,1 - < 1	101-86-0	202-983-3		

Substance name	Hazard Class	H-phrases	Pictograms
(2-Methoxymethylethoxy)propanol	----	----	----
3-Methoxy-3-methylbutan-1-ol	Eye Irrit. 2	H319	GHS07
2-Phenylethanol	Acute Tox. 4; Eye Irrit. 2	H302; H319	GHS07



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Linalyl acetate	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	
2-(4-tert-Butylbenzyl)propionaldehyde	Acute Tox. 4; Aquatic Chronic 3; Repr. 2; Skin Irrit. 2; Skin Sens. 1B	H302; H315; H317; H361f; H412	GHS07; GHS08; GHS09	
Citronellol	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	
[3R-(3 α ,3 α β ,6 β ,7 β ,8 α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	Aquatic Acute 1; Aquatic Chronic 1; Skin Sens. 1B	H317; H400; H410	GHS07; GHS09	
Benzyl acetate	Aquatic Chronic 3	H412	----	
4-tert-Butylcyclohexyl acetate	Skin Sens. 1B	H317	GHS07	
3,7-Dimethyloctan-3-ol	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	
alpha-Hexylcinnamaldehyde	Aquatic Acute 1; Aquatic Chronic 2; Skin Sens. 1B	H317; H400; H411	GHS07; GHS09	M (acute) = 1

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : May cause stinging of eyes and redness.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO₂). Foam. Dry chemical. Water fog.
- Not suitable : None known.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.



Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : Steel (except stainless steel).

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Chemical name	Country	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments	Source
(2-Methoxymethylethoxy)propanol	GB	308	-	Skin	
(2-Methoxymethylethoxy)propanol	EC	308	-	Skin	
Benzyl acetate		5	-		MAC: LT

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
(2-Methoxymethylethoxy)propanol	Dermal				65 mg/kg bw/day
	Inhalation				310 mg/m3
3-Methoxy-3-methylbutan-1-ol	Inhalation				5,9 mg/m3
	Dermal				2 mg/kg bw/day
2-Phenylethanol	Inhalation				59,9 mg/m3
	Dermal				21,2 mg/kg bw/day
Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	2,5 mg/kg bw/day
	Inhalation				2,75 mg/m3
2-(4-tert-Butylbenzyl)propionaldehyde	Inhalation			0,44 mg/m3	
	Dermal	0,410 mg/kg bw		0,410 mg/kg bw/day	1,79 mg/kg bw/day
Citronellol	Inhalation				161,6 mg/m3
	Dermal				45,8 mg/kg bw/day
Benzyl acetate	Inhalation		43,8 mg/m3		21,9 mg/m3
	Dermal		12,5 mg/kg bw		6,25 mg/kg bw/day
3,7-Dimethyloctan-3-ol	Inhalation				2,75 mg/m3
	Dermal				2,5 mg/kg bw/day
alpha-Hexylcinnamaldehyde	Inhalation	6,28 mg/m3			0,078 mg/m3
	Dermal	0,525 mg/kg bw		0,525 mg/kg bw/day	18,2 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
(2-Methoxymethylethoxy)propanol	Dermal				15 mg/kg bw/day
	Inhalation				37,2 mg/m3
	Oral				1,67 mg/kg bw/day
3-Methoxy-3-methylbutan-1-ol	Inhalation				1,7 mg/m3
	Dermal				1,2 mg/kg bw/day
	Oral				0,5 mg/kg bw/day
2-Phenylethanol	Inhalation				17,7 mg/m3
	Dermal				12,7 mg/kg bw/day
	Oral		5,1 mg/kg bw		5,1 mg/kg bw/day
Linalyl acetate	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation				0,68 mg/m3
	Oral				0,2 mg/kg bw/day
2-(4-tert-Butylbenzyl)propionaldehyde	Inhalation				0,11 mg/m3
	Dermal	0,410 mg/kg bw		0,410 mg/kg bw/day	0,89 mg/kg bw/day
Citronellol	Oral				0,062 mg/kg bw/day
	Inhalation				47,8 mg/m3
	Dermal				27,5 mg/kg bw/day
	Oral				13,75 mg/kg bw/day
Benzyl acetate	Inhalation		11 mg/m3		5,5 mg/m3



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

3,7-Dimethyloctan-3-ol	Dermal		6,25 mg/kg bw		3,125 mg/kg bw/day
	Oral		6,25 mg/kg bw		3,125 mg/kg bw/day
	Inhalation				0,68 mg/m3
	Dermal				1,25 mg/kg bw/day
alpha-Hexylcinnamaldehyde	Oral				0,2 mg/kg bw/day
	Inhalation	4,71 mg/m3			0,019 mg/m3
	Dermal	0,0787 mg/kg bw		0,0787 mg/kg bw/day	9,11 mg/kg bw/day
	Oral				0,056 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
(2-Methoxymethylethoxy)propanol	Water	19 mg/l	1,9 mg/l	
	Sediment	70,2 mg/kg	7,02 mg/kg	
	Intermittent water			190 mg/l
	STP			4168 mg/l
	Soil			2,74 mg/kg
2-Phenylethanol	Water	0,215 mg/l	0,0215 mg/l	
	Sediment	1,454 mg/kg	0,1454 mg/kg	
	Intermittent water			2,15 mg/l
	STP			10 mg/l
	Soil			0,164 mg/kg
Linalyl acetate	Water	0,011 mg/l	0,001 mg/l	
	Sediment	0,609 mg/kg	0,061 mg/kg	
	Intermittent water			0,11 mg/l
	STP			10 mg/l
	Soil			0,115 mg/kg
2-(4-tert-Butylbenzyl)propionaldehyde	Water	0,004 mg/l	0 mg/l	
	Sediment	0,528 mg/kg	0,053 mg/kg	
	Intermittent water			0,0204 mg/l
	STP			10 mg/l
	Soil			0,103 mg/kg
Citronellol	Water	0,0024 mg/l	0,00024 mg/l	
	Sediment	0,0256 mg/kg	0,00256 mg/kg	
	Intermittent water			0,024 mg/l
	STP			580 mg/l
	Soil			0,00371 mg/kg
Benzyl acetate	Water	0,004 mg/l	0,0004 mg/l	
	Sediment	0,114 mg/kg	0,0114 mg/kg	
	Intermittent water			0,04 mg/l
	STP			8,55 mg/l
	Soil			0,0205 mg/kg
4-tert-Butylcyclohexyl acetate	Water	0,0053 mg/l	0,00053 mg/l	
	Sediment	2,01 mg/kg	0,21 mg/kg	
	Intermittent water			0,053 mg/l
	STP			12,2 mg/l
	Soil			0,42 mg/kg
3,7-Dimethyloctan-3-ol	Oral			66,76 mg/kg food
	Water	0,0089 mg/l	0,00089 mg/l	
	Sediment	0,0821 mg/kg	0,00821 mg/kg	
	Intermittent water			0,089 mg/l
	STP			450 mg/l
alpha-Hexylcinnamaldehyde	Soil			0,0112 mg/kg
	Water	0,03 mg/l	0,003 mg/l	
	Sediment	47,7 mg/kg	4,77 mg/kg	
	Intermittent water			0,03 mg/l
	STP			10 mg/l

	Soil		9,51 mg/kg
	Oral		6,6 mg/kg food

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:
The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: butyl. Indication of permeation breakthrough time: 6 hours.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: butyl. 0,7 mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

- Appearance : Liquid.
- Colour : Colourless.
- Odour : Perfumed.
- Odour threshold : Not known.
- pH : 2 - 11,5
- Solubility in water : Dispersible.
- Partition coefficient (n-octanol/water) : Not applicable. Not measured. Not relevant for mixtures.
- Flash point : > 60 °C
- Flammability (solid, gas) : Not applicable. Liquid. See flashpoint.
- Auto ignition temperature : > 207 °C
- Boiling point/boiling range : 100 °C
- Melting point/melting range : < -20 °C
- Explosive properties : Not an explosive.
- Explosion limits (% in air) : Not known. Lower explosion limit in air (%): 0,7 (Linalyl acetate)
Upper explosion limit in air (%): 14 ((2-Methoxymethylethoxy)propanol)
- Oxidising properties : Not applicable. Does not contain oxidizing substances.
- Decomposition temperature : Not applicable.
- Viscosity (20°C) : 1 mm2/sec (1 mm2/sec = 1cSt)
- Viscosity (40°C) : 1 mm2/sec
- Vapour pressure (20°C) : Not known.
- Vapour density (20°C) : > 1 (air = 1)
- Relative density (20°C) : 0,94 g/ml
- Evaporation rate : < 1 (n-butyl acetate = 1)

9.2. Other information



Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 4,285 mg/l. Ingredients of unknown toxicity: 5 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

Ingestion

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

- Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal	
Linalyl acetate		1000 mg/kg bw/d	OECD 414	Rat	
	LD50 (oral)	13934 mg/kg bw	-----	Rat	
	LC50 (inhalation)	> 2740 mg/m3	-----	Mouse	
	Skin irritation	Non-irritant	-----	Human	
	Skin irritation	Irritant	OECD 404	Rabbit	
	Eye irritation	Irritant	OECD 405	Rabbit	
	NOAEL (oral)	160 mg/kg bw/d	OECD 407	Rat	
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat	
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse	
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse	
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat	
	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	Rat	
	2-(4-tert-Butylbenzyl)propionaldehyde	Skin sensitisation	Sensitizing	OECD 429	Mouse
		Mutagenicity	Negative	OECD 471	-----
		Skin sensitisation	2372 ug/cm2	OECD 429	Mouse
		LD50 (oral)	1390 mg/kg bw	-----	Rat
LD50 (dermal)		> 5000 mg/kg bw	-----	Rabbit	
Skin irritation		Irritant	OECD 404	Rabbit	
Eye irritation		Non-irritant	-----	Rabbit	
NOAEL (oral)		25 mg/kg bw/d	-----	Rat	
Genotoxicity - in vivo		Negative	OECD 474	Mouse	
NOAEL (fertility, oral)		25 mg/kg bw/d		Rat	
NOAEL (development, oral)		4 mg/kg bw/d	OECD 414	Rat	
Citronellol	Genotoxicity - in vitro	Not genotoxic			
	Skin sensitisation	10875 ug/cm2	OECD 429	Mouse	
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium	
	NOAEL (oral)	> 50 mg/kg bw/d		Rat	
	Skin irritation	Moderately irritant		Rabbit	
	LD50 (oral)	3450 mg/kg bw	-----	Rat	
	LD50 (dermal)	2650 mg/kg bw		Rabbit	
	NOAEL (fertility, dermal)	300 mg/kg bw/d	OECD 421	Rat	
	NOAEL (developmental toxicity, dermal)	> 300 mg/kg bw/d	OECD 421	Rat	
	Skin irritation	Moderately irritant	Patch test	Human	
[3R-(3α,3aβ,6β,7β,8α)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	Eye irritation	Moderately irritant		Rabbit	
	LD50 (dermal) - estimate	> 5000 mg/kg bw	Read across		
	LD50 (oral) - estimate	> 5000 mg/kg bw	Read across		



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

4-tert-Butylcyclohexyl acetate	LC50 (inhalation) - estimate	> 13000 mg/m ³	Read across	
	LD50 (oral)	5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Eye irritation	Non-irritant		Rabbit
3,7-Dimethyloctan-3-ol	Skin irritation	Non-irritant		Rabbit
	NOAEL (oral) - estimate	710 mg/kg bw/d	Read across	
	LD50 (oral)	8270 mg/kg bw		Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	NOAEL (oral) - estimate	200 mg/kg bw/d	Read across	Rat
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat
	NOAEL (fertility) - estimate	365 mg/kg.d	Read across	Rat
	NOAEL (development, oral)	1000 mg/kg bw/d	OECD 414	Rat
	Skin irritation	Irritant		Rabbit
	Eye irritation	Non-irritant		Rabbit
alpha-Hexylcinnamaldehyde	LC50 (inhalation) - estimate	> 5000 mg/m ³		Rat
	Skin sensitisation	Sensitizing	OECD 429	Mouse
	NOAEL (development, oral)	100 mg/kg bw/d	OECD 421	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Eye irritation	Non-irritant		Rabbit
	NOAEL (oral) - estimate	30 mg/kg bw/d	Read across	Rat
	LD50 (dermal)	> 3000 mg/kg bw	OECD 402	Rabbit
	LC50 (inhalation)	> 5000 mg/m ³	OECD 403	Rat
	LD50 (oral)	> 2450 mg/kg bw	OECD 401	Rat
	Skin sensitisation	2372 ug/cm ²	OECD 429	Mouse
	Skin irritation	Moderately irritant	OECD 404	Rabbit
	NOAEL (dermal)	25 mg/kg bw/d		Rat

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 55 mg/l. Calculated EC50 (waterflea): 83 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil



Mobility : Spilled product can penetrate into the ground and get into the surface water and ground water.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
[3R-(3 α ,3 $\alpha\beta$,6 β ,7 β ,8 $\alpha\alpha$)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	LC50 (fish) - estimate	0,43 mg/l		
	EC50 (waterflea) - estimate	0,48 mg/l		
[3R-(3 α ,3 $\alpha\beta$,6 β ,7 β ,8 $\alpha\alpha$)]-Octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	Log P(ow)	6,100		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose into the environment, in drains or in water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.



14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

- ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE : Acute Toxicity Estimate
- CLP : Classification, Labeling & Packaging
- CMR : Carcinogenic, Mutagenic or toxic for Reproduction
- EEC : European Economic Community
- GHS : Globally Harmonized System of Classification and Labelling of Chemicals
- IATA : International Air Transport Association
- IBC code : International Bulk Chemical Code
- IMDG : International Maritime Dangerous Goods Code
- LD50/LC50 : Lethal Dose/Concentration for 50% of a population
- MAC : Maximum Allowable Concentration
- MARPOL : International Convention for the Prevention of Pollution From Ships
- NO(A)EL : No Observed (Adverse) Effect Level
- OECD : Organisation for Economic Co-operation and Development
- PBT : Persistent, Bioaccumulative and Toxic
- PC : Chemical product category
- PT : Product type
- REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
- RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
- STP : Sewage Treatment Plant
- SU : Sector of Use
- TWA/STEL : Time-Weighted Average/Short Term Exposure Limit
- UN : United Nations
- VOC : Volatile Organic Compounds
- vPvB : Very Persistent and Very Bioaccumulative



Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

- Skin Sens. 1/1A/1B : Calculation method.
- Aquatic Chronic 3 : Calculation method.

Full text of hazard classes mentioned in section 3:

- Acute Tox. 4 : Acute toxicity, category 4.
- Skin Irrit. 2 : Skin irritation, category 2.
- Eye Irrit. 2 : Eye irritation, category 2.
- Skin Sens. 1/1A/1B : Skin sensitization, category 1/1A/1B.
- Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.
- Aquatic Chronic 2 : Hazardous to the aquatic environment — Chronic category 2.
- Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3.
- Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.